ASCO
All about CO_2

DIAGRAM
ELECTRIC
HYDRAULIC

ASCO DRY ICE PELLETIZER
P15 EVO

from SN 26-131-001
ascoco2.com

Kontakt / Contact:

Hauptsitz / Head Office
ASCO Kohlensäure AG / ASCO CARBONDIOXIDE LTD.
Hofenstrasse 19, CH-9300 Wittenbach
T +41 71 466 80 80
info@ascoco2.com / ascoco2.com
MwSt / VAT-ID: CHE-107.889.692 MWST

Betriebsstätte / Production Site
ASCO Kohlensäure AG / ASCO CARBON DIOXIDE INC.
Sprudelstrasse 3, DE-53557 Bad Hönningen
T +49 2635 92 534-0
info@ascoco2.com / ascoco2.com
VAT-ID: DE196946952

Subsidiary USA
ASCO CARBON DIOXIDE INC.
80-4 Industrial Loop North, Orange Park, FL 32073
T +1 904 374 9590 / Toll free +1 877 633 0996
usa@ascoco2.com / ascoco2.com/us

Sitz: Wittenbach | Handelsregister: Kanton St. Gallen | Firmen-Nr.: CHE107.889.692 | Präsident des Verwaltungsrates: Adolf Walth | Geschäftsleitung: Ralph Spring (MD)
Seat: Wittenbach | Commercial register of canton: St. Gallen | Company No.: CHE107.889.692 | Chairman of the Board: Adolf Walth | Management: Ralph Spring (MD)

ELECTRIC

WARNING

Risk of injury from electric power!
Changes on the electrical installation on your own are prohibited.
Changes on the electrical installation, on the program or on its parameters can cause serious damages to the machine and its environment.
Any change on the control or at the program which is not performed by an ASCO-technician leads to a loss of warranty.

SCHWEIZ

ASCO KOHLENSÄURE AG
Hofenstrasse 19
9300 Wittenbach
Schweiz

T +41 71 466 8080
info@ascoco2.com

SWITZERLAND

ASCO CARBON DIOXIDE LTD
Hofenstrasse 19
9300 Wittenbach
Schweiz

T +41 71 466 8080
info@ascoco2.com

USA

ASCO CARBON DIOXIDE INC.
80-4 Industrial Loop North
Orange Park, Florida 32073
USA

T +1 (904) 374-9590
usa@ascoco2.com

Project-Nr.:

Project description: Dry Ice Pelletizer
P15 EVO / P28 EVO CE US V531

Plant designation:

Degree of protection:	IP 54
Power input:	CE: 3x400 VAC / 50 Hz / 25 A -- US: 3x480 VAC / 60 Hz / 25 A
Control voltage:	24 VDC
Rotary field:	Clockwise
Pre-fuse:	C 25A
short-circuit proof Icp:	6kA
Input lead:	4G4mm² at 30°C see cross-section calculation page 4.1
Operating Temperature Range:	5-35°C

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
		1	Title page / cover sheet		11.05.2026	
=P15(i)_P28(i)	+SS01	2	Table of contents		12.05.2026	
=P15(i)_P28(i)	+SS01	2.1	Table of contents		12.05.2026	
=P15(i)_P28(i)	+SS01	2.2	Table of contents		12.05.2026	
=P15(i)_P28(i)	+SS01	2.3	Table of contents		12.05.2026	
=P15(i)_P28(i)	+SS01	2.4	Table of contents		12.05.2026	
=P15(i)_P28(i)	+SS01	3	Structure identifier overview		11.05.2026	
=P15(i)_P28(i)	+SS01	4	Wire colors according to standard EN		11.05.2026	
=P15(i)_P28(i)	+SS01	4.1	Cross section		11.05.2026	
=P15(i)_P28(i)	+SS01	4.2	Safety Instructions		11.05.2026	
=P15(i)_P28(i)	+SS01	4.3	Symbols		11.05.2026	
=P15(i)_P28(i)	+SS01	4.4	Terminal numbering		11.05.2026	
=P15(i)_P28(i)	+SS01	5	network overview		11.05.2026	
=P15(i)_P28(i)	+SS01	6	Panel layout		11.05.2026	
=P15(i)_P28(i)	+SS01	6.2	Panel layout		11.05.2026	
=P15(i)_P28(i)	+SS01	10	Power supply		12.05.2026	
=P15(i)_P28(i)	+SS01	15	Hydraulic motor 1		12.05.2026	
=P15(i)_P28(i)	+SS01	16	Hydraulic motor 1 Fan		11.05.2026	
=P15(i)_P28(i)	+SS01	40	Voltage processing 24VDC		12.05.2026	
=P15(i)_P28(i)	+SS01	41	Voltage processing 24VDC		11.05.2026	
=P15(i)_P28(i)	+SS01	42	Voltage processing 24VDC feedback		11.05.2026	
=P15(i)_P28(i)	+SS01	50	SPS-Aufbau		11.05.2026	
=P15(i)_P28(i)	+SS01	51	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	52	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	53	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	54	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	55	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	56	PLC overview		11.05.2026	

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=P15(i)_P28(i)	+SS01	57	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	58	PLC overview		11.05.2026	
=P15(i)_P28(i)	+SS01	60	Operation / control panel		11.05.2026	
=P15(i)_P28(i)	+SS01	61	Remote maintenance module		11.05.2026	
=P15(i)_P28(i)	+SS01	63	Signal tower		11.05.2026	
=P15(i)_P28(i)	+SS01	65	Interface 1 Emergency stop		11.05.2026	
=P15(i)_P28(i)	+SS01	66	Interface 1 digital inputs		11.05.2026	
=P15(i)_P28(i)	+SS01	67	Interface 1 digital outputs		11.05.2026	
=P15(i)_P28(i)	+SS01	68	Interface 1 analog inputs		11.05.2026	
=P15(i)_P28(i)	+SS01	69	Interface 1 ASCO CO2 detector		11.05.2026	
=P15(i)_P28(i)	+SS01	70	Interface 1 conveyor belt		11.05.2026	
=P15(i)_P28(i)	+SS01	110	Plant part 1 Sensors		11.05.2026	
=P15(i)_P28(i)	+SS01	120	Plant part 1 sensors analog		11.05.2026	
=P15(i)_P28(i)	+SS01	130	Plant part 1 Valves		11.05.2026	
=AUS01	+SS01	1	Parts list		12.05.2026	
=AUS01	+SS01	1.1	Parts list		12.05.2026	
=AUS01	+SS01	1.2	Parts list		12.05.2026	
=AUS01	+SS01	1.3	Parts list		12.05.2026	
=AUS01	+SS01	1.4	Parts list		12.05.2026	
=AUS01	+SS01	1.5	Parts list		12.05.2026	
=AUS02	+SS01	1	Summarized parts list		11.05.2026	
=AUS02	+SS01	1.1	Summarized parts list		11.05.2026	
=AUS02	+SS01	1.2	Summarized parts list		12.05.2026	
=AUS02	+SS01	1.3	Summarized parts list		12.05.2026	
=AUS02	+SS01	1.4	Summarized parts list		12.05.2026	
=AUS02	+SS01	1.5	Summarized parts list		12.05.2026	
=AUS02	+SS01	1.6	Summarized parts list		12.05.2026	
=AUS02	+SS01	1.7	Summarized parts list		12.05.2026	

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Table of contents	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 2.1

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS02	+DR	1	Summarized parts list		11.05.2026	
=AUS02	+DR	1.1	Summarized parts list		11.05.2026	
=AUS02	+EXT	1	Summarized parts list		11.05.2026	
=AUS02	+EXT	1.1	Summarized parts list		11.05.2026	
=AUS02	+EXT	1.2	Summarized parts list		11.05.2026	
=AUS02	+EXT	1.3	Summarized parts list		11.05.2026	
=AUS03		1	Cable diagram		11.05.2026	
=AUS03		1.1	Cable diagram		11.05.2026	
=AUS03		1.2	Cable diagram		12.05.2026	
=AUS03		1.3	Cable diagram		11.05.2026	
=AUS03		1.4	Cable diagram		11.05.2026	
=AUS03		1.5	Cable diagram		11.05.2026	
=AUS03		1.6	Cable diagram		11.05.2026	
=AUS04		1	Cable overview		11.05.2026	
=AUS05		1	Terminal-strip overview		12.05.2026	
=AUS06		1	Terminal diagram =P15(i)_P28(i)+SS01-10X1		12.05.2026	
=AUS06		2	Terminal diagram =P15(i)_P28(i)+SS01-15X1		11.05.2026	
=AUS06		3	Terminal diagram =P15(i)_P28(i)+SS01-16X1		11.05.2026	
=AUS06		4	Terminal diagram =P15(i)_P28(i)+SS01-40X1		11.05.2026	
=AUS06		5	Terminal diagram =P15(i)_P28(i)+SS01-41X1		11.05.2026	
=AUS06		6	Terminal diagram =P15(i)_P28(i)+SS01-41X3		11.05.2026	
=AUS06		7	Terminal diagram =P15(i)_P28(i)+SS01-41X5		11.05.2026	
=AUS06		8	Terminal diagram =P15(i)_P28(i)+SS01-41X7		11.05.2026	
=AUS06		9	Terminal diagram =P15(i)_P28(i)+SS01-65X1		11.05.2026	
=AUS06		10	Terminal diagram =P15(i)_P28(i)+SS01-66X1		11.05.2026	
=AUS06		11	Terminal diagram =P15(i)_P28(i)+SS01-68X1		11.05.2026	
=AUS06		12	Terminal diagram =P15(i)_P28(i)+SS01-69X1		11.05.2026	
=AUS06		13	Terminal diagram =P15(i)_P28(i)+SS01-70X1		11.05.2026	

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS06		14	Terminal diagram =P15(i)_P28(i)+SS01-110X1		11.05.2026	
=AUS06		15	Terminal diagram =P15(i)_P28(i)+SS01-120X1		11.05.2026	
=AUS06		16	Terminal diagram =P15(i)_P28(i)+SS01-120X5		11.05.2026	
=AUS06		17	Terminal diagram =P15(i)_P28(i)+SS01-120X7		11.05.2026	
=AUS06		18	Terminal diagram =P15(i)_P28(i)+SS01-120X9		11.05.2026	
=AUS06		19	Terminal diagram =P15(i)_P28(i)+SS01-130X1		11.05.2026	
=AUS06		20	Terminal diagram =P15(i)_P28(i)+SS01-130X5		11.05.2026	
=AUS06		21	Terminal diagram =P15(i)_P28(i)+SS01-40XT5		12.05.2026	
=AUS07		1	Terminal line-up diagram =P15(i)_P28(i)+SS01-10X1		12.05.2026	
=AUS07		2	Terminal line-up diagram =P15(i)_P28(i)+SS01-15X1		11.05.2026	
=AUS07		3	Terminal line-up diagram =P15(i)_P28(i)+SS01-16X1		11.05.2026	
=AUS07		4	Terminal line-up diagram =P15(i)_P28(i)+SS01-40X1		11.05.2026	
=AUS07		5	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X1		11.05.2026	
=AUS07		6	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X3		11.05.2026	
=AUS07		7	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X5		11.05.2026	
=AUS07		8	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X7		11.05.2026	
=AUS07		9	Terminal line-up diagram =P15(i)_P28(i)+SS01-65X1		11.05.2026	
=AUS07		10	Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1		11.05.2026	
=AUS07		10.1	Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1		11.05.2026	
=AUS07		11	Terminal line-up diagram =P15(i)_P28(i)+SS01-68X1		11.05.2026	
=AUS07		12	Terminal line-up diagram =P15(i)_P28(i)+SS01-69X1		11.05.2026	
=AUS07		13	Terminal line-up diagram =P15(i)_P28(i)+SS01-70X1		11.05.2026	
=AUS07		14	Terminal line-up diagram =P15(i)_P28(i)+SS01-110X1		11.05.2026	
=AUS07		15	Terminal line-up diagram =P15(i)_P28(i)+SS01-110X3		11.05.2026	
=AUS07		16	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X1		11.05.2026	
=AUS07		17	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X5		11.05.2026	
=AUS07		18	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X7		11.05.2026	
=AUS07		19	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X9		11.05.2026	

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS07		20	Terminal line-up diagram =P15(i)_P28(i)+SS01-130X1		11.05.2026	
=AUS07		21	Terminal line-up diagram =P15(i)_P28(i)+SS01-130X5		11.05.2026	
=AUS07		22	Terminal line-up diagram =P15(i)_P28(i)+SS01-40XT5		12.05.2026	

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Table of contents	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 2.4

Structure identifier overview

Full designation	Structure description
Funktionskennzeichen	
=P15(i)_P28(i)	Pelletizer P15(i) P28(i)
=R70i	Reformer R70i
=AUS01	Parts list
=AUS02	Summarized parts list
=AUS03	Cable diagram
=AUS04	Cable overview
=AUS05	Klemmleistenübersicht
=AUS06	Terminal diagram
=AUS07	Terminal line-up diagram

Full designation	Structure description
Ortskennzeichen	
+SS01	Control cabinet
+DR	Door
+EXT	External
+CVB	conveyor belt
+CST	Customer
+TEIL1	

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Structure identifier overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 3

Engineering standards

Low voltage installation standard:	NIN
Electrical equipment of machines	EN60204-1
Switching device combinations:	EN60439
Symbols for electric circuit diagrams	EN60617

Customer-specific standards

color of wires to EN60204-1

main circuit:	black
Neutral conductor:	white
Protective wire PE:	green/yellow
Fuctional earth FE:	green/yellow
Shield SH:	
Control voltage AC L (to Transformer):	red
Control voltage AC GND (to Transformer),	
If second wire grounded:	red/white
Control voltage DC +:	dark blue
Control voltage DC GND	
If second wire grounded:	dark blue/white
Signal cable Analog:	grey
External voltage:	orange

color of wires for Cable to DIN47100

1	white (wh)	18	grey-brown	35	green-black
2	brown (bn)	19	white-pink	36	yellow-black
3	green (gn)	20	pink-brown	37	grey-blue
4	yellow (ye)	21	white-blue	38	pink-blue
5	grey (gy)	22	brown-blue	39	grey-red
6	pink (pk)	23	white-red	40	pink-red
7	blue (bu)	24	brown-red	41	grey-black
8	red (rd)	25	white-black	42	pink-black
9	black (bk)	26	brown-black	43	blue-black
10	violet (vi)	27	grey-green	44	red-black
11	grey-pink	28	yellow-grey	45	white-brown-black
12	red-blue	29	pink-green	46	yellow-green-black
13	white-green	30	yellow-pink	47	grey-pink-black
14	brown-green	31	green-blue	48	red-blue-black
15	white-yellow	32	yellow-blue	49	white-green-black
16	yellow-brown	33	green-red	50	brown-green-black
17	white-grey	34	yellow-red	51	white-yellow-black

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Wire colors according to standard EN	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor							+ SS01
								Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name								Pg 4

Cable cross section

Cross-section:	Current load:	Cross-section:		Current load:
0.5mm²	3 A	AWG 24	(0.21mm²)	2 A
0.75mm²	4 A	AWG 22	(0.33mm²)	4 A
1.0mm²	6 A	AWG 20	(0.52mm²)	6 A
1.5mm²	10 A	AWG 19	(0.65mm²)	7 A
2.5mm²	16 A	AWG 18	(0.82mm²)	8 A
4.0mm²	20 A	AWG 16	(1.31mm²)	10 A
6.0mm²	25 A	AWG 14	(2.08mm²)	20 A
10mm²	40 A (35A)	AWG 12	(3.32mm²)	25 A
16mm²	63 A (50A)	AWG 10	(5.26mm²)	40 A
25mm²	80 A	AWG 8	(8.35mm²)	55 A
35mm²	100 A	AWG 6	(13.30mm²)	80 A
50mm²	125 A	AWG 4	(21.15mm²)	105 A
70mm²	160 A	AWG 3	(26.67mm²)	120 A
95mm²	200 A	AWG 2	(33.63mm²)	140 A
120mm²	225 A	AWG 1	(42.41mm²)	165 A
150mm²	250 A	AWG 0	(53.48mm²)	195 A
185mm²	300 A	AWG 2/0	(67.43mm²)	225 A
240mm²	350 A	AWG 3/0	(85.03mm²)	260 A
		AWG 4/0	(107.2mm²)	300 A

Cross-section calculation

Ambient temperature		Conversion factor
30°C	86°F	1.00
40°C	104°F	0.87
45°C	113°F	0.79
55°C	131°F	0.62

Copper busbar blank

Cross-section:	Current load:
12 x 2 mm	123 A
15 x 2 mm	143 A
15 x 3 mm	197 A
20 x 2 mm	189 A
20 x 3 mm	237 A
20 x 5 mm	319 A
20 x 10 mm	497 A
25 x 3 mm	287 A
25 x 5 mm	384 A
30 x 3 mm	337 A
30 x 5 mm	447 A
30 x 10 mm	676 A
40 x 3 mm	436 A
40 x 5 mm	573 A
40 x 10 mm	850 A
50 x 5 mm	697 A
50 x 10 mm	1020 A
60 x 5 mm	826 A
60 x 10 mm	1180 A
80 x 5 mm	1070 A
80 x 10 mm	1500 A
100 x 5 mm	1300 A
100 x 10 mm	1810 A
120 x 10 mm	2110 A
160 x 10 mm	2700 A

Copper busbar laminated

Cross-section:	Current load:
6 x 13.0 x 0.5mm	150 A
6 x 15.5 x 0.8mm	290 A
10 x 24.0 x 1.0mm	600 A
10 x 32.0 x 1.0mm	800 A
10 x 40.0 x 1.0mm	950 A
10 x 50.0 x 1.0mm	1000 A
10 x 63.0 x 1.0mm	1240 A

Cable cross section Protective wire

Cross-section Power supply:	min. Cross-section Protective wire:
S ≤ 16mm²	S
16mm² < S ≤ 35mm²	16mm²
S > 35mm²	S / 2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	Page description: Cross section	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4.1

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

General Project Information and Safety

General Instructions

This documentation is intended for the set-up and connection of the electric control unit by trained staff. Work on the control unit as well as commissioning and maintenance of the machinery must be carried out by qualified and trained staff.

The connection of the protective earth conductor is to be performed on site in compliance with the local regulations.

After transportation / before commissioning, all screw connections must be tightened (they may have worked loose).

To ensure proper cooling of the electric control unit the operator should regularly check the cooling equipment and clean or replace it if necessary (e.g. filter pads).

Safety-related components may only be replaced with equivalent components.

The present schematic diagram has been compiled using a CAD system. The arrangement of the components / connections must be adhered to precisely when installing the wiring.

Safety Instructions

WARNING

It is not permitted to work on electrically live parts and equipment!

The machine may only be operated if all the protective devices are fitted in place and fully functional.

It is forbidden to remove the protective devices, bypass them or make them inoperative.

Should any of the protective devices show a fault, the machine must be stopped immediately and may only be started up again after repair has been carried out by qualified staff.

Symbols

Calliper manually operated normally open contact (NO)

Pressure - dependent switcher

Engage changer delayed

Lamp

Calliper manually operated break contact (NC)

foot controled Switch

Contactor, relay

Electromagnetic break

Key switch with interlock

Engage normally open contact delayed

Contactor, relay

Solenoid valve

Rotary switch with interlock

Engage break contact element delayed

Contactor, relay

Poximity switch normally open contact

limit switch

Engage changer delayed

Operating hours counter



Motor overload switch

Emergency - stop switch

Engage normally open contact delayed

LED

Miniature circuit-breaker

Temperature-dependent interruptor

Engage break contact element delayed

horn

Safety fuse

float switch

Engage changer delayed

Siren

Disconnector

Device tag

A	Module, assembly
B	Encoder
C	Capacitor, Memory module, Binary element
E	Lighting
F	Miniature circuit breakers, fuse
G	Power supply unit, Generator
K	relay, Filter
M	Motor
P	Measuring instrument, Display, signal device
Q	Circuit breaker, Disconnector, Contactor
R	Resistor, Coil, Semiconductor
S	switch, pushbutton
T	Converter, amplifier, Controller
W	conductor, Cable
X	Terminal, Plug
Y	Valve, Brake, Coupling



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Symbols	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4.3

Terminal numbering





Terminal

2

1





Terminal



1



Terminal



1

2

3

4

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal numbering	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4.4



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: network overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 5

-60U7
EWO.FLEXY205
FLEXY 205
46



BxH: 1050mmx257mm
(Standard P15/P28 Montageplatte)

5 6.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Panel layout	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 6



BxH: 1050mmx257mm
(Standard P15/P28 Montageplatte)

Platte : ∅12 (6x)
Kanal : ∅6 (12x)
Rail : M5 (9x)

6 10

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Panel layout	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor							+ SS01
								Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name								Pg 6.2



6.2

15

V500	31.01.2024	ASCO	Date	12.05.2026
			Editor	
Modification	Date	Name		

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Page description: Power supply

Project-No.:

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**

Scheme-No.:

Scheme-No. Customer:

Project-No. Customer:

= P15(i)_P28(i)

+ SS01

I sh	130
Pg	10



10 16

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Hydraulic motor 1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 15



15 40

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Hydraulic motor 1 Fan	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 16



V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 40



24VDC
controller
(CPU HMI EWON)

24VDC
General

24VDC
EMERGENCY STOP

24VDC
Interface 1

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 41



24VDC 2
General

24VDC 3
EMERGENCY STOP

24VDC 4
Interface 1

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC feedback	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 42



Doppelte Masseleitung erforderlich

⚠ WARNUNG

Für das F-PM-E 24VDC/8A PPM ST muss die Masseleitung zum BaseUnit aus Sicherheitsgründen doppelt verlegt werden. Ansonsten könnte bei der Unterbrechung einer einfachen Masseleitung die Potenzialschiene P2 nicht mehr sicherheitsgerichtet abgeschaltet werden.

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: SPS-Aufbau	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 50

-50KF21
/50.2

Siemens
4070341
4068190

0	I0.0	1 DI0	/10.9	-10Q6:22	EMERGENCY STOP feed back
1	I0.1	2 DI1	/40.8	-40G1:14	24VDC OK
2	I0.2	3 DI2	/42.1	-41X3:4	24VDC 2 General
3	I0.3	4 DI3	/42.2	-41X5:2	24VDC 3 EMERGENCY STOP
4	I0.4	5 DI4	/42.3	-41X7:3	24VDC 4 Interface 1
5	I0.5	6 DI5	/15.4	-15Q1:14	Motor protection switch hydraulic motor 1 (1 = OK)
6	I0.6	7 DI6	/15.3	-15Q2:14	Contactor feedback hydraulic motor
7	I0.7	8 DI7	/16.3	-16Q1:14	hydraulic motor 1 Motor protection switch ventilation (1 = OK)
8	I1.0	9 DI8	/16.4	-16Q5:22	hydraulic motor 1 Contactor feedback ventilation
9	I1.1	10 DI9	/60.5	+DR-60S5:14	Movement confirmation
10	I1.2	11 DI10			
11	I1.3	12 DI11			
12	I1.4	13 DI12	/16.2	+EXT-16M1:RD	Hydraulic motor 1 Fan
13	I1.5	14 DI13	/110.1	+EXT-110B1:2	Plant part 1 oil level
14	I1.6	15 DI14	/110.3		Spare
15	I1.7	16 DI15	/110.4		Spare
		L+ 24VDC	/50.3		
		M 0VDC	/50.3		
		SH			

SIEMENS
6ES7193-6BP00-0DA0
6ES7131-6BH01-0BA0

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 51

-50KF25
/50.3

Siemens
4070341
4068191



0	I2.0	1 DI0	/66.1		Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)
1	I2.1	2 DI1	/66.2		Interface 1 Drain Machine (1 = drain)
2	I2.2	3 DI2	/66.3		Interface 1 next batch (1 = next)
3	I2.3	4 DI3	/66.4		Interface 1 additional start condition (1 = approval)
4	I2.4	5 DI4	/66.5	-66X1:7	Spare
5	I2.5	6 DI5	/66.6	-66X1:8	Spare
6	I2.6	7 DI6	/66.7	-66X1:9	Spare
7	I2.7	8 DI7	/66.8	-66X1:10	Spare
8	I3.0	9 DI8	/69.6	+EXT-69A1:33	Interface 1 CO2 ALARM 3 configurable
9	I3.1	10 DI9	/69.7	+EXT-69A1:23	Interface 1 CO2 ALARM 2 configurable
10	I3.2	11 DI10	/69.8	+EXT-69A1:13	Interface 1 CO2 ALARM 1 8h over 0.5%
11	I3.3	12 DI11			
12	I3.4	13 DI12			
13	I3.5	14 DI13			
14	I3.6	15 DI14			
15	I3.7	16 DI15	/70.5	+CVB-20K1:31	Interface 1 conveyor belt (1 = active, 0 = stopped)
		L+ 24VDC	/50.3		
		M 0VDC	/50.3		
		SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7131-6BH01-0BA0

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 52

-50KF31
/50.4

Siemens
5003628
4068191



0 PIW100	1 U0+		
0	3 U0-		
0 PIW100	5 I0+	/120.1	Plant part 1 linear measurement
0	7 I0-	/120.1	Plant part 1 linear measurement
0	9 UV0	/120.1	Plant part 1 linear measurement
0	11 M0	/120.2	Plant part 1 linear measurement
	13 RES		
	15 RES		
1 PIW102	2 U1+		
1	4 U1-		
1 PIW102	6 I1+	/120.5	Plant part 1 pressure measurement hydraulic
1	8 I1-		
1	10 UV1	/120.5	Plant part 1 pressure measurement hydraulic
1	12 M1		
	14 RES		
	16 RES		
	L+ 24VDC	/50.4	
	M 0VDC	/50.4	
	SH		

SIEMENS
6ES7193-6BP00-0BA0
6ES7134-6HB00-0DA1

52 54

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 53

-50KF32
/50.4

Siemens
4070340
4068191



0	1	1 I1O+	/120.7	Plant part 1 Pressure measurement CO2
0	5	1 I1O-	/120.7	Plant part 1 Pressure measurement CO2
0	9	UV 0	/120.7	Plant part 1 Pressure measurement CO2
0 PIW104	13	2 I0+	/120.7	Plant part 1 Pressure measurement CO2
1	2	1 I1+	/120.8	Plant part 1 Hydraulic oil temperature
1	6	1 I1-	/120.9	Plant part 1 Hydraulic oil temperature
1	10	UV 1	/120.9	Plant part 1 Hydraulic oil temperature
1 PIW106	14	2 I1+	/120.9	Plant part 1 Hydraulic oil temperature
2	3	1 I2+	/69.3	ASCO CO2 Detector
2	7	1 I2-	/69.3	ASCO CO2 Detector
2	11	UV 2	/69.3	ASCO CO2 Detector
2 PIW108	15	2 I2+	/69.4	ASCO CO2 Detector
3	4	1 I3+	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3	8	1 I3-	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3	12	UV 3	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3 PIW110	16	2 I3+	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
	L+	24VDC	/50.4	
	M	0VDC	/50.5	
	SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7134-6GD01-0BA1

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 54

-50KF41
/50.5

Siemens
4070342
4068190



0 Q0.0 1 DQ0	/67.1	-67K1:A1	Interface 1 Machine ready (1 = ready)
1 Q0.1 2 DQ1	/67.2	-67K2:A1	Interface 1 Machine active (1 = active)
2 Q0.2 3 DQ2	/67.3	-67K3:A1	Interface 1 Batch completed (1 = completed)
3 Q0.3 4 DQ3	/67.4	-67K4:A1	Interface 1 Machine drained (1 = empty)
4 Q0.4 5 DQ4			
5 Q0.5 6 DQ5			
6 Q0.6 7 DQ6			
7 Q0.7 8 DQ7			
8 Q1.0 9 DQ8	/70.1	-70K1:A1	Interface 1 Start the conveyor belt (1 = start, 0 = stop)
9 Q1.1 10 DQ9	/60.6	+DR-60S5:X1	Movement confirmation
10 Q1.2 11 DQ10	/60.9	+DR-60S7:X1	Emergency stop
11 Q1.3 12 DQ11	/63.2	+EXT-63X1:1	Signal tower blue
12 Q1.4 13 DQ12	/63.3	+EXT-63X1:2	Signal tower green
13 Q1.5 14 DQ13	/63.4	+EXT-63X1:3	Signal tower yellow
14 Q1.6 15 DQ14	/63.5	+EXT-63X1:4	Signal tower red
15 Q1.7 16 DQ15	/63.6	+EXT-63X1:5	Signal tower Buzzer
L+ 24VDC	/50.5		
M 0VDC	/50.5		
SH			

SIEMENS
6ES7193-6BP00-0DA0
6ES7132-6BH01-0BA0

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 55

-50KF51
/50.5

Siemens
4068188
4068193

0		1 DI0	/60.8	-FDI_EM_STOP_1	Emergency stop
0		3 VS0	/60.7	-FDI_EM_STOP_1	Emergency stop
1	I50.0	2 DI1	/60.9	-FDI_EM_STOP_1	Emergency stop
1		4 VS1	/60.8	-FDI_EM_STOP_1	Emergency stop
0		5 DQ-P0	/10.6	-FDO_Versorgung_DO	Failsafe supply digital output
0		6 DQ-M0	/10.6	-FDO_Versorgung_DO	Failsafe supply digital output
		1A AUX			
		2A AUX			
		1L	/50.6		
		1N	/50.6		
		2L	/50.6		
		2N	/50.6		
		SH			

SIEMENS
6ES7193-6BP20-0DC0
6ES7136-6PA00-0BC0

55 57

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 56



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 57

-50KF53
/50.7

Siemens
4071897
4068191



0	Q3.0	1 DQ0	/130.1	+EXT-130X1	Plant part 1 CO2 valve 1
0		5 DQ0			
1	Q3.1	2 DQ1	/130.3	+EXT-130X3	Plant part 1 CO2 valve 2
1		6 DQ1			
2	Q3.2	3 DQ2	/130.6	+EXT-130Y5:A1	Plant part 1 valve forward
2		7 DQ2			
3	Q3.3	4 DQ3	/130.8	+EXT-130Y7:A1	Plant part 1 valve backward
3		8 DQ3			
		9 M	/130.1		Plant part 1 CO2 valve 1
		10 M	/130.3		Plant part 1 CO2 valve 2
		11 M	/130.6		Plant part 1 valve forward
		12 M	/130.8		Plant part 1 valve backward
		13 M			
		14 M			
		15 M			
		16 M			
		L+ 24VDC	/50.7		
		M 0VDC	/50.7		
		SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7132-6BD21-0BA0

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 58



58

61

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Operation / control panel	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 60



60

63

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Remote maintenance module	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 61

Signal tower blue	Signal tower green	Signal tower yellow	Signal tower red	Signal tower Buzzer
+EXT-63X1:1	+EXT-63X1:2	+EXT-63X1:3	+EXT-63X1:4	+EXT-63X1:5
Q1.3	Q1.4	Q1.5	Q1.6	Q1.7
/55.1	/55.1	/55.1	/55.1	/55.1
-50KF41	-50KF41	-50KF41	-50KF41	-50KF41
DQ11	DQ12	DQ13	DQ14	DQ15
12	13	14	15	16

-40X1.64 / 40.2

-63W2.1
PVC
1 m
8x0,25 mm²
4071269

WH 0,25 | BN 0,25 | GN 0,25 | YE 0,25 | GY 0,25 | PK 0,25 | BU 0,25 | RD 0,25

-63X2
Signal tower

1 | 2 | 3 | 4 | 5 | 6 | 7 | 8

+EXT

-63W2.2
PUR
0.6 m
8x0,25 mm²
4071270

WH 0,25 | BN 0,25 | GN 0,25 | YE 0,25 | GY 0,25 | PK 0,25 | BU 0,25 | RD 0,25

-63X1
400mm
4071263

GND 0 | Modul 1 1 | Modul 2 2 | Modul 3 3 | Modul 4 4 | Modul 6 5

-63P2
BU
24VAC/DC
4071264

-63P3
GN
24VAC/DC
4071265

-63P4
YE
24VAC/DC
4071266

-63P5
RD
24VAC/DC
4071267

-63P6
BZ
24VAC/DC
4071268

Signal tower blue | Signal tower green | Signal tower yellow | Signal tower red | Signal tower Buzzer

61

65

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Signal tower	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 63



+EXT

In order to integrate an external emergency stop, the bridges must be removed.

The integrator is responsible for integrating an external emergency stop or for integrating the machine into an external emergency stop.
The emergency stop strategy and all associated standards must be observed in all cases. Integration may only be carried out by qualified personnel



OPTIONAL

63

66

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 Emergency stop	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 65

0	1	2	3	4	5	6	7	8	9

Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)	Interface 1 Drain Machine (1 = drain)	Interface 1 next batch (1 = next)	Interface 1 additional start condition (1 = approval)	Spare	Spare	Spare	Spare
				-66X1:7	-66X1:8	-66X1:9	-66X1:10
I2.0	**I2.1**	**I2.2**	**I2.3**	**I2.4**	**I2.5**	**I2.6**	**I2.7**
/52.1	/52.1	/52.1	/52.1	/52.1	/52.1	/52.1	/52.1
-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25
DI0	DI1	DI2	DI3	DI4	DI5	DI6	DI7

41X7.13 / 41.7

-66X1

0.14 mm² ... 1.5 mm²

+EXT

=R70i
Reformer R70i

Interface 1
External Start / Stop
(1 = start)
(0 = Stop after end of cycle)

Interface 1
Drain Machine
(1 = drain)

Interface 1
next batch
(1 = next)

Interface 1
additional start condition
(1 = approval)

Spare

Spare

OPTIONAL



65

67

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 digital inputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i) + SS01
			Editor						l sh 130
Modification	Date	Name					Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	Pg 66

0	1	2	3	4	5	6	7	8	9

Interface 1 Machine ready (1 = ready)	Interface 1 Machine active (1 = active)	Interface 1 Batch completed (1 = completed)	Interface 1 Machine drained (1 = empty)
-67K1:A1	-67K2:A1	-67K3:A1	-67K4:A1
Q0.0	**Q0.1**	**Q0.2**	**Q0.3**
/55.1	/55.1	/55.1	/55.1
-50KF41	-50KF41	-50KF41	-50KF41
DQ0	DQ1	DQ2	DQ3



0.14 mm² ... 1.5 mm²

+EXT

=R70i
Reformer R70i

/ =R70i-60W1.3.SH

Interface 1
Machine ready
(1 = ready)

Interface 1
Machine active
(1 = active)

Interface 1
Batch completed
(1 = completed)

Interface 1
Machine drained
(1 = empty)

OPTIONAL



66 68

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 digital outputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 67

Interface 1 Specification of production speed remotely (4...20mA = 0...100%)

PIW110

/54.1

-50KF32

1I3+ UV3 1I3- 2I3+

4 12 8 16

-68W1.1

/68.2

5003040

3x0,34 mm²

1 m

BN 0,34

WH 0,34

-41X7.21 / 41.7

-40X1.54 / 40.2

-68T1

OUT I+ 5

OUT I- 6

OUT

PWR+ 7

PWR- 8

T-BUS

1 IN I+

2 IN I-

IN

3 PWR+

4 PWR-

4070902

PHOENIX CONTACT

T-BUS

-68W1.2

/68.2

5003040

3x0,34 mm²

1 m

BN 0,34

WH 0,34

-68X1 1 4 2 3 3 PE 4 4 PE 3

0.14 mm² ... 1.5 mm²

+EXT

=R70i

Reformer R70i

-68W1.3

3x0,34 mm²

1 m

BN 0,34

WH 0,34

1 5

Q0+ Q0-

-96K4

PQW100

Leistungsregelung Pelletizer 1

2 6

Q1+ Q1-

-96K4

PQW102

Leistungsregelung Pelletizer 2

Interface 1
Specification of production speed remotely
(4...20mA = 0...100%)

OPTIONAL



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 analog inputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 68


ASCO CO2 Detector
PIW108
/54.1
-50KF32
1I2+ UV2 1I2- 2I2+
3 11 7 15
Interface 1 CO2 ALARM 3 configurable
+EXT-69A1:33
I3.0
/52.1
-50KF25
DI8
9
Interface 1 CO2 ALARM 2 configurable
+EXT-69A1:23
I3.1
/52.1
-50KF25
DI9
10
Interface 1 CO2 ALARM 1 8h over 0.5%
+EXT-69A1:13
I3.2
/52.1
-50KF25
DI10
11
-69W3
/69.4
5003040
3x0,34 mm²
1 m
BN 0,34
WH 0,34
SH
-69SH2
-41X7.14 / 41.7
-40X1.52 / 40.2
-41X7.12 / 41.7
-69X1
0.14 mm² ... 1.5 mm²
+EXT
-69W1
/69.9
12x1,5 mm²
-69A1
PW+
PW-
PE
BAT+
BAT-
max. 24VDC
max. 7V
4..20mA
CLO1
GND
4..20mA
CLO2
ACTUAL value CO2 content
COM
NC
NO
CO2 ALARM 3
configurable
standard value: 30.000 ppm
CO2 ALARM 2
configurable
standard value: 15.000 ppm
CO2 ALARM 1
8h over 0.5%
ASCO
All about CO2
CO2 Detector
OPTIONAL
ASCO CO2 Detector
not a safety component according to EN 13849-1 , EN 62061 (max. PLa)
Machine stops
after end of cycle
Machine reports
whithout stop
Machine reports
whithout stop

Interface 1 Start the conveyor belt (1 = start, 0 = stop)
-70K1:A1
Q1.0
/55.1
-50KF41
DQ8

Interface 1 conveyor belt (1 = active, 0 = stopped)
+CVB-20K1:31
I3.7
/52.1
-50KF25
DI15

9 — 82 0.75 mm² BU — A1 -70K1 4063743 A2 — 40.2 / -40X1.53

16 — -41X7.24 / 41.7

14 12 — 11 /70.1

-70K1 /70.1 — 11 12 14

80 0.75 mm² OG — 81 0.75 mm² OG

83 0.75 mm² BU — 0.75 mm² BU

-70X1 1 4 — 2 3 — 0.14 mm² ... 1.5 mm² — 3 4 — 4 3 — 5 PE — 6 PE

+EXT

conveyor belt
+CVB

-20X2 1 2 3 — 4 — 5

-20W2 LiYY 4x18 AWG — BU 0.34 — BN 0.34

-20B2

-20W2 — BK 0.34

-20K1 Start

16 — 14

6 — 7 — 17 — 13 — 20Q5 — 14 — 18 — 13 — 20Q6 — 14 — 19

8 — 9 — 20 — 31 — -20K1 Pelletizer Info Run No Delay — 34 — 21

PE

For detailed information, please refer to the electrical documentation of the conveyor belt

Interface 1
Start the conveyor belt
(1 = start, 0 = stop)

Interface 1
Conveyor belt active
(1 = active)
for Reformer

Interface 1
conveyor belt
(1 = active, 0 = stopped)

OPTIONAL



69 110

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 conveyor belt	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 70

Plant part 1 oil level
+EXT-110B1:2
I1.5
/51.1
-50KF21
DI13
14

Spare	Spare
I1.6	**I1.7**
/51.1	/51.1
-50KF21	-50KF21
DI14	DI15
15	16

41X3.31 / 41.3

0.75 mm² BU

110 0.75 mm² BU

-110X1 1 2 3 4 5 PE 6 PE

+EXT

-110W1
5002883
2x0.75 mm
2 m
1 0.75
2 0.75

-110B1
+ L1 NC
1 2 3 PE
L1

Plant part 1
oil level

Spare

Spare



70

120

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Plant part 1 Sensors	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i) + SS01
			Editor						l sh 130
Modification	Date	Name					Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	Pg 110



Plant part 1
linear measurement

Plant part 1
pressure measurement hydraulic

Plant part 1
Pressure measurement CO2

Plant part 1
Hydraulic oil temperature

110 130

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Plant part 1 sensors analog	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 120



120

=AUS01/1

V500	31.01.2024	ASCO	Date	11.05.2026
			Editor	
Modification	Date	Name		

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com
All about CO₂

Page description:
Plant part 1 Valves

Project-No.:

Project designation:
Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531

Scheme-No.:

Scheme-No. Customer:

Project-No. Customer:

= P15(i)_P28(i)
+ SS01
l sh 130
Pg 130

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-6U0	0				6;6.2	
=P15(i)_P28(i)	+SS01	-10Q5	1	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V	Siemens	4070996	10	
=P15(i)_P28(i)	+SS01	-10Q5	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	5003606	10	
=P15(i)_P28(i)	+SS01	-10Q5	1	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO,	Siemens	4065519	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V	Siemens	4070996	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	5003606	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO,	Siemens	4065519	10	
=P15(i)_P28(i)	+SS01	-10X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-10X1	1	End and partition plate for terminal block	Phoenix Contact	5003672		
=P15(i)_P28(i)	+SS01	-10X1	0				6	
=P15(i)_P28(i)	+SS01	-10X1	1	Ground terminal block	Phoenix Contact	5003671	10	
=P15(i)_P28(i)	+SS01	-10XD3	1	Verdrahtungsbaustein unten für Schützkombination Baugröße S0	Siemens	4071480	10	
=P15(i)_P28(i)	+SS01	-15Q1	1	CIRCUIT-BREAKER SCREW CONNECTION 12.5A	Siemens	4044259	15	
=P15(i)_P28(i)	+SS01	-15Q1	1	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION	Siemens	4064461	15	
=P15(i)_P28(i)	+SS01	-15Q2	1	SIRIUS SANFTSTARTER, S00,12.5A, 5,5KW/400V, 40GRAD, AC 200-480V, AC/DC 24V	Siemens	4070899	15	
=P15(i)_P28(i)	+SS01	-15X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-15X1	1	End and partition plate for terminal block	Phoenix Contact	5003670		
=P15(i)_P28(i)	+SS01	-15X1	0				6	
=P15(i)_P28(i)	+SS01	-15X1	1	Multi-level terminal block	Phoenix Contact	5003669	15	
=P15(i)_P28(i)	+SS01	-15XD1	1	LINK MODULE 3RV2.1-3RT2.1,3RV2.2-3RT2.2	Siemens	5003673	15	
=P15(i)_P28(i)	+SS01	-15XD6	1	3-PHASE BUSBARS	Siemens	5003623	15	
=P15(i)_P28(i)	+SS01	-16Q1	1	CIRCUIT-BREAKER SCREW CONNECTION 0.32A	Siemens	4071000	16	
=P15(i)_P28(i)	+SS01	-16Q1	1	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION	Siemens	4064461	16	
=P15(i)_P28(i)	+SS01	-16Q5	1	CONTACTOR,AC3:3KW 1NC DC24V	Siemens	4070997	16	
=P15(i)_P28(i)	+SS01	-16Q5	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	4044411	16	
=P15(i)_P28(i)	+SS01	-16X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-16X1	1	End and partition plate for terminal block	Phoenix Contact	5003670		
=P15(i)_P28(i)	+SS01	-16X1	0				6	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-16X1	1	Multi-level terminal block	Phoenix Contact	5003669	16	
=P15(i)_P28(i)	+SS01	-16X1	1	Feed-through terminal block	Phoenix Contact	4067865	16	
=P15(i)_P28(i)	+SS01	-16XD1	1	LINK MODULE F.3RV S00/S0, 3RT S00	Siemens	4065520	16	
=P15(i)_P28(i)	+SS01	-40G1	1	Stromversorgung, 3-phasig	Lütze	4068174	40	
=P15(i)_P28(i)	+SS01	-40X1	1	End and partition plate for terminal block	Phoenix Contact	4067867	40	
=P15(i)_P28(i)	+SS01	-40X1	0				6	
=P15(i)_P28(i)	+SS01	-40X1	6	Feed-through terminal block	Phoenix Contact	4070909	40	
=P15(i)_P28(i)	+SS01	-40XT5	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-40XT5	1	End and partition plate for terminal block	Phoenix Contact	4070910		
=P15(i)_P28(i)	+SS01	-40XT5	1	End and partition plate for terminal block	Phoenix Contact	5003672		
=P15(i)_P28(i)	+SS01	-40XT5	0				6	
=P15(i)_P28(i)	+SS01	-40XT5	1	Disconnect and test disconnect rail-mount terminal block	Phoenix Contact	4070911	40	
=P15(i)_P28(i)	+SS01	-40XT5	2	Ground terminal block	Phoenix Contact	5003671	40	
=P15(i)_P28(i)	+SS01	-41F1	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F3	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F5	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F7	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41U0	1	Cross-connector for terminal block	Phoenix Contact	4071001		
=P15(i)_P28(i)	+SS01	-41X1	1	End bracket for terminal block	WAGO	4067670	41	
=P15(i)_P28(i)	+SS01	-41X1	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X1	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X1	0				6	
=P15(i)_P28(i)	+SS01	-41X1	3	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X3	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X3	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X3	0				6	
=P15(i)_P28(i)	+SS01	-41X3	4	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X5	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-41X5	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X5	0				6	
=P15(i)_P28(i)	+SS01	-41X5	2	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X7	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X7	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X7	0				6	
=P15(i)_P28(i)	+SS01	-41X7	3	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-44F1	1	CIRCUIT BREAKER 10KA, 3POLE, C, 6A	Siemens	4068673	40	
=P15(i)_P28(i)	+SS01	-50A2	1	ET 200SP, BA 2XRJ45	Siemens	4068181	50	
=P15(i)_P28(i)	+SS01	-50A3	1	SIMATIC S7 Memory card 24 MB For S7-1x00 CPU	Siemens	4068182	50	
=P15(i)_P28(i)	+SS01	-50KF11	1	CPU 1512SP F-1 PN, 600KB Prog., 2MB Data	Siemens	4068180	50	
=P15(i)_P28(i)	+SS01	-50KF21	1	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1	Siemens	4070341	50	
=P15(i)_P28(i)	+SS01	-50KF21	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D	Siemens	4068190	50	
=P15(i)_P28(i)	+SS01	-50KF25	1	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1	Siemens	4070341	50	
=P15(i)_P28(i)	+SS01	-50KF25	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF31	1	SIMATIC ET 200SP AI 2xU/I 2-/4-wire HS	Siemens	5003628	50	
=P15(i)_P28(i)	+SS01	-50KF31	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF32	1	SIMATIC ET 200SP AI 4xI 2-/4-wire ST	Siemens	4070340	50	
=P15(i)_P28(i)	+SS01	-50KF32	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF41	1	SIMATIC ET 200SP DQ 16x24 VDC/0.5 A ST	Siemens	4070342	50	
=P15(i)_P28(i)	+SS01	-50KF41	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D	Siemens	4068190	50	
=P15(i)_P28(i)	+SS01	-50KF51	1	SIMATIC ET 200SP F-PM-E 24 V DC/8 A PPM ST	Siemens	4068188	50	
=P15(i)_P28(i)	+SS01	-50KF51	1	SIMATIC ET 200SP BU type C0 BU20-P6+A2+4D PU 1	Siemens	4068193	50	
=P15(i)_P28(i)	+SS01	-50KF52	1	SIMATIC ET 200SP DQ 8x24VDC/0.5A ST	Siemens	4068185	50	
=P15(i)_P28(i)	+SS01	-50KF52	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF53	1	SIMATIC ET 200SP DQ 4x24VDC/2A ST PU 1	Siemens	4071897	50	
=P15(i)_P28(i)	+SS01	-50KF53	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-60U7	1	Fernwartungsmodul	EWON	4066996	6	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-60W2	1	Patch-Kabel LAN RJ45	GIGAMEDIA	4067623	60	
=P15(i)_P28(i)	+SS01	-61TF6	0				61	
=P15(i)_P28(i)	+SS01	-61TF8	0				61	
=P15(i)_P28(i)	+SS01	-61U7	1	Fernwartungsmodul	EWON	4066996	61	
=P15(i)_P28(i)	+SS01	-61U7	1	GSM Modul für Fernwartung	EWON	4070388_1	61	
=P15(i)_P28(i)	+SS01	-61U7	1	WLAN module for remote maintenance	EWON	4066997	61	
=P15(i)_P28(i)	+SS01	-61W5	1	Patch-Kabel LAN RJ45	GIGAMEDIA	4067312	61	
=P15(i)_P28(i)	+SS01	-61W6	1	Kabel zur WLAN Antenne 2m	EWON	4067196	61	
=P15(i)_P28(i)	+SS01	-61W8	1	Kabel zur 4G Antenne 3m	EWON		61	
=P15(i)_P28(i)	+SS01	-63W2.1	1	Assembled sensor actuator-line	Murrelektronik	4071269	63	
=P15(i)_P28(i)	+SS01	-63X2	0				63	
=P15(i)_P28(i)	+SS01	-65X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-65X1	2	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-65X1	0				6	
=P15(i)_P28(i)	+SS01	-65X1	4	Feed-through terminal block	Phoenix Contact	4067865	65	
=P15(i)_P28(i)	+SS01	-65X1	1	Ground terminal block	Phoenix Contact	4067866	65	
=P15(i)_P28(i)	+SS01	-66X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-66X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-66X1	0				6	
=P15(i)_P28(i)	+SS01	-66X1	8	Feed-through terminal block	Phoenix Contact	4067865	66;67	
=P15(i)_P28(i)	+SS01	-66X1	1	Ground terminal block	Phoenix Contact	4067866	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K2	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K2	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K2	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K3	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-67K3	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K3	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K4	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K4	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K4	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-68T1	1	Signal conditioner	Phoenix Contact	4070902	68	
=P15(i)_P28(i)	+SS01	-68W1.1	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	68	
=P15(i)_P28(i)	+SS01	-68W1.2	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	68	
=P15(i)_P28(i)	+SS01	-68X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-68X1	1	Feed-through terminal block	Phoenix Contact	4067865	68	
=P15(i)_P28(i)	+SS01	-68X1	1	Ground terminal block	Phoenix Contact	4067866	68	
=P15(i)_P28(i)	+SS01	-69SH2	1	Shield connection terminal	Weidmueller	4047811	69	
=P15(i)_P28(i)	+SS01	-69W3	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	69	
=P15(i)_P28(i)	+SS01	-69X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-69X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-69X1	0				6	
=P15(i)_P28(i)	+SS01	-69X1	4	Feed-through terminal block	Phoenix Contact	4067865	69	
=P15(i)_P28(i)	+SS01	-69X1	1	Ground terminal block	Phoenix Contact	4067866	69	
=P15(i)_P28(i)	+SS01	-70K1	1	Relay interface module	Finder	4063743	70	
=P15(i)_P28(i)	+SS01	-70X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-70X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-70X1	0				6	
=P15(i)_P28(i)	+SS01	-70X1	2	Feed-through terminal block	Phoenix Contact	4067865	70	
=P15(i)_P28(i)	+SS01	-70X1	1	Ground terminal block	Phoenix Contact	4067866	70	
=P15(i)_P28(i)	+SS01	-110X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-110X1	0				6	
=P15(i)_P28(i)	+SS01	-110X1	2	Feed-through terminal block	Phoenix Contact	4067865	110	
=P15(i)_P28(i)	+SS01	-110X1	1	Ground terminal block	Phoenix Contact	4067866	110	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-110X3	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-110X3	0				6	
=P15(i)_P28(i)	+SS01	-120X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X1	0				6	
=P15(i)_P28(i)	+SS01	-120X1	4	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X1	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X5	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X5	0				6	
=P15(i)_P28(i)	+SS01	-120X5	2	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X5	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X7	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-120X7	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X7	0				6	
=P15(i)_P28(i)	+SS01	-120X7	1	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X7	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X9	2	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X9	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-130X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-130X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-130X1	2	Feed-through terminal block	Phoenix Contact	4067865	130	
=P15(i)_P28(i)	+SS01	-130X1	2	Ground terminal block	Phoenix Contact	4067866	130	
=P15(i)_P28(i)	+SS01	-130X5	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-130X5	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-130X5	2	Feed-through terminal block	Phoenix Contact	4067865	130	
=P15(i)_P28(i)	+SS01	-130X5	2	Ground terminal block	Phoenix Contact	4067866	130	

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS01
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.5
Modification	Date	Name							Pg 1.5

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068181	1	ET 200SP, BA 2XRJ45 SIMATIC DP, ET 200SP			
4068182	1	SIMATIC S7 Memory card 24 MB For S7-1x00 CPU Memory card			
4065857	4	Electronic device circuit breaker			
4068673	1	CIRCUIT BREAKER 10KA, 3POLE, C, 6A ACC. TO UL 489 - 480Y/277V			
4068174	1	Stromversorgung, 3-phasig 400-500VAC , 24VDC 20A , 480W			
4071963	4	Coupling relay, 1 changeover contact, 6A, 250VAC Modular interface relay, screw terminal - 1 pole, 6 A - AC (50/60 Hz)/DC - 24 V			
4044331	4	Socket, 12...24VDC, 1 Pole 6A, screw terminal			
4063743	5	Relay interface module Modular interface relay, screw terminal - 1 pole, 6 A - AC (50/60 Hz)/DC - 24 V			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068180	1	CPU 1512SP F-1 PN, 600KB Prog., 2MB Data SIMATIC ET 200SP Central processing unit			
4070341	2	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1 Digital module input			
4068190	2	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D BaseUnit			
4068191	5	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B BaseUnit			
5003628	1	SIMATIC ET 200SP AI 2xU/I 2-/4-wire HS Analog module input			
4070340	1	SIMATIC ET 200SP AI 4xI 2-/4-wire ST Analog module input			
4070342	1	SIMATIC ET 200SP DQ 16x24 VDC/0.5 A ST Digital module output			
4068188	1	SIMATIC ET 200SP F-PM-E 24 V DC/8 A PPM ST Power module			

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS02
			Editor							+ SS01
								Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.7
Modification	Date	Name								Pg 1.1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068193	1	SIMATIC ET 200SP BU type C0 BU20-P6+A2+4D PU 1 BaseUnit			
4068185	1	SIMATIC ET 200SP DQ 8x24VDC/0.5A ST Digital module output			
4071897	1	SIMATIC ET 200SP DQ 4x24VDC/2A ST PU 1 Digital module output			
4070996	2	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V SIRIUS Power contactor			
5003606	2	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, FOR MOTOR CONTACTORS SZ S0,			
4065519	2	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO, 1NO, 1NO F. CONT. RELAYS A. MOTOR CONT. SZ S00 AND S0, SCREW TERMINAL			
4044259	1	CIRCUIT-BREAKER SCREW CONNECTION 12.5A SIRIUS Circuit breaker			
4064461	2	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION FOR CIRCUIT-BREAKERS, SZ S00/S0			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070899	1	SIRIUS SANFTSTARTER, S00,12.5A, 5,5KW/400V, 40GRAD, AC 200-480V, AC/DC 24V SIRIUS soft starters for standard applications			
4071000	1	CIRCUIT-BREAKER SCREW CONNECTION 0.32A SIRIUS Circuit breaker			
4070997	1	CONTACTOR,AC3:3KW 1NC DC24V SIRIUS Power contactor			
4044411	1	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,			
4047811	1	Shield connection terminal Shield connection terminal, Pitch, in mm: 14.00, Cable diameter, max.: 8 mm, Steel			
4070902	1	Signal conditioner			
	0				
4071001	1	Cross-connector for terminal block Plug-in bridge			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4066996	2	Fernwartungsmodul			
4070388_1	1	GSM Modul für Fernwartung 4G EU			
4066997	1	WLAN module for remote maintenance			
4067623	1	Patch-Kabel LAN RJ45 grün , 2m S/FTP Kat.6 LSOH			
4067312	1	Patch-Kabel LAN RJ45 grün , 1m S/FTP Kat.6 LSOH			
4067196	1	Kabel zur WLAN Antenne 2m			
	1	Kabel zur 4G Antenne 3m ???			
4071269	1	Assembled sensor actuator-line M12 Bu. 0° A-kod. freies Ltg-ende PVC 8x0.25 gr UL/CSA 1m			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
5003040	3.00	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY			
4067670	12	End bracket for terminal block Screwless end stop, 10 mm wide, for DIN-rail 35 x 15 and 35 x 7.5			
5003672	2	End and partition plate for terminal block End cover			
5003671	3	Ground terminal block Ground terminal			
5003670	2	End and partition plate for terminal block End cover			
5003669	2	Multi-level terminal block			
4067865	35	Feed-through terminal block Double-level terminal block			
4067867	18	End and partition plate for terminal block End cover			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070909	18	Feed-through terminal block Double-level terminal block			
4070908	4	Cross-connector for terminal block Plug-in bridge			
4067866	14	Ground terminal block Protective conductor double-level terminal block			
4071480	1	Verdrahtungsbaustein unten für Schützkombination Baugröße S0 ohne Abstand zwischen den Schützen, Schraubanschluss			
5003673	1	LINK MODULE 3RV2.1-3RT2.1,3RV2.2-3RT2.2 SIRIUS link module actuating voltage contactor: DC			
5003623	1	3-PHASE BUSBARS			
4065520	1	LINK MODULE F.3RV S00/S0, 3RT S00 SIRIUS link module for 3RV1.2 and 3RT101, for 3RV2.1/3RV2.2 and 3RT2.1			
4070910	1	End and partition plate for terminal block End cover			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070911	1	Disconnect and test disconnect rail-mount terminal block Knife-disconnect terminal block			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4067780	1	SIMATIC HMI TP700 COMFORT SIMATIC, HMI Comfort Panel			
	0				
4063812	1	Disconnect switch 3-Pole, 25 A 600 V			
4067868	1	Main Switch Terminal Cover 3-pol ; 25A			
4063813	1	Handle for Front/Base Mounting, 67 x 67mm			
4063814	1	Shaft Extension			
4071240	1	ILLUMINATED PUSHBUTTON, BLUE SIRIUS ACT CIN20240911110240188284			
4071233	2	HOLDER SIRIUS ACT Holders Holder			

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS02
			Editor							+ DR
								Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.1
Modification	Date	Name								Pg 1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4071241	1	CONTACT MODULE 1NO SIRIUS ACT Contact module Contact module			
4071242	1	LED MODULE, BLUE SIRIUS ACT LED module LED module			
4071232	1	ILL. EM. STOP MUSHR. PUSHBUTTON,40MM,RED SIRIUS ACT EMERGENCY STOP mushroom pushbuttons Betätigungs-/Meldeelement			
4071237	2	CONTACT MODULE 1NC SIRIUS ACT Contact module Contact module			
4071238	1	LED MODULE, RED SIRIUS ACT LED module LED module			
4071239	1	EMERGENCY STOP BACKING PLATE, YELLOW SIRIUS ACT EMERGENCY STOP backing plate EMERGENCY STOP name plate			

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS02
			Editor						+ DR
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.1
Modification	Date	Name							Pg 1.1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
	0				
	1	Levelsensor			
4071046	1	Magnetostrictive sensors			
4071813	1	hydraulic pressure sensor 0...250bar ; 4...20mA			
4046034	1	Pressure transducer 0...25 bar , 4...20 mA DIN EN 175301-803 A			
	1	Temperaturmessung mit Umformer M12 4POL , 4...20mA , -25... +100C			
	1	Lüfter für Ölkühler 400/460V , 50/60 Hz , 0140/0.152 kW , 61 dB			
5003033	1	PVC control cable Multinorm 4G4 GY			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
5003568	5.00	PVC control cable Multinorm 7G0,5 GY			
4071505	1	Interface extension with wall connection SZ Interface extension, with wallconnection, RJ 45, L: 2000 mm			
4071270	1	Assembled sensor actuator-line M12 male 0° A-cod. with cable PUR 8x0.25 gy UL/CSA+drag ch. 0.6m			
	1	PVC control cable Multinorm (12G1,5) GY			
5002883	2.00	ÖLFLEX 150 2X0,75			
4049107	1	Steckverbinder Vorkonfektioniert M12x1 8x0.25			
4071188	3	Assembled sensor actuator-line M12 female 0° A-cod. with cable shielded PUR 4x0.34 shielded bk UL/CSA+drag ch. 3m			
5003631	4.20	PVC control cable Multinorm 3G0,5 GY			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4066062	2	Konfektionierte Ventilstecker MSUD MSUD Ventilst. A-18mm, A-kod. freies Ltg-ende PUR 3x0.75 sw UL/CSA+schleppk. 5m			
4071263	1	ECO40 pipe base M20 400mm			
4071264	1	ECO40 LED continuous lighting module 24VAC/DC blue 24VAC/DC blue			
4071265	1	ECO40 LED continuous lighting module 24VAC/DC green 24VAC/DC green			
4071266	1	ECO40 LED continuous lighting module 24VAC/DC yellow 24VAC/DC yellow			
4071267	1	ECO40 LED continuous lighting module 24VAC/DC red 24VAC/DC red			
4071268	1	ECO40 LED continuous lighting module 24VAC/DC buzzer 24VAC/DC Buzzer			
4065746	2	Klemmdose Magnetventil IP67 , für Spule 18F			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4044263	1	Directional Valve 24VDC 38W			
4065745	2	Magnetventil 24V 20W			

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS02
			Editor						+ EXT
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.3
Modification	Date	Name							Pg 1.3

Cable name =P15(i)_P28(i)+SS01-60W2
Cable type 2x2x2x0.14 mm²
Free conductors 0

human machine interface (HMI)



Manufacturer GIGAMEDIA
Order number 4067623

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50A2:X1P1 R				

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				+DR-60A1:X1P1	Door

Cable name =P15(i)_P28(i)+SS01-61W5
Cable type 2x2x2x0.14 mm²
Free conductors 0



Manufacturer GIGAMEDIA
Order number 4067312

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50A2:X1P2 R				

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				-61U7:3	Control cabinet

Cable name =P15(i)_P28(i)+SS01-61W6
Cable type
Free conductors 0



Manufacturer EWON
Order number 4067196

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				-61U7:WLAN	Control cabinet

Cable name =P15(i)_P28(i)+SS01-61W8
Cable type
Free conductors 0

remote maintenance module (VPN)



Manufacturer EWON
Order number

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
		remote maintenance module (VPN)			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			remote maintenance module (VPN)	-61U7:GSM	Control cabinet

ASCO_F09_004

V500	31.01.2024	ASCO	Date	11.05.2026
			Editor	
Modification	Date	Name		

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Page description: Cable diagram

Project-No.:
Scheme-No.:

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
Scheme-No. Customer:
Project-No. Customer:

= AUS03
+
l sh 1.6
Pg 1

ASCO_F09_004

Cable name =P15(i)_P28(i)+SS01-63W2.1
Cable type 8x0,25 mm²
Free conductors 3

Manufacturer Murrelektronik
Order number 4071269

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50KF41:12	Signal tower blue			
Control cabinet	-50KF41:13	Signal tower green			
Control cabinet	-50KF41:14	Signal tower yellow			
Control cabinet	-50KF41:15	Signal tower red			
Control cabinet	-50KF41:16	Signal tower Buzzer			
Control cabinet	-40X1:6:4	Power supply unit			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Signal tower blue	-63X2:2	Control cabinet
			Signal tower green	-63X2:3	Control cabinet
			Signal tower yellow	-63X2:4	Control cabinet
			Signal tower red	-63X2:5	Control cabinet
			Signal tower Buzzer	-63X2:6	Control cabinet
			Power supply unit	-63X2:1	Control cabinet

Cable name =P15(i)_P28(i)+SS01-68W1.1
Cable type 3x0,34 mm²
Free conductors 1

Interface 1 Specification of production speed remotely (4...20mA = 0...100%)

Manufacturer Lütze
Order number 5003040

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50KF32:8	Interface 1 Specification of production			
Control cabinet	-50KF32:4	=			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Interface 1 Specification of production	-68T1:6	Control cabinet
			=	-68T1:5	Control cabinet

Cable name =P15(i)_P28(i)+SS01-68W1.2
Cable type 3x0,34 mm²
Free conductors 1

Interface 1 Specification of production speed remotely (4...20mA = 0...100%)

Manufacturer Lütze
Order number 5003040

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-68X1:2:2	Interface 1 Specification of production			
Control cabinet	-68X1:1:1	=			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Interface 1 Specification of production	-68T1:2	Control cabinet
			=	-68T1:1	Control cabinet

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531** = AUS03
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 1.6
Modification	Date	Name						Pg 1.1

ASCO_F09_004

ASCO CO2 Detector

Cable name =P15(i)_P28(i)+SS01-69W3
Cable type 3x0,34 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003040



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-69X1:4:2	ASCO CO2 Detector			
Control cabinet	-69X1:3:1	=			
Control cabinet	-69SH2:SH	ASCO CO2 Detector			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			ASCO CO2 Detector	-50KF32:7	Control cabinet
			=	-50KF32:3	Control cabinet
			ASCO CO2 Detector	-69W3:SH	Control cabinet

Power supply

Cable name =P15(i)_P28(i)+EXT-10W1
Cable type 4x4 mm²
Free conductors 0

Manufacturer Lütze
Order number 5003033



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Door	+DR-10Q1:1	Main switch			
Door	+DR-10Q1:3	=			
Door	+DR-10Q1:5	=			
Control cabinet	+SS01-10X1:1:1	Power supply			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Main switch	L1	
			=	L2	
			=	L3	
			Power supply	PE	

Hydraulic motor 1 Fan

Cable name =P15(i)_P28(i)+EXT-16W1
Cable type 7x0,5 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003568



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-16X1:2:6	Hydraulic motor 1 Fan			
Control cabinet	+SS01-16X1:1:5	=			
Control cabinet	+SS01-16X1:3:7	=			
Control cabinet	+SS01-16X1:5:4	Hydraulic motor 1 Fan			
Control cabinet	+SS01-16X1:6:3	=			
Control cabinet	+SS01-16X1:4:1	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Hydraulic motor 1 Fan	-16M1:U	External
			=	-16M1:V	External
			=	-16M1:W	External
			Hydraulic motor 1 Fan	-16M1:RD	External
			=	-16M1:RD	External
			=	-16M1:PE	External

1.1 1.3

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.2

Cable name =P15(i)_P28(i)+EXT-61W9
Cable type 8x0,25 mm²
Free conductors 8

remote maintenance module (VPN)



Manufacturer Rittal
Order number 4071505

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:

Cable name =P15(i)_P28(i)+EXT-63W2.2
Cable type 8x0,25 mm²
Free conductors 2



Manufacturer Murrelektronik
Order number 4071270

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-63X2:1	Signal tower			
Control cabinet	+SS01-63X2:2	Signal tower blue			
Control cabinet	+SS01-63X2:3	Signal tower green			
Control cabinet	+SS01-63X2:4	Signal tower yellow			
Control cabinet	+SS01-63X2:5	Signal tower red			
Control cabinet	+SS01-63X2:6	Signal tower Buzzer			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Signal tower	-63X1:0	External
			Signal tower blue	-63X1:1	External
			Signal tower green	-63X1:2	External
			Signal tower yellow	-63X1:3	External
			Signal tower red	-63X1:4	External
			Signal tower Buzzer	-63X1:5	External

ASCO_F09_004

Cable name =P15(i)_P28(i)+EXT-69W1
Cable type 12x1,5 mm²
Free conductors 3

ASCO CO2 Detector

Manufacturer Lütze
Order number



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number	Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
Control cabinet	+SS01-69X1:1:4	ASCO CO2 Detector							ASCO CO2 Detector	-69A1:PW+	External
Control cabinet	+SS01-69X1:2:3	=							=	-69A1:PW-	External
Control cabinet	+SS01-69X1:3:4	=							=	-69A1:CLO1	External
Control cabinet	+SS01-69X1:4:3	=							=	-69A1:GND	External
Control cabinet	+SS01-69X1:5:4	ASCO CO2 Detector							ASCO CO2 Detector	-69A1:31	External
Control cabinet	+SS01-69X1:6:3	=							=	-69A1:33	External
Control cabinet	+SS01-69X1:7:4	=							=	-69A1:23	External
Control cabinet	+SS01-69X1:8:3	=							=	-69A1:13	External
Control cabinet	+SS01-69X1:9:4	ASCO CO2 Detector							ASCO CO2 Detector	-69A1:PE	External
Control cabinet	+SS01-69X1:10:3	=							=	-69W1:SH	External

Cable name =P15(i)_P28(i)+EXT-110W1
Cable type 2x0.75 mm
Free conductors 0

Plant part 1 oil level

Manufacturer Lapp Group
Order number 5002883



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number	Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
Control cabinet	+SS01-110X1:1:4	Plant part 1 oil level							Plant part 1 oil level	-110B1:1	External
Control cabinet	+SS01-110X1:2:3	=							=	-110B1:2	External

Cable name =P15(i)_P28(i)+EXT-120W1
Cable type 8x0.25 mm²
Free conductors 0

Plant part 1 linear measurement

Manufacturer Balluff
Order number 4049107



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number	Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
Control cabinet	+SS01-120X1:6:3	Plant part 1 linear measurement							Plant part 1 linear measurement	-120B1:1	External
Control cabinet	+SS01-120X1:4:3	=							=	-120B1:2	External
Control cabinet	+SS01-120X1:5:4	=							=	-120B1:3	External
Control cabinet	+SS01-120X1:7:4	=							=	-120B1:4	External
Control cabinet	+SS01-120X1:3:4	=							=	-120B1:5	External
Control cabinet	+SS01-120X1:2:3	=							=	-120B1:6	External
Control cabinet	+SS01-120X1:1:4	=							=	-120B1:7	External
Control cabinet	+SS01-120X1:8:3	=							=	-120B1:8	External
Control cabinet	+SS01-120X1:9:4	=							=	-120W1:SH	External

1.3 1.5

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.4

ASCO_F09_004

Cable name =P15(i)_P28(i)+EXT-120W5
Cable type 4x0,34 mm²
Free conductors 0

Plant part 1 pressure measurement hydraulic



Manufacturer Murrelektronik
Order number 4071188

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X5:1:4	Plant part 1 pressure measurement			
Control cabinet	+SS01-120X5:2:3	=			
Control cabinet	+SS01-120X5:3:4	=			
Control cabinet	+SS01-120X5:4:3	=			
Control cabinet	+SS01-120X5:6:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 pressure measurement	-120B5:1	External
			=	-120B5:2	External
			=	-120B5:3	External
			=	-120B5:4	External
			=	-120W5:SH	External

Cable name =P15(i)_P28(i)+EXT-120W7
Cable type 4x0,34 mm²
Free conductors 2

Plant part 1 Pressure measurement CO2



Manufacturer Murrelektronik
Order number 4071188

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X7:1:4	Plant part 1 Pressure measurement			
Control cabinet	+SS01-120X7:2:3	Plant part 1 Pressure measurement			
Control cabinet	+SS01-120X7:4:3	Plant part 1 Hydraulic oil temperature			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 Pressure measurement	-120B7:1	External
			Plant part 1 Pressure measurement	-120B7:3	External
			Plant part 1 Hydraulic oil temperature	-120W7:SH	External

Cable name =P15(i)_P28(i)+EXT-120W9
Cable type 4x0,34 mm²
Free conductors 0

Plant part 1 Hydraulic oil temperature



Manufacturer Murrelektronik
Order number 4071188

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X9:1:4	Plant part 1 Hydraulic oil temperature			
Control cabinet	+SS01-120X9:2:3	=			
Control cabinet	+SS01-120X9:3:4	=			
Control cabinet	+SS01-120X9:4:3	=			
Control cabinet	+SS01-120X9:6:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 Hydraulic oil temperature	-120B9:1	External
			=	-120B9:2	External
			=	-120B9:3	External
			=	-120B9:4	External
			=	-120W9:SH	External

Cable name =P15(i)_P28(i)+EXT-130W1
Cable type 3x0,5 mm²
Free conductors 0

Plant part 1 CO2 valve 1



Manufacturer Lütze
Order number 5003631

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X1:1:4	Plant part 1 CO2 valve 1			
Control cabinet	+SS01-130X1:2:3	=			
Control cabinet	+SS01-130X1:3:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 CO2 valve 1	-130X1	External
			=	-130X1	External
			=	-130X1	External

1.4 1.6

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.5

Cable name =P15(i)_P28(i)+EXT-130W3
Cable type 3x0,5 mm²
Free conductors 0

Plant part 1 CO2 valve 2



Manufacturer Lütze
Order number 5003631

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X1:5:4	Plant part 1 CO2 valve 2			
Control cabinet	+SS01-130X1:6:3	=			
Control cabinet	+SS01-130X1:7:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 CO2 valve 2	-130X3	External
			=	-130X3	External
			=	-130X3	External

Cable name =P15(i)_P28(i)+EXT-130W5
Cable type 3x0,75 mm²
Free conductors 0

Plant part 1 valve forward



Manufacturer Murrelektronik
Order number 4066062

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X5:1:4	Plant part 1 valve forward			
Control cabinet	+SS01-130X5:2:3	=			
Control cabinet	+SS01-130X5:3:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 valve forward	-130Y5:A1	External
			=	-130Y5:A2	External
			=	-130Y5:PE	External

Cable name =P15(i)_P28(i)+EXT-130W7
Cable type 3x0,75 mm²
Free conductors 0

Plant part 1 valve backward



Manufacturer Murrelektronik
Order number 4066062

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X5:5:4	Plant part 1 valve backward			
Control cabinet	+SS01-130X5:6:3	=			
Control cabinet	+SS01-130X5:7:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 valve backward	-130Y7:A1	External
			=	-130Y7:A2	External
			=	-130Y7:PE	External

ASCO_F09_004

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO All about CO2	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS03
			Editor		ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com				+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.6

Cable overview

ASCO_F10_001

Cable name	Source (from)	Target (to)	cable type	all conductors	Conductors used	Cross-section [mm²]	Length [m]	remark	Graphical page of cable diagram
=P15(i)_P28(i)+SS01-60W2	=P15(i)_P28(i)+SS01-50KF11	=P15(i)_P28(i)+DR-60A1	4068180	2x2x2	1	0.14	2		=AUS03/1
	=P15(i)_P28(i)+SS01-50A2		4068181						
=P15(i)_P28(i)+SS01-61W5	=P15(i)_P28(i)+SS01-50A2	=P15(i)_P28(i)+SS01-61U7	4068181	2x2x2	1	0.14	1		=AUS03/1
=P15(i)_P28(i)+SS01-61W6		=P15(i)_P28(i)+SS01-61U7			1		2		=AUS03/1
=P15(i)_P28(i)+SS01-61W8		=P15(i)_P28(i)+SS01-61U7			1		2		=AUS03/1
=P15(i)_P28(i)+SS01-63W2.1	=P15(i)_P28(i)+SS01-40X1	=P15(i)_P28(i)+SS01-63X2	4070909	8	6	0,25	1		=AUS03/1.1
	=P15(i)_P28(i)+SS01-50KF41		4070342						
=P15(i)_P28(i)+SS01-68W1.1	=P15(i)_P28(i)+SS01-50KF32	=P15(i)_P28(i)+SS01-68T1	4070340	3	2	0,34	1		=AUS03/1.1
=P15(i)_P28(i)+SS01-68W1.2	=P15(i)_P28(i)+SS01-68X1	=P15(i)_P28(i)+SS01-68T1	4067865	3	2	0,34	1		=AUS03/1.1
=P15(i)_P28(i)+SS01-69W3	=P15(i)_P28(i)+SS01-69X1	=P15(i)_P28(i)+SS01-50KF32	4067865	3	2	0,34	1		=AUS03/1.2
	=P15(i)_P28(i)+SS01-69SH2		4047811						
=P15(i)_P28(i)+EXT-10W1	=P15(i)_P28(i)+SS01-10X1	PE	5003671	4	4	4		Power supply	=AUS03/1.2
	=P15(i)_P28(i)+DR-10Q1	L1	4063812						
		L2							
		L3							
=P15(i)_P28(i)+EXT-16W1	=P15(i)_P28(i)+SS01-16X1	=P15(i)_P28(i)+EXT-16M1	5003669	7	6	0,5	5		=AUS03/1.2
=P15(i)_P28(i)+EXT-61W9				8	0	0,25	2		=AUS03/1.3
=P15(i)_P28(i)+EXT-63W2.2	=P15(i)_P28(i)+SS01-63X2	=P15(i)_P28(i)+EXT-63X1		8	6	0,25	0.6		=AUS03/1.3
=P15(i)_P28(i)+EXT-69W1	=P15(i)_P28(i)+SS01-69X1	=P15(i)_P28(i)+EXT-69A1	4067865	12	9	1,5			=AUS03/1.4
=P15(i)_P28(i)+EXT-110W1	=P15(i)_P28(i)+SS01-110X1	=P15(i)_P28(i)+EXT-110B1	4067865	2	2	0.75	2		=AUS03/1.4
=P15(i)_P28(i)+EXT-120W1	=P15(i)_P28(i)+SS01-120X1	=P15(i)_P28(i)+EXT-120B1	4067865	8	8	0.25	5		=AUS03/1.4
=P15(i)_P28(i)+EXT-120W5	=P15(i)_P28(i)+SS01-120X5	=P15(i)_P28(i)+EXT-120B5	4067865	4	4	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-120W7	=P15(i)_P28(i)+SS01-120X7	=P15(i)_P28(i)+EXT-120B7	4067865	4	2	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-120W9	=P15(i)_P28(i)+SS01-120X9	=P15(i)_P28(i)+EXT-120B9	4067865	4	4	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-130W1	=P15(i)_P28(i)+SS01-130X1	=P15(i)_P28(i)+EXT-130X1	4067865	3	3	0,5	2.2		=AUS03/1.5
=P15(i)_P28(i)+EXT-130W3	=P15(i)_P28(i)+SS01-130X1	=P15(i)_P28(i)+EXT-130X3	4067865	3	3	0,5	2		=AUS03/1.6
=P15(i)_P28(i)+EXT-130W5	=P15(i)_P28(i)+SS01-130X5	=P15(i)_P28(i)+EXT-130Y5	4067865	3	3	0,75	5		=AUS03/1.6
=P15(i)_P28(i)+EXT-130W7	=P15(i)_P28(i)+SS01-130X5	=P15(i)_P28(i)+EXT-130Y7	4067865	3	3	0,75	5		=AUS03/1.6
=P15(i)_P28(i)+TEIL1-15W1	=P15(i)_P28(i)+SS01-15X1	=P15(i)_P28(i)+TEIL1-15M1	5003669	4	4	2,5	1.2		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS04
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1
Modification	Date	Name							Pg 1

Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
=P15(i)_P28(i)+SS01-10X1	Power supply	1	1	1	0	1	=AUS06/1
=P15(i)_P28(i)+SS01-15X1	Hydraulic motor 1	1	4	1	0	1	=AUS06/2
=P15(i)_P28(i)+SS01-16X1	Hydraulic motor 1 Fan	1	6	1	0	2	=AUS06/3
=P15(i)_P28(i)+SS01-40X1	0VDC	1	6	0	0	6	=AUS06/4
=P15(i)_P28(i)+SS01-41X1	24VDC 1	1	3	0	0	3	=AUS06/5
=P15(i)_P28(i)+SS01-41X3	24VDC 2	1	4	0	0	4	=AUS06/6
=P15(i)_P28(i)+SS01-41X5	24VDC 3	1	2	0	0	2	=AUS06/7
=P15(i)_P28(i)+SS01-41X7	24VDC 4	1	3	0	0	3	=AUS06/8
=P15(i)_P28(i)+SS01-65X1	Interface 1 Emergency stop	1	10	2	0	5	=AUS06/9
=P15(i)_P28(i)+SS01-66X1	Interface 1	1	18	2	0	9	=AUS06/10
=P15(i)_P28(i)+SS01-68X1	=	1	4	2	0	2	=AUS06/11
=P15(i)_P28(i)+SS01-69X1	Interface 1 ASCO CO2 detector	1	10	2	0	5	=AUS06/12
=P15(i)_P28(i)+SS01-70X1	Interface 1 conveyor belt	1	6	2	0	3	=AUS06/13
=P15(i)_P28(i)+SS01-110X1	Plant part 1 oil level	1	6	2	0	3	=AUS06/14
=P15(i)_P28(i)+SS01-110X3	Plant part 1 oil temperature			0	0	0	
=P15(i)_P28(i)+SS01-120X1	Plant part 1 linear measurement	1	10	2	0	5	=AUS06/15
=P15(i)_P28(i)+SS01-120X5	Plant part 1 pressure measurement hydraulic	1	6	2	0	3	=AUS06/16
=P15(i)_P28(i)+SS01-120X7	Plant part 1 Pressure measurement CO2	1	4	2	0	2	=AUS06/17
=P15(i)_P28(i)+SS01-120X9		1	6	2	0	3	=AUS06/18
=P15(i)_P28(i)+SS01-130X1	Plant part 1 CO2 valve 1	1	8	4	0	4	=AUS06/19
=P15(i)_P28(i)+SS01-130X5	Plant part 1 valve forward	1	8	4	0	4	=AUS06/20
=P15(i)_P28(i)+SS01-40XT5	Power supply unit Disconnect terminal	1	3	2	0	3	=AUS06/21

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal-strip overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS05
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1
Modification	Date	Name							Pg 1

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-10X1

Power supply

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	cable type	Cable name	+EXT-10W1	Page / column
												LÜTZE SILFLEX® N PVC MULTINORM 4x4 mm²	
Power supply			+TEIL1-15M1	PE	4 **1** 1	0	'	PE				GNYE	/10.1
			+TEIL1-15M1	PE	3								

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-10X1	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 1

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-15X1
Hydraulic motor 1

function text	+TEIL1-15W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	cable type	Cable name	Page / column
	LÜTZE SILFLEX® N PVC MULTINORM 4x2,5 mm²	cable type										
Hydraulic motor 1	1		+TEIL1-15M1	U	5 **1** 4	4	'	-15Q2	2T1			/15.1
=	2		+TEIL1-15M1	V	6 **2** 3	3	'	-15Q2	4T2			/15.1
=	3		+TEIL1-15M1	W	7 **3** 2	2	'	-15Q2	6T3			/15.1
=	GNYE		+TEIL1-15M1	PE	1 **4**	1						/15.1

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-15X1	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 2

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-16X1
Hydraulic motor 1 Fan

function text	+EXT-16W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	LÜTZE SILFLEX® N PVC MULTINORM 7x0,5 mm²	cable type								cable type	
Hydraulic motor 1 Fan	2		+EXT-16M1	V	5 **1** 4	4	'	-16Q5	2/T1		/16.1
=	1		+EXT-16M1	U	6 **2** 3	3	'	-16Q5	4/T2		/16.1
=	3		+EXT-16M1	W	7 **3** 2	2	'	-16Q5	6/T3		/16.1
=	GNYE		+EXT-16M1	PE	1 **4**	1					/16.1
=	5		+EXT-16M1	RD	4 **5** 1	1	'	-41X3	3:4		/16.2
=	6		+EXT-16M1	RD	3 **6** 2	2	'	-50KF21	13		/16.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-16X1	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 3

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-40X1
0VDC

function text	-63W2.1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PVC 8x0,25 mm²	cable type								cable type	
Power supply unit			-15Q2	A2	4 **1** 1	0		-40G1	2.4		/40.1
			-41F1	3.1	2						
			-41F7	3.2	3						
Power supply unit			-50KF11	X80:2	4 **2** 1	0		-16Q5	A2		/40.1
			+DR-60S5	X2	2						
			-50KF51	1N	3						
Power supply unit			-50KF41	M	4 **3** 1	0		-50KF21	M		/40.2
			+DR-60S7	X2	2						
			-50KF51	2N	3						
Power supply unit			-61U7	-	4 **4** 1	0		+DR-60A1	-X80:2		/40.2
			-120X1	2:2	3						
Power supply unit			-68T1	8	4 **5** 1	0		-67K1	A2		/40.2
			-69X1	2:2	2						
			-70K1	A2	3						
Power supply unit	DBU/WH		-63X2	1	4 **6** 1	0		-40G1	2.3		/40.2
			-40XT5	1:1	2						

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-40X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 4

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X1
24VDC 1

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC controller (CPU HMI EWON)			-50KF11	X80:1	2 **1** 1	0		-41F1	2.1			/41.1
			-50KF21	L+	3							
24VDC controller (CPU HMI EWON)			-61U7	+	2 **2** 1	0		+DR-60A1	-X80:1			/41.1
=					**3**	0						/41.1

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 5

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X3
24VDC 2

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC General			+DR-60S5	13	2 **1** 1	0		-41F3	2.1			/41.3
			-10Q5	21	3							
			-50KF41	L+	4							
24VDC General			-40G1	11	2 **2** 1	0		-15Q1	13			/41.3
			-15Q2	A1	3							
			-16Q5	21	4							
24VDC General			-120X1	1:1	2 **3** 1	0		-110X1	1:1			/41.3
			-16X1	5:1	4							
24VDC EMERGENCY STOP			-50KF21	3	4 **4**	0						/41.4

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X3	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 6

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X5
24VDC 3

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC EMERGENCY STOP			-50KF51	1L	4 **1** 1	0		-41F5	2.1			/41.5
=			-50KF21	4	4 **2**	0						/41.5

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X5	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 7

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X7
24VDC 4

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC Interface 1			-69X1	5:1	2 **1** 1	0		-41F7	2.1			/41.7
			-66X1	1:1	3							
			-69X1	1:1	4							
24VDC Interface 1			-70X1	3:1	4 **2** 1	0		-68T1	7			/41.7
=			-50KF21	5	4 **3**	0						/41.7

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X7	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06
+
l sh 21
Pg 8

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-65X1

Interface 1 Emergency stop

function text	Cable name	cable type	Target designation External	Connection point	terminal		Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
					1	1	1		-10Q6	74			/65.0
					2	2	2		-10Q6	84			/65.0
					3	1	1		-10Q5	73			/65.0
					4	2	2		-10Q5	83			/65.1
					5		1						/65.1
					6		2						/65.1
					7	1	1		+DR-60S7	31			/65.1
					8	2	2		+DR-60S7	21			/65.2
					9	1	1		-50KF51	1			/65.2
					10	2	2		-50KF51	2			/65.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-65X1	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06 | + | l sh 21 | Pg 9

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-66X1
Interface 1

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
					4 **1** 1	1	'	-41X7	1:3			/66.0
					2	2	'					/66.0
Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)					4 **3** 1	1	'	-50KF25	1			/66.1
Interface 1 Drain Machine (1 = drain)					3 **4** 2	2	'	-50KF25	2			/66.2
Interface 1 next batch (1 = next)					4 **5** 1	1	'	-50KF25	3			/66.3
Interface 1 additional start condition (1 = approval)					3 **6** 2	2	'	-50KF25	4			/66.4
Spare					**7** 1	1	'	-50KF25	5			/66.5
=					**8** 2	2	'	-50KF25	6			/66.6
=					**9** 1	1	'	-50KF25	7			/66.7
=					**10** 2	2	'	-50KF25	8			/66.8
					11 1	1	'	-67K1	11			/67.0
					12	2	'					/67.0
Interface 1 Machine ready (1 = ready)					**13** 1	1	'	-67K1	14			/67.1
Interface 1 Machine active (1 = active)					**14** 2	2	'	-67K2	14			/67.2
Interface 1 Batch completed (1 = completed)					**15** 1	1	'	-67K3	14			/67.3
Interface 1 Machine drained (1 = empty)					**16** 2	2	'	-67K4	14			/67.4
=					**17**	1	'					/67.4
=					**18**	2	'					/67.5

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 10

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-68X1
Interface 1

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	cable type	Cable name -68W1.2	LÜTZE ELECTRONIC LH(C)Y 3x0,34 mm²	Page / column
Interface 1 Specification of production speed remotely (4...20mA = 0...100%)			=R70i+EXT-96K4	1	4 **1** 1	1	'	-68T1	1			BN	/68.1
=			=R70i+EXT-96K4	5	3 **2** 2	2	'	-68T1	2			WH	/68.1
=					**3**	1	'						/68.2
=			=R70i+EXT-68W1.3	SH	3 **4**	2	'						/68.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-68X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 11

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-69X1
Interface 1 ASCO CO2 detector

function text	+EXT-69W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	-69W3	Page / column
	LUTZE SILFLEX® N (C) PVC MULTINORM 12x1,5 mm²	cable type								cable type	LUTZE ELECTRONIC LH(C)Y 3x0,34 mm²	
ASCO CO2 Detector	1		+EXT-69A1	PW+	4 **1** 1	1	'	-41X7	1:4			/69.0
=	2		+EXT-69A1	PW-	3 **2** 2	2	'	-40X1	5:2			/69.0
=	3		+EXT-69A1	CLO1	4 **3** 1	1	'	-50KF32	3		BN	/69.3
=	4		+EXT-69A1	GND	3 **4** 2	2	'	-50KF32	7		WH	/69.3
=	6		+EXT-69A1	31	4 **5** 1	1	'	-41X7	1:2			/69.6
=	7		+EXT-69A1	33	3 **6** 2	2	'	-50KF25	9			/69.6
=	8		+EXT-69A1	23	4 **7** 1	1	'	-50KF25	10			/69.7
=	9		+EXT-69A1	13	3 **8** 2	2	'	-50KF25	11			/69.8
=	GNYE		+EXT-69A1	PE	4 **9**	1	'					/69.9
=	SH		+EXT-69W1	SH	3 **10**	2	'					/69.9

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-69X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 12

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-70X1
Interface 1 conveyor belt

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
Interface 1 Start the conveyor belt (1 = start, 0 = stop)			+CVB-20X2	4	4 **1** 1	1	'	-70K1	11			/70.1
=			+CVB-20X2	5	3 **2** 2	2	'	-70K1	14			/70.1
Interface 1 conveyor belt (1 = active, 0 = stopped)			+CVB-20X2	8	4 **3** 1	1	'	-41X7	2:4			/70.5
=			+CVB-20X2	9	3 **4** 2	2	'	-50KF25	16			/70.5
=			+CVB-20X2	PE	4 **5**	1	'					/70.5
=					**6**	2	'					/70.6

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-70X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 13

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-110X1

Plant part 1 oil level

function text	+EXT-110W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	cable type	Cable name	Page / column
	ÖLFLEX® 150 2x0.75 mm	cable type										
Plant part 1 oil level	1		+EXT-110B1	1	4 **1** 1	1	'	-41X3	3:1			/110.1
=	2		+EXT-110B1	2	3 **2** 2	2	'	-50KF21	14			/110.1
=					**3**	1	'					/110.1
=					**4**	2	'					/110.1
=					**5**	1	'					/110.2
=					**6**	2	'					/110.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-110X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 14

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X1

Plant part 1 linear measurement

function text	+EXT-120W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	BCC M428-0000-1A-133-P50825-050GN 8x0.25 mm²	cable type								cable type	
Plant part 1 linear measurement	BN		+EXT-120B1	7	4 **1** 1	1	'	-41X3	3:2		/120.1
=	BU		+EXT-120B1	6	3 **2** 2	2	'	-40X1	4:3		/120.1
=	GN		+EXT-120B1	5	4 **3** 1	1	'	-50KF31	5		/120.1
=	GY		+EXT-120B1	2	3 **4** 2	2	'	-50KF31	7		/120.1
=	PK		+EXT-120B1	3	4 **5**	1	'				/120.1
=	YE		+EXT-120B1	1	3 **6**	2	'				/120.2
=	RD		+EXT-120B1	4	4 **7**	1	'				/120.2
=	WH		+EXT-120B1	8	3 **8**	2	'				/120.2
=	SH		+EXT-120W1	SH	4 **9**	1	'				/120.2
=					**10**	2	'				/120.2

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 15

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X5

Plant part 1 pressure measurement hydraulic

function text	+EXT-120W5	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PUR 4x0,34 mm²	cable type								cable type	
Plant part 1 pressure measurement hydraulic	BN		+EXT-120B5	1	4 **1** 1	1	'	-50KF31	10		/120.5
=	WH		+EXT-120B5	2	3 **2**	2	'				/120.5
=	BU		+EXT-120B5	3	4 **3** 1	1	'	-50KF31	6		/120.5
=	BK		+EXT-120B5	4	3 **4**	2	'				/120.6
=					**5**	1	'				/120.6
=	SH		+EXT-120W5	SH	3 **6**	2	'				/120.6

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 16

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X7

Plant part 1 Pressure measurement CO2

function text	+EXT-120W7	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PUR 4x0,34 mm²	cable type								cable type	
Plant part 1 Pressure measurement CO2	BN		+EXT-120B7	1	4 **1** 1	1	'	-50KF32	9		/120.7
=	BU		+EXT-120B7	3	3 **2** 2	2	'	-50KF32	13		/120.7
Plant part 1 Hydraulic oil temperature					**3**	1	'				/120.8
=	SH		+EXT-120W7	SH	3 **4**	2	'				/120.8

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X7	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06 | + | l sh 21 | Pg 17

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-120X9

function text	+EXT-120W9	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PUR 4x0,34 mm²	cable type								cable type	
Plant part 1 Hydraulic oil temperature	BN		+EXT-120B9	1	4 **1** 1	1	'	-50KF32	10		/120.9
=	WH		+EXT-120B9	2	3 **2**	2	'				/120.9
=	BU		+EXT-120B9	3	4 **3** 1	1	'	-50KF32	14		/120.9
=	BK		+EXT-120B9	4	3 **4**	2	'				/120.9
=					**5**	1	'				/120.9
=	SH		+EXT-120W9	SH	3 **6**	2	'				/120.9

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X9	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 18

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-130X1
Plant part 1 CO2 valve 1

function text							+EXT-130W3	+EXT-130W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name					Page / column
							LÜTZE SILFLEX® N PVC MULTINORM 3x0,5 mm²	LÜTZE SILFLEX® N PVC MULTINORM 3x0,5 mm²	cable type								cable type					
Plant part 1 CO2 valve 1								1		+EXT-130X1		4 **1** 1	1	'	-50KF53	1						/130.1
=								2		+EXT-130X1		3 **2** 2	2	'	-50KF53	9						/130.1
=								GNYE		+EXT-130X1		4 **3**	1	'								/130.2
=												**4**	2	'								/130.2
Plant part 1 CO2 valve 2							1			+EXT-130X3		4 **5** 1	1	'	-50KF53	2						/130.3
=							2			+EXT-130X3		3 **6** 2	2	'	-50KF53	10						/130.3
=							GNYE			+EXT-130X3		4 **7**	1	'								/130.4
=												**8**	2	'								/130.4

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-130X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:
Modification	Date	Name						

= AUS06
+
l sh 21
Pg 19

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-130X5

Plant part 1 valve forward

function text	+EXT-130W7	+EXT-130W5	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PUR 3x0,75 mm²	PUR 3x0,75 mm²	cable type								cable type	
Plant part 1 valve forward		1		+EXT-130Y5	A1	4 **1** 1	1	'	-50KF53	3		/130.6
=		2		+EXT-130Y5	A2	3 **2** 2	2	'	-50KF53	11		/130.6
=		GNYE		+EXT-130Y5	PE	4 **3**	1	'				/130.7
=						**4**	2	'				/130.7
Plant part 1 valve backward	1			+EXT-130Y7	A1	4 **5** 1	1	'	-50KF53	4		/130.8
=	2			+EXT-130Y7	A2	3 **6** 2	2	'	-50KF53	12		/130.8
=	GNYE			+EXT-130Y7	PE	4 **7**	1	'				/130.9
=						**8**	2	'				/130.9

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-130X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 20

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-40XT5

Power supply unit Disconnect terminal

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
Power supply unit					**1** 1	0		-40X1	6:2			/40.5
=			+DR-60A1	-X80:FE	2 **2** 1	0		-40G1	1.4			/40.5
			-61U7	PE	3							
Power supply unit			+EXT-10PE1	PE	2 **3** 1	0		+DR-10PE3	PE			/40.6

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-40XT5	Project-No.:
			Editor				Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**
							Scheme-No.:
Modification	Date	Name					Scheme-No. Customer: / Project-No. Customer:

= AUS06 | + | l sh 21 | Pg 21

Terminal line-up diagram

Power supply

=P15(i)_P28(i)
+SS01
-10X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3208979

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3208979	D-PT 4-QUATTRO				
PXC.3211809	PT 4-QUATTRO-PE	6			

'	1		

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-10X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 1

Terminal line-up diagram

Hydraulic motor 1

=P15(i)_P28(i)
+SS01
-15X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3210443

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3210443	D-PT 4-PE/3L				
PXC.3210442	PT 4-PE/3L				

'	1		
'	2		
'	3		
	4		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-15X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 2

Terminal line-up diagram

Hydraulic motor 1
Fan

=P15(i)_P28(i)
+SS01
-16X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3210443

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3210443	D-PT 4-PE/3L				
PXC.3210442	PT 4-PE/3L				
PXC.3214657	PTTBS 1,5/S	1.5			

'	1		
'	2		
'	3		
	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-16X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 3

Terminal line-up diagram

0VDC

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

=P15(i)_P28(i)
+SS01
-40X1



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-40X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 4

Terminal line-up diagram

24VDC 1

=P15(i)_P28(i)
+SS01
-41X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

	1		
	2		
	3		

4 6

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 5

Terminal line-up diagram

24VDC 2

=P15(i)_P28(i)
+SS01
-41X3

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			



5 7

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X3	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 6

Terminal line-up diagram

24VDC 3

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

=P15(i)_P28(i)
+SS01
-41X5



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 7

Terminal line-up diagram

24VDC 4

=P15(i)_P28(i)
+SS01
-41X7

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 8

Terminal line-up diagram

Interface 1
Emergency stop

=P15(i)_P28(i)
+SS01
-65X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			



V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-65X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 9

Terminal line-up diagram

Interface 1

=P15(i)_P28(i)
+SS01
-66X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal								
Part number	Type number	Cross-section	Terminal label	Jumper	Cover			
WAGO.249-117	249-117							
PXC.3214699	D-PTTBS 1,5/S							
PXC.3214657	PTTBS 1,5/S	1.5				'	1	
						'	2	
PXC.3214657	PTTBS 1,5/S	1.5				'	3	
						'	4	
PXC.3214657	PTTBS 1,5/S	1.5				'	5	
						'	6	
PXC.3214657	PTTBS 1,5/S	1.5				'	7	
						'	8	
PXC.3214657	PTTBS 1,5/S	1.5				'	9	
						'	10	
PXC.3214657	PTTBS 1,5/S	1.5				'	11	

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 10

Terminal line-up diagram

Interface 1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

=P15(i)_P28(i)
+SS01
-66X1

'	12		
'	13		
'	14		
'	15		
'	16		
'	17		
'	18		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
						Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 10.1

Terminal line-up diagram

Interface 1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

=P15(i)_P28(i)
+SS01
-68X1

'	1		
'	2		
'	3		
'	4		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-68X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 11

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

Interface 1
ASCO CO2 detector

=P15(i)_P28(i)
+SS01
-69X1

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		
'	9		
'	10		

11 13

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-69X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 12

Terminal line-up diagram

Interface 1
conveyor belt

=P15(i)_P28(i)
+SS01
-70X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-70X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 13

Terminal line-up diagram

Plant part 1
oil level

=P15(i)_P28(i)
+SS01
-110X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-110X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 14

Terminal line-up diagram

Plant part 1
oil temperature

=P15(i)_P28(i)
+SS01
-110X3

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-110X3	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 15

Terminal line-up diagram

Plant part 1
linear measurement

=P15(i)_P28(i)
+SS01
-120X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		
'	9		
'	10		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 16

Terminal line-up diagram

Plant part 1
pressure measurement hydraulic

=P15(i)_P28(i)
+SS01
-120X5

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 17

Terminal line-up diagram

Plant part 1
Pressure measurement CO2

=P15(i)_P28(i)
+SS01
-120X7

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 18

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

=P15(i)_P28(i)
+SS01
-120X9

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X9	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 19

Terminal line-up diagram

Plant part 1
CO2 valve 1

=P15(i)_P28(i)
+SS01
-130X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-130X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 20

Terminal line-up diagram

Plant part 1
valve forward

=P15(i)_P28(i)
+SS01
-130X5

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		

V500	31.01.2024	ASCO	Date	11.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-130X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 21

Terminal line-up diagram

Power supply unit
Disconnect terminal

=P15(i)_P28(i)
+SS01
-40XT5

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3211003;PXC.3208979

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3211003	D-PT 2,5-MT				
PXC.3208979	D-PT 4-QUATTRO				
PXC.3210156	PT 2,5-MT	4			
PXC.3211809	PT 4-QUATTRO-PE	6			
PXC.3211809	PT 4-QUATTRO-PE	6			

	1		
'	2		
'	3		

V500	31.01.2024	ASCO	Date	12.05.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-40XT5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V531**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 22

HYDRAULIC

vertraulich/confidential

Aggregatsgrenze



Umgebungstemperatur : 0-40°C
Ölreinheit : 19/17/14 ISO 4406
Öltyp : Mineralöl
Verschraubungssystem: DIN EN ISO 8434-1, Schneidring, verzinkt

Index	gepr. am / chkd. on	gepr. von / checked	Ä. M. Nr. / Notice of change No	Auftr.-/Entw.-Projekt-Nr. / Ord.-/Devel.-/Project-No
H	02.12.2025	BAUZS HUSERP	1118660	
G	20.11.2025	EROLM HUSERP	1117902	
F	14.11.2025	BAUZS HUSERP	1117314	
E	19.11.2024	EROLM HUSERP	1092888	

	Vers./Rev. H	Datum/Date	Name/Name
gez./drawn	19.03.2024	BURR/W	
gepr./chkd.	19.03.2024	EROLM	

Blatt von/Sheet of 1/1
Format/Size A2
DraftSight 2022

Benennung/Description
P&ID HPU-M-100-1x5,5-HE-24003 *P28i UL*

Zeichn.-Nr./Draw.-No 4811481
alte Mat Nr./old Mat No:
Dok Nr./Doc No:
Ers. für/Exchange for:
Ers. durch/Replaced by:

Schutzvermerk ISO 16016 beachten/Observing of protection notice ISO 16016