ASCO
All about CO_2

DIAGRAM
ELECTRIC
HYDRAULIC

ASCO DRY ICE PELLETIZER
P28 EVO

from SN 26-032-005
ascoco2.com

Kontakt / Contact:

Hauptsitz / Head Office
ASCO Kohlensäure AG / ASCO CARBONDIOXIDE LTD.
Hofenstrasse 19, CH-9300 Wittenbach
T +41 71 466 80 80
info@ascoco2.com / ascoco2.com
MwSt / VAT-ID: CHE-107.889.692 MWST

Betriebsstätte / Production Site
ASCO Kohlensäure AG
Sprudelstrasse 3, DE-53557 Bad Hönningen
T +49 2635 92 534-0
info@ascoco2.com / ascoco2.com
VAT-ID: DE196946952

Subsidiary USA
ASCO CARBON DIOXIDE INC.
80-4 Industrial Loop North, Orange Park, FL 32073
T +1 904 374 9590 / Toll free +1 877 633 0996
usa@ascoco2.com / ascoco2.com/us

Sitz: Wittenbach | Handelsregister: Kanton St. Gallen | Firmen-Nr.: CHE107.889.692 | Präsident des Verwaltungsrates: Adolf Walth | Geschäftsleitung: Ralph Spring (MD)
Seat: Wittenbach | Commercial register of canton: St. Gallen | Company No.: CHE107.889.692 | Chairman of the Board: Adolf Walth | Management: Ralph Spring (MD)

ELECTRIC

WARNING

Risk of injury from electric power!
Changes on the electrical installation on your own are prohibited.
Changes on the electrical installation, on the program or on its parameters can cause serious damages to the machine and its environment.
Any change on the control or at the program which is not performed by an ASCO-technician leads to a loss of warranty.

SCHWEIZ

ASCO KOHLENSÄURE AG
Hofenstrasse 19
9300 Wittenbach
Schweiz

T +41 71 466 8080
info@ascoco2.com

SWITZERLAND

ASCO CARBON DIOXIDE LTD
Hofenstrasse 19
9300 Wittenbach
Schweiz

T +41 71 466 8080
info@ascoco2.com

USA

ASCO CARBON DIOXIDE INC.
80-4 Industrial Loop North
Orange Park, Florida 32073
USA

T +1 (904) 374-9590
usa@ascoco2.com

Project-Nr.:

Project description: Dry Ice Pelletizer
P15 EVO / P28 EVO CE US V532

Plant designation:

Degree of protection:	IP 54
Power input:	CE: 3x400 VAC / 50 Hz / 25 A -- US: 3x480 VAC / 60 Hz / 25 A -- 4.8kWh
Control voltage:	24 VDC
Rotary field:	Clockwise
Pre-fuse:	C 25A
short-circuit proof Icp:	6kA
Input lead:	4G4mm² at 30°C see cross-section calculation page 4.1
Operating Temperature Range:	5-35°C

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
		1	Title page / cover sheet		22.07.2026	
=P15(i)_P28(i)	+SS01	2	Table of contents		28.07.2026	
=P15(i)_P28(i)	+SS01	2.1	Table of contents		28.07.2026	
=P15(i)_P28(i)	+SS01	2.2	Table of contents		28.07.2026	
=P15(i)_P28(i)	+SS01	2.3	Table of contents		22.07.2026	
=P15(i)_P28(i)	+SS01	2.4	Table of contents		22.07.2026	
=P15(i)_P28(i)	+SS01	3	Structure identifier overview		28.07.2026	
=P15(i)_P28(i)	+SS01	4	Wire colors according to standard EN		22.07.2026	
=P15(i)_P28(i)	+SS01	4.1	Cross section		22.07.2026	
=P15(i)_P28(i)	+SS01	4.2	Safety Instructions		22.07.2026	
=P15(i)_P28(i)	+SS01	4.3	Symbols		22.07.2026	
=P15(i)_P28(i)	+SS01	4.4	Terminal numbering		22.07.2026	
=P15(i)_P28(i)	+SS01	5	network overview		22.07.2026	
=P15(i)_P28(i)	+SS01	6	Panel layout		22.07.2026	
=P15(i)_P28(i)	+SS01	6.2	Panel layout		22.07.2026	
=P15(i)_P28(i)	+SS01	10	Power supply		22.07.2026	
=P15(i)_P28(i)	+SS01	15	Hydraulic motor 1		22.07.2026	
=P15(i)_P28(i)	+SS01	16	Hydraulic motor 1 Fan		22.07.2026	
=P15(i)_P28(i)	+SS01	40	Voltage processing 24VDC		22.07.2026	
=P15(i)_P28(i)	+SS01	41	Voltage processing 24VDC		22.07.2026	
=P15(i)_P28(i)	+SS01	42	Voltage processing 24VDC feedback		22.07.2026	
=P15(i)_P28(i)	+SS01	50	SPS-Aufbau		22.07.2026	
=P15(i)_P28(i)	+SS01	51	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	52	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	53	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	54	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	55	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	56	PLC overview		22.07.2026	

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Table of contents	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 2

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=P15(i)_P28(i)	+SS01	57	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	58	PLC overview		22.07.2026	
=P15(i)_P28(i)	+SS01	60	Operation / control panel		22.07.2026	
=P15(i)_P28(i)	+SS01	61	Remote maintenance module		22.07.2026	
=P15(i)_P28(i)	+SS01	63	Signal tower		22.07.2026	
=P15(i)_P28(i)	+SS01	65	Interface 1 Emergency stop		28.07.2026	
=P15(i)_P28(i)	+SS01	66	Interface 1 digital inputs		28.07.2026	
=P15(i)_P28(i)	+SS01	67	Interface 1 digital outputs		28.07.2026	
=P15(i)_P28(i)	+SS01	68	Interface 1 analog inputs		28.07.2026	
=P15(i)_P28(i)	+SS01	69	Interface 1 ASCO CO2 detector		22.07.2026	
=P15(i)_P28(i)	+SS01	70	Interface 1 conveyor belt		22.07.2026	
=P15(i)_P28(i)	+SS01	110	Plant part 1 Sensors		22.07.2026	
=P15(i)_P28(i)	+SS01	120	Plant part 1 sensors analog		22.07.2026	
=P15(i)_P28(i)	+SS01	130	Plant part 1 Valves		22.07.2026	
=AUS01	+SS01	1	Parts list		22.07.2026	
=AUS01	+SS01	1.1	Parts list		22.07.2026	
=AUS01	+SS01	1.2	Parts list		22.07.2026	
=AUS01	+SS01	1.3	Parts list		22.07.2026	
=AUS01	+SS01	1.4	Parts list		22.07.2026	
=AUS01	+SS01	1.5	Parts list		22.07.2026	
=AUS02	+SS01	1	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.1	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.2	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.3	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.4	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.5	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.6	Summarized parts list		22.07.2026	
=AUS02	+SS01	1.7	Summarized parts list		22.07.2026	

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Table of contents	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 2.1

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS02	+DR	1	Summarized parts list		22.07.2026	
=AUS02	+DR	1.1	Summarized parts list		22.07.2026	
=AUS02	+EXT	1	Summarized parts list		22.07.2026	
=AUS02	+EXT	1.1	Summarized parts list		28.07.2026	
=AUS02	+EXT	1.2	Summarized parts list		28.07.2026	
=AUS02	+EXT	1.3	Summarized parts list		28.07.2026	
=AUS03		1	Cable diagram		22.07.2026	
=AUS03		1.1	Cable diagram		28.07.2026	
=AUS03		1.2	Cable diagram		22.07.2026	
=AUS03		1.3	Cable diagram		22.07.2026	
=AUS03		1.4	Cable diagram		22.07.2026	
=AUS03		1.5	Cable diagram		22.07.2026	
=AUS03		1.6	Cable diagram		22.07.2026	
=AUS04		1	Cable overview		28.07.2026	
=AUS05		1	Terminal-strip overview		28.07.2026	
=AUS06		1	Terminal diagram =P15(i)_P28(i)+SS01-10X1		22.07.2026	
=AUS06		2	Terminal diagram =P15(i)_P28(i)+SS01-15X1		22.07.2026	
=AUS06		3	Terminal diagram =P15(i)_P28(i)+SS01-16X1		22.07.2026	
=AUS06		4	Terminal diagram =P15(i)_P28(i)+SS01-40X1		22.07.2026	
=AUS06		5	Terminal diagram =P15(i)_P28(i)+SS01-41X1		22.07.2026	
=AUS06		6	Terminal diagram =P15(i)_P28(i)+SS01-41X3		22.07.2026	
=AUS06		7	Terminal diagram =P15(i)_P28(i)+SS01-41X5		22.07.2026	
=AUS06		8	Terminal diagram =P15(i)_P28(i)+SS01-41X7		22.07.2026	
=AUS06		9	Terminal diagram =P15(i)_P28(i)+SS01-65X1		28.07.2026	
=AUS06		10	Terminal diagram =P15(i)_P28(i)+SS01-66X1		28.07.2026	
=AUS06		11	Terminal diagram =P15(i)_P28(i)+SS01-68X1		28.07.2026	
=AUS06		12	Terminal diagram =P15(i)_P28(i)+SS01-69X1		22.07.2026	
=AUS06		13	Terminal diagram =P15(i)_P28(i)+SS01-70X1		22.07.2026	

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS06		14	Terminal diagram =P15(i)_P28(i)+SS01-110X1		22.07.2026	
=AUS06		15	Terminal diagram =P15(i)_P28(i)+SS01-120X1		22.07.2026	
=AUS06		16	Terminal diagram =P15(i)_P28(i)+SS01-120X5		22.07.2026	
=AUS06		17	Terminal diagram =P15(i)_P28(i)+SS01-120X7		22.07.2026	
=AUS06		18	Terminal diagram =P15(i)_P28(i)+SS01-120X9		22.07.2026	
=AUS06		19	Terminal diagram =P15(i)_P28(i)+SS01-130X1		22.07.2026	
=AUS06		20	Terminal diagram =P15(i)_P28(i)+SS01-130X5		22.07.2026	
=AUS06		21	Terminal diagram =P15(i)_P28(i)+SS01-40XT5		22.07.2026	
=AUS07		1	Terminal line-up diagram =P15(i)_P28(i)+SS01-10X1		22.07.2026	
=AUS07		2	Terminal line-up diagram =P15(i)_P28(i)+SS01-15X1		22.07.2026	
=AUS07		3	Terminal line-up diagram =P15(i)_P28(i)+SS01-16X1		22.07.2026	
=AUS07		4	Terminal line-up diagram =P15(i)_P28(i)+SS01-40X1		22.07.2026	
=AUS07		5	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X1		22.07.2026	
=AUS07		6	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X3		22.07.2026	
=AUS07		7	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X5		22.07.2026	
=AUS07		8	Terminal line-up diagram =P15(i)_P28(i)+SS01-41X7		22.07.2026	
=AUS07		9	Terminal line-up diagram =P15(i)_P28(i)+SS01-65X1		22.07.2026	
=AUS07		10	Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1		22.07.2026	
=AUS07		10.1	Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1		22.07.2026	
=AUS07		11	Terminal line-up diagram =P15(i)_P28(i)+SS01-68X1		22.07.2026	
=AUS07		12	Terminal line-up diagram =P15(i)_P28(i)+SS01-69X1		22.07.2026	
=AUS07		13	Terminal line-up diagram =P15(i)_P28(i)+SS01-70X1		22.07.2026	
=AUS07		14	Terminal line-up diagram =P15(i)_P28(i)+SS01-110X1		22.07.2026	
=AUS07		15	Terminal line-up diagram =P15(i)_P28(i)+SS01-110X3		22.07.2026	
=AUS07		16	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X1		22.07.2026	
=AUS07		17	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X5		22.07.2026	
=AUS07		18	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X7		22.07.2026	
=AUS07		19	Terminal line-up diagram =P15(i)_P28(i)+SS01-120X9		22.07.2026	

Table of contents

Plant	Mounting location	Page	Page description	Edited by	Date	Remarks
=AUS07		20	Terminal line-up diagram =P15(i)_P28(i)+SS01-130X1		22.07.2026	
=AUS07		21	Terminal line-up diagram =P15(i)_P28(i)+SS01-130X5		22.07.2026	
=AUS07		22	Terminal line-up diagram =P15(i)_P28(i)+SS01-40XT5		22.07.2026	

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Table of contents	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 2.4

Structure identifier overview

Full designation	Structure description
Funktionskennzeichen	
=P15(i)_P28(i)	Pelletizer P15(i) P28(i)
=R85EVO	Reformer R85EVO
=AUS01	Parts list
=AUS02	Summarized parts list
=AUS03	Cable diagram
=AUS04	Cable overview
=AUS05	Klemmleistenübersicht
=AUS06	Terminal diagram
=AUS07	Terminal line-up diagram

Full designation	Structure description
Ortskennzeichen	
+SS01	Control cabinet
+DR	Door
+EXT	External
+CVB	conveyor belt
+CST	Customer
+TEIL1	

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Structure identifier overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 3

Engineering standards

Low voltage installation standard:	NIN
Electrical equipment of machines	EN60204-1
Switching device combinations:	EN60439
Symbols for electric circuit diagrams	EN60617

Customer-specific standards

color of wires to EN60204-1

main circuit:	black
Neutral conductor:	white
Protective wire PE:	green/yellow
Fuctional earth FE:	green/yellow
Shield SH:	
Control voltage AC L (to Transformer):	red
Control voltage AC GND (to Transformer), If second wire grounded:	red/white
Control voltage DC +:	dark blue
Control voltage DC GND If second wire grounded:	dark blue/white
Signal cable Analog:	grey
External voltage:	orange

color of wires for Cable to DIN47100

1	white (wh)	18	grey-brown	35	green-black
2	brown (bn)	19	white-pink	36	yellow-black
3	green (gn)	20	pink-brown	37	grey-blue
4	yellow (ye)	21	white-blue	38	pink-blue
5	grey (gy)	22	brown-blue	39	grey-red
6	pink (pk)	23	white-red	40	pink-red
7	blue (bu)	24	brown-red	41	grey-black
8	red (rd)	25	white-black	42	pink-black
9	black (bk)	26	brown-black	43	blue-black
10	violet (vi)	27	grey-green	44	red-black
11	grey-pink	28	yellow-grey	45	white-brown-black
12	red-blue	29	pink-green	46	yellow-green-black
13	white-green	30	yellow-pink	47	grey-pink-black
14	brown-green	31	green-blue	48	red-blue-black
15	white-yellow	32	yellow-blue	49	white-green-black
16	yellow-brown	33	green-red	50	brown-green-black
17	white-grey	34	yellow-red	51	white-yellow-black

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Wire colors according to standard EN	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4

Cable cross section

Cross-section:	Current load:	Cross-section:		Current load:
0.5mm²	3 A	AWG 24	(0.21mm²)	2 A
0.75mm²	4 A	AWG 22	(0.33mm²)	4 A
1.0mm²	6 A	AWG 20	(0.52mm²)	6 A
1.5mm²	10 A	AWG 19	(0.65mm²)	7 A
2.5mm²	16 A	AWG 18	(0.82mm²)	8 A
4.0mm²	20 A	AWG 16	(1.31mm²)	10 A
6.0mm²	25 A	AWG 14	(2.08mm²)	20 A
10mm²	40 A (35A)	AWG 12	(3.32mm²)	25 A
16mm²	63 A (50A)	AWG 10	(5.26mm²)	40 A
25mm²	80 A	AWG 8	(8.35mm²)	55 A
35mm²	100 A	AWG 6	(13.30mm²)	80 A
50mm²	125 A	AWG 4	(21.15mm²)	105 A
70mm²	160 A	AWG 3	(26.67mm²)	120 A
95mm²	200 A	AWG 2	(33.63mm²)	140 A
120mm²	225 A	AWG 1	(42.41mm²)	165 A
150mm²	250 A	AWG 0	(53.48mm²)	195 A
185mm²	300 A	AWG 2/0	(67.43mm²)	225 A
240mm²	350 A	AWG 3/0	(85.03mm²)	260 A
		AWG 4/0	(107.2mm²)	300 A

Cross-section calculation

Ambient temperature		Conversion factor
30°C	86°F	1.00
40°C	104°F	0.87
45°C	113°F	0.79
55°C	131°F	0.62

Copper busbar blank

Cross-section:	Current load:
12 x 2 mm	123 A
15 x 2 mm	143 A
15 x 3 mm	197 A
20 x 2 mm	189 A
20 x 3 mm	237 A
20 x 5 mm	319 A
20 x 10 mm	497 A
25 x 3 mm	287 A
25 x 5 mm	384 A
30 x 3 mm	337 A
30 x 5 mm	447 A
30 x 10 mm	676 A
40 x 3 mm	436 A
40 x 5 mm	573 A
40 x 10 mm	850 A
50 x 5 mm	697 A
50 x 10 mm	1020 A
60 x 5 mm	826 A
60 x 10 mm	1180 A
80 x 5 mm	1070 A
80 x 10 mm	1500 A
100 x 5 mm	1300 A
100 x 10 mm	1810 A
120 x 10 mm	2110 A
160 x 10 mm	2700 A

Copper busbar laminated

Cross-section:	Current load:
6 x 13.0 x 0.5mm	150 A
6 x 15.5 x 0.8mm	290 A
10 x 24.0 x 1.0mm	600 A
10 x 32.0 x 1.0mm	800 A
10 x 40.0 x 1.0mm	950 A
10 x 50.0 x 1.0mm	1000 A
10 x 63.0 x 1.0mm	1240 A

Cable cross section Protective wire

Cross-section Power supply:	min. Cross-section Protective wire:
S ≤ 16mm²	S
16mm² < S ≤ 35mm²	16mm²
S > 35mm²	S / 2

General Project Information and Safety

General Instructions

This documentation is intended for the set-up and connection of the electric control unit by trained staff. Work on the control unit as well as commissioning and maintenance of the machinery must be carried out by qualified and trained staff.

The connection of the protective earth conductor is to be performed on site in compliance with the local regulations.

After transportation / before commissioning, all screw connections must be tightened (they may have worked loose).

To ensure proper cooling of the electric control unit the operator should regularly check the cooling equipment and clean or replace it if necessary (e.g. filter pads).

Safety-related components may only be replaced with equivalent components.

The present schematic diagram has been compiled using a CAD system. The arrangement of the components / connections must be adhered to precisely when installing the wiring.

Safety Instructions

WARNING

It is not permitted to work on electrically live parts and equipment!

The machine may only be operated if all the protective devices are fitted in place and fully functional.

It is forbidden to remove the protective devices, bypass them or make them inoperative.

Should any of the protective devices show a fault, the machine must be stopped immediately and may only be started up again after repair has been carried out by qualified staff.

Symbols

Calliper manually operated normally open contact (NO)

Pressure - dependent switcher

Engage changer delayed

Lamp

Calliper manually operated break contact (NC)

foot controled Switch

Contactor, relay


Electromagnetic break

Key switch with interlock

Engage normally open contact delayed

Contactor, relay


Solenoid valve

Rotary switch with interlock

Engage break contact element delayed

Contactor, relay



Poximity switch normally open contact

limit switch

Engage changer delayed



Operating hours counter



Motor overload switch


Emergency - stop switch

Engage normally open contact delayed

LED

Miniature circuit-breaker

Temperature-dependent interruptor

Engage break contact element delayed

horn

Safety fuse

float switch

Engage changer delayed

Siren

Disconnector

Device tag

A	Module, assembly
B	Encoder
C	Capacitor, Memory module, Binary element
E	Lighting
F	Miniature circuit breakers, fuse
G	Power supply unit, Generator
K	relay, Filter
M	Motor
P	Measuring instrument, Display, signal device
Q	Circuit breaker, Disconnector, Contactor
R	Resistor, Coil, Semiconductor
S	switch, pushbutton
T	Converter, amplifier, Controller
W	conductor, Cable
X	Terminal, Plug
Y	Valve, Brake, Coupling



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Symbols	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4.3

Terminal numbering



Terminal



2
1



Terminal



1

Terminal



1
2
3
4

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal numbering	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 4.4



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: network overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 5

-60U7
EWO.FLEXY205
FLEXY 205
46



BxH: 1050mmx257mm
(Standard P15/P28 Montageplatte)

5 6.2

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Panel layout	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 6



BxH: 1050mmx257mm
(Standard P15/P28 Montageplatte)

Platte : ∅12 (6x)
Kanal : ∅6 (12x)
Rail : M5 (9x)

6

10

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Panel layout	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 6.2

BK 4 mm²
BK 4 mm²
BK 4 mm²
BK 4 mm²
BK 4 mm²
BK 4 mm²

L1 / 40.0
L2 / 40.0
L3 / 40.0

400VAC AFTER EMERGENCY STOP

BK 4 mm²
BK 4 mm²
BK 4 mm²

L1.ES / 15.0
L2.ES / 15.0
L3.ES / 15.0

+DR

-10Q1 F
25A
Main switch
4063812
4067868
4063813

T1 2 | T2 4 | T3 6
1 L1 | 3 L2 | 5 L3

-10Q5
/10.6
EMERGENCY STOP
channel 1

1/L1 | 3/L2 | 5/L3
2/T1 | 4/T2 | 6/T3

-10Q6
/10.7
EMERGENCY STOP
channel 2

1/L1 | 3/L2 | 5/L3
2/T1 | 4/T2 | 6/T3

-10XD3
L1 L2 L3 T1 T2 T3

Failsafe supply digital output
-FDO_Versorgung_DO
Q50.0
/56.1
-50KF51
DQ-P0 5 | DQ-M0 6

16 0.75 mm² BU
19 0.75 mm² BU
17 0.75 mm² BU
18 0.75 mm² BU

-10Q5
7.5kW
24VDC
A1 U A2

-10Q6
7.5kW
24VDC
A1 U A2

1/L1 2/T1 /10.3
3/L2 4/T2 /10.3
5/L3 6/T3 /10.3
13 14
21 22 /10.9
53 54
63 64
73 74 /65.0
83 84 /65.0

1/L1 2/T1 /10.4
3/L2 4/T2 /10.4
5/L3 6/T3 /10.5
13 14
21 22 /10.9
53 54
63 64
73 74 /65.0
83 84 /65.0

41X3.13 / 41.3
BU 0.75 mm²

-10Q5
/10.6
EMERGENCY STOP
channel 1
NC 21 | NC 22
20 0.75 mm² BU

-10Q6
/10.7
EMERGENCY STOP
channel 2
NC 21 | NC 22
21 0.75 mm² BU

1
DI0
-50KF21
/51.1
I0.0
-10Q6:22
EMERGENCY STOP feed back

-10X1
1 2 | 4 3 | 1
4 mm² GNYE | 4 mm² GNYE

15.2 / -10X1.24
15.2 / -10X1.22

+EXT

-10W1
5003033
4x4 mm²
1 4 mm² | 2 4 mm² | 3 4 mm² | GNYE 4 mm²
L1 L2 L3 PE

Power supply
CE: 3x400 VAC / 50 Hz / 25 A -- US: 3x480 VAC / 60 Hz / 25 A -- 4.8kWh
back-up fuse max.:
4G4mm²

EMERGENCY STOP
channel 1

EMERGENCY STOP
channel 2

6.2

15

V500	31.01.2024	ASCO	Date	22.07.2026
			Editor	
Modification	Date	Name		

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Page description: Power supply

Project-No.:

Scheme-No.:

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**

Scheme-No. Customer:

Project-No. Customer:

= P15(i)_P28(i)
+ SS01
l sh 130
Pg 10

10.9 / L1.ES
10.9 / L2.ES
10.9 / L3.ES

-15XD6
5003623
L1 U
L2 V
L3 W

L1.ES / 16.0
L2.ES / 16.0
L3.ES / 16.0

BK 4mm²

-15Q1
9.0...12.5A
11.1A
4044259
4064461
1/L1 3/L2 5/L3 13 21
14 22
2/T1 4/T2 6/T3
I> I> I>
/15.4

40X1.14 / 40.1
41X3.23 / 41.3

0.75 mm² DBU/WH
0.75 mm² BU

Hydraulic motor 1 ON
-15Q2:IN1
Q60.0
/57.1
-50KF52
DQ0
1

1 0.75 mm² BU
2 0.75 mm² BU

41X3.21 / 41.3
0.75 mm² BU
15Q1.13 / 16.3

-15XD1
5003673
L1 L2 L3
U V W

-15Q2
5.5kW
200...480VAC
50Hz / 60Hz
12.5A
1L1 3L2 5L3 A2 A1 IN1 13 14
On

Siemens

Time / 3s
V % 50%

4070899

2T1 4T2 6T3

7
DI6
-50KF21
/51.1
I0.6
-15Q2:14
Contactor feedback hydraulic motor

NO 13
-15Q1
/15.1
14 NO
0.75 mm² BU
3
6
DI5
-50KF21
/51.1
I0.5
-15Q1:14
Motor protection switch hydraulic motor 1 (1 = OK)

BK 2.5mm²
L1 4 5 L1
L2 3 6 L2
L3 2 7 L3

-15X1 1 2 3 4 PE

+TEIL1

-15W1
5003043
1.2 m
4x2,5 mm²
1 2 3 GNYE

+SS01-10X1.24 / 10.1
+SS01-10X1.22 / 10.1
GNYE 4 mm²

-15M1
5.5kW
11.1A
1460 ¹/min
50Hz

6.6kW
11.3A
1750 ¹/min
60Hz
U V W PE
U1 V1 W1 PE
M 3 ~
Δ
PE PE
motor casing
hydraulic tank

Hydraulic motor 1

Terminal

L1	L1	1
L2	L2	2
L3	L3	3
PE		4

10 16

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Hydraulic motor 1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 15

15.9 / L1.ES
15.9 / L2.ES
15.9 / L3.ES

-16Q1
0,22...0,3A
0.26A
4071000
4064461
1/L1 3/L2 5/L3 13 21
14 22
/16.3
I> I> I>
2/T1 4/T2 6/T3

-16XD1
4065520
L1 L2 L3
U V W

-16Q5
/16.5
L1 L2 L3
1/L1 3/L2 5/L3
2/T1 4/T2 6/T3
T1 T2 T3

15Q1.13 / 15.5
0.75 mm² BU
NO
13
14
NO
0.75 mm² BU
4
8

41X3.24 / 41.3
0.75 mm² BU
NC
21
22
NC
0.75 mm² BU
5
9

Hydraulic motor 1 Fan
-16Q5:A1
Q60.1
/57.1
-50KF52
DQ1
2
0.75 mm² BU
6
A1
A2
3kW
24V
4070997
4044411
0.75 mm² DBU/WH
-40X1.21 / 40.1

1/L1 2/T1 /16.1
3/L2 4/T2 /16.1
5/L3 6/T3 /16.1
21 22 /16.4

Hydraulic motor 1 Fan
+EXT-16M1:RD
I1.4
/51.1
-50KF21
DI12
13

-41X3.34 / 41.3

DI7	DI8
-50KF21	-50KF21
/51.1	/51.1
I0.7	**I1.0**
-16Q1:14	-16Q5:22
hydraulic motor 1 Motor protection switch ventilation (1 = OK)	hydraulic motor 1 Contactor feedback ventilation

BK 2.5mm² L1 4
BK 2.5mm² L2 3
BK 2.5mm² L3 2

-16X1
1 2 3 4 PE
5 6 7 1
L1 L2 L3
1 2
5 6
4 3

+EXT

-16W1
5003568
5 m
7x0,5 mm²
1 2 3 GNYE 5 6

-16M1
400/460 V
50/60 Hz
0.140/0.152 kW
2520/2680 Umin
U V W PE RD RD
M
3~
RD
RD

Hydraulic motor 1
Fan

Hydraulic motor 1
Fan



15 40

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Hydraulic motor 1 Fan	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 16

10.9 / L1
10.9 / L2
10.9 / L3

-44F1
UL489 UL1077
C 6A
4068673

-40G1
200-500VAC / 24VDC
20A
Lütze
4068174
DC OK
/40.8

24VDC0.2 / 41.9
24VDC0.1 / 41.0

+DR
-10PE3
Enclosure Door
PE

+EXT-10PE1
Enclosure
PE

-41X3.22 / 41.3

-40G1
/40.2
DC OK

DI1
-50KF21
/51.1
I0.1
-40G1:14
24VDC OK

-40X1
0VDC
-40X1

-40X1.12 / 41.0
-40X1.21 / 16.6
-40X1.22 / 60.6
-40X1.31 / 50.3
-40X1.32 / 60.9
-40X1.41 / 60.1
-40X1.42 /
-40X1.51 / 67.1
-40X1.52 / 69.0

-40X1.14 / 15.2
-40X1.13 / 41.9
-40X1.24 / 50.0
-40X1.23 / 50.6
-40X1.34 / 50.5
-40X1.33 / 50.6
-40X1.44 / 61.7
-40X1.43 / 120.1
-40X1.54 / 68.2
-40X1.53 / 70.0
-40X1.64 / 63.1
-40X1.63 /

-40XT5
4070911

-40XT5.22 / 60.1
-40XT5.23 / 61.7





Power supply unit

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
						Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 40



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 41



DI2	DI3	DI4
-50KF21	-50KF21	-50KF21
/51.1	/51.1	/51.1
I0.2	**I0.3**	**I0.4**
-41X3:4	-41X5:2	-41X7:3
24VDC 2 General	24VDC 3 EMERGENCY STOP	24VDC 4 Interface 1

24VDC 2
General

24VDC 3
EMERGENCY STOP

24VDC 4
Interface 1

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Voltage processing 24VDC feedback	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 42

0	1	2	3	4	5	6	7	8	9



Doppelte Masseleitung erforderlich

⚠ WARNUNG

Für das F-PM-E 24VDC/8A PPM ST muss die Masseleitung zum BaseUnit aus Sicherheitsgründen doppelt verlegt werden. Ansonsten könnte bei der Unterbrechung einer einfachen Masseleitung die Potenzialschiene P2 nicht mehr sicherheitsgerichtet abgeschaltet werden.

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: SPS-Aufbau	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 50

0	1	2	3	4	5	6	7	8	9

-50KF21
/50.2

Siemens
4070341
4068190

0	I0.0	1 DI0	/10.9	-10Q6:22	EMERGENCY STOP feed back
1	I0.1	2 DI1	/40.8	-40G1:14	24VDC OK
2	I0.2	3 DI2	/42.1	-41X3:4	24VDC 2 General
3	I0.3	4 DI3	/42.2	-41X5:2	24VDC 3 EMERGENCY STOP
4	I0.4	5 DI4	/42.3	-41X7:3	24VDC 4 Interface 1
5	I0.5	6 DI5	/15.4	-15Q1:14	Motor protection switch hydraulic motor 1 (1 = OK)
6	I0.6	7 DI6	/15.3	-15Q2:14	Contactor feedback hydraulic motor
7	I0.7	8 DI7	/16.3	-16Q1:14	hydraulic motor 1 Motor protection switch ventilation (1 = OK)
8	I1.0	9 DI8	/16.4	-16Q5:22	hydraulic motor 1 Contactor feedback ventilation
9	I1.1	10 DI9	/60.5	+DR-60S5:14	Movement confirmation
10	I1.2	11 DI10			
11	I1.3	12 DI11			
12	I1.4	13 DI12	/16.2	+EXT-16M1:RD	Hydraulic motor 1 Fan
13	I1.5	14 DI13	/110.1	+EXT-110B1:2	Plant part 1 oil level
14	I1.6	15 DI14	/110.3		Spare
15	I1.7	16 DI15	/110.4		Spare
		L+ 24VDC	/50.3		
		M 0VDC	/50.3		
		SH			

SIEMENS
6ES7193-6BP00-0DA0
6ES7131-6BH01-0BA0

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 51

0	1	2	3	4	5	6	7	8	9

-50KF25
/50.3

Siemens
4070341
4068191



0	I2.0	1 DI0	/66.1	=R85EVO+EXT-83K1:14	Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)
1	I2.1	2 DI1	/66.2	=R85EVO+EXT-83K2:14	Interface 1 Drain Machine (1 = drain)
2	I2.2	3 DI2	/66.3	=R85EVO+EXT-83K3:14	Interface 1 next batch (1 = next)
3	I2.3	4 DI3	/66.4	=R85EVO+EXT-83K4:14	Interface 1 additional start condition (1 = approval)
4	I2.4	5 DI4	/66.5	-66X1:7	Spare
5	I2.5	6 DI5	/66.6	-66X1:8	Spare
6	I2.6	7 DI6	/66.7	-66X1:9	Spare
7	I2.7	8 DI7	/66.8	-66X1:10	Spare
8	I3.0	9 DI8	/69.6	+EXT-69A1:33	Interface 1 CO2 ALARM 3 configurable
9	I3.1	10 DI9	/69.7	+EXT-69A1:23	Interface 1 CO2 ALARM 2 configurable
10	I3.2	11 DI10	/69.8	+EXT-69A1:13	Interface 1 CO2 ALARM 1 8h over 0.5%
11	I3.3	12 DI11			
12	I3.4	13 DI12			
13	I3.5	14 DI13			
14	I3.6	15 DI14			
15	I3.7	16 DI15	/70.5	+CVB-20K1:31	Interface 1 conveyor belt (1 = active, 0 = stopped)
		L+ 24VDC	/50.3		
		M 0VDC	/50.3		
		SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7131-6BH01-0BA0

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 52

0	1	2	3	4	5	6	7	8	9

-50KF31
/50.4

Siemens
5003628
4068191



0 PIW100	1 U0+			
0	3 U0-			
0 PIW100	5 I0+	/120.1	Plant part 1 linear measurement	
0	7 I0-	/120.1	Plant part 1 linear measurement	
0	9 UV0	/120.1	Plant part 1 linear measurement	
0	11 M0	/120.2	Plant part 1 linear measurement	
	13 RES			
	15 RES			
1 PIW102	2 U1+			
1	4 U1-			
1 PIW102	6 I1+	/120.5	Plant part 1 pressure measurement hydraulic	
1	8 I1-			
1	10 UV1	/120.5	Plant part 1 pressure measurement hydraulic	
1	12 M1			
	14 RES			
	16 RES			
L+ 24VDC		/50.4		
M 0VDC		/50.4		
SH				

SIEMENS
6ES7193-6BP00-0BA0
6ES7134-6HB00-0DA1

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 53

-50KF32
/50.4

Siemens
4070340
4068191



0		1 1I0+	/120.7	Plant part 1 Pressure measurement CO2
0		5 1I0-	/120.7	Plant part 1 Pressure measurement CO2
0		9 UV0	/120.7	Plant part 1 Pressure measurement CO2
0	PIW104	13 2I0+	/120.7	Plant part 1 Pressure measurement CO2
1		2 1I1+	/120.8	Plant part 1 Hydraulic oil temperature
1		6 1I1-	/120.9	Plant part 1 Hydraulic oil temperature
1		10 UV1	/120.9	Plant part 1 Hydraulic oil temperature
1	PIW106	14 2I1+	/120.9	Plant part 1 Hydraulic oil temperature
2		3 1I2+	/69.3	ASCO CO2 Detector
2		7 1I2-	/69.3	ASCO CO2 Detector
2		11 UV2	/69.3	ASCO CO2 Detector
2	PIW108	15 2I2+	/69.4	ASCO CO2 Detector
3		4 1I3+	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3		8 1I3-	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3		12 UV3	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
3	PIW110	16 2I3+	/68.1	Interface 1 Specification of production speed remotely (4...20mA = 0...100%)
		L+ 24VDC	/50.4	
		M 0VDC	/50.5	
		SH		

SIEMENS
6ES7193-6BP00-0BA0
6ES7134-6GD01-0BA1

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 130
Modification	Date	Name							Pg 54

-50KF41
/50.5

Siemens
4070342
4068190

0	Q0.0	1 DQ0	/67.1	-67K1:A1	Interface 1 Machine ready (1 = ready)
1	Q0.1	2 DQ1	/67.2	-67K2:A1	Interface 1 Machine active (1 = active)
2	Q0.2	3 DQ2	/67.3	-67K3:A1	Interface 1 Batch completed (1 = completed)
3	Q0.3	4 DQ3	/67.4	-67K4:A1	Interface 1 Machine drained (1 = empty)
4	Q0.4	5 DQ4			
5	Q0.5	6 DQ5			
6	Q0.6	7 DQ6			
7	Q0.7	8 DQ7			
8	Q1.0	9 DQ8	/70.1	-70K1:A1	Interface 1 Start the conveyor belt (1 = start, 0 = stop)
9	Q1.1	10 DQ9	/60.6	+DR-60S5:X1	Movement confirmation
10	Q1.2	11 DQ10	/60.9	+DR-60S7:X1	Emergency stop
11	Q1.3	12 DQ11	/63.2	+EXT-63X1:1	Signal tower blue
12	Q1.4	13 DQ12	/63.3	+EXT-63X1:2	Signal tower green
13	Q1.5	14 DQ13	/63.4	+EXT-63X1:3	Signal tower yellow
14	Q1.6	15 DQ14	/63.5	+EXT-63X1:4	Signal tower red
15	Q1.7	16 DQ15	/63.6	+EXT-63X1:5	Signal tower Buzzer
		L+ 24VDC	/50.5		
		M 0VDC	/50.5		
		SH			

SIEMENS
6ES7193-6BP00-0DA0
6ES7132-6BH01-0BA0

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 55

-50KF51
/50.5

Siemens
4068188
4068193

0		1 DI0	/60.8	-FDI_EM_STOP_1	Emergency stop
0		3 VS0	/60.7	-FDI_EM_STOP_1	Emergency stop
1	I50.0	2 DI1	/60.9	-FDI_EM_STOP_1	Emergency stop
1		4 VS1	/60.8	-FDI_EM_STOP_1	Emergency stop
0		5 DQ-P0	/10.6	-FDO_Versorgung_DO	Failsafe supply digital output
0		6 DQ-M0	/10.6	-FDO_Versorgung_DO	Failsafe supply digital output
		1A AUX			
		2A AUX			
		1L	/50.6		
		1N	/50.6		
		2L	/50.6		
		2N	/50.6		
		SH			

SIEMENS
6ES7193-6BP20-0DC0
6ES7136-6PA00-0BC0

55 57

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 56

0	1	2	3	4	5	6	7	8	9

-50KF52
/50.6

Siemens
4068185
4068191

0	Q60.0	1 DQ0	/15.3	-15Q2:IN1	Hydraulic motor 1 ON
0		9 M			
1	Q60.1	2 DQ1	/16.5	-16Q5:A1	Hydraulic motor 1 Fan
1		10 M			
2	Q60.2	3 DQ2			
2		11 M			
3	Q60.3	4 DQ3			
3		12 M			
4	Q60.4	5 DQ4			
4		13 M			
5	Q60.5	6 DQ5			
5		14 M			
6	Q60.6	7 DQ6			
6		15 M			
7	Q60.7	8 DQ7			
7		16 M			
		L+ 24VDC	/50.6		
		M 0VDC	/50.7		
		SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7132-6BF01-0BA0

56 58

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 57

-50KF53
/50.7

Siemens
4071897
4068191

0	Q3.0	1 DQ0	/130.1	+EXT-130X1	Plant part 1 CO2 valve 1
0		5 DQ0			
1	Q3.1	2 DQ1	/130.3	+EXT-130X3	Plant part 1 CO2 valve 2
1		6 DQ1			
2	Q3.2	3 DQ2	/130.6	+EXT-130Y5:A1	Plant part 1 valve forward
2		7 DQ2			
3	Q3.3	4 DQ3	/130.8	+EXT-130Y7:A1	Plant part 1 valve backward
3		8 DQ3			
		9 M	/130.1		Plant part 1 CO2 valve 1
		10 M	/130.3		Plant part 1 CO2 valve 2
		11 M	/130.6		Plant part 1 valve forward
		12 M	/130.8		Plant part 1 valve backward
		13 M			
		14 M			
		15 M			
		16 M			
		L+ 24VDC	/50.7		
		M 0VDC	/50.7		
		SH			

SIEMENS
6ES7193-6BP00-0BA0
6ES7132-6BD21-0BA0

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: PLC overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 58

+DR
Door

41X1.21 / 41.1
0.75 mm² BU

40X1.41 / 40.2
0.75 mm² DBU/WH

-40XT5.22 / 40.5
GNYE 1 mm²

HMI / 50.0

-60W2
4067623
2 m
2x2x2x0.14 mm²
GN

-60A1
TP700
7" Color
1 L+
2 M
FE
X1 P1 Ethernet 192.168.10.30
X1 P2 Ethernet 192.168.10.30

HMI
192.168.10.30
HMI_P15_P28_60A1
-X90 1
-X90 2
X2 X60

Siemens
4067780

human machine interface
(HMI)

-41X3.12 / 41.3

Movement confirmation
+DR-60S5:X1
Q1.1
/55.1
-50KF41
DQ9
10

Emergency stop
+DR-60S7:X1
Q1.2
/55.1
-50KF41
DQ10
11

9 0.75 mm² BU

markings for workshop

-60S5 E
IEC 60417-5104
4071240
4071233
4071241
4071242
13
14
X1
X2
BU
24...240V

-60S7
Emergency stop button
4071232
4071233
4071237
4071237
4071238
4071239
31
32
21
22
X1
X2
RD
24...240V

50KF11.VS0 / 65.1
50KF11.DI0 / 65.2
50KF11.VS1 / 65.2
50KF11.DI1 / 65.2

11 0.75 mm² BU
14 0.75 mm² BU
16 0.75 mm² BU

8 0.75 mm² BU
10
DI9
-50KF21
/51.1
I1.1
+DR-60S5:14
Movement confirmation

0.75 mm² DBU/WH
40.1 / -40X1.22

10 0.75 mm² BU
12 0.75 mm² BU
13 0.75 mm² BU
15 0.75 mm² BU
3 VS0
1 DI0
4 VS1
2 DI1
-50KF51
/56.1
I50.0
-FDI_EM_STOP_1
Emergency stop

0.75 mm² DBU/WH
40.2 / -40X1.32

Movement confirmation

Emergency stop

58

61

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Operation / control panel	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 60



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Remote maintenance module	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
Modification	Date	Name				Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 130
									Pg 61

0	1	2	3	4	5	6	7	8	9

	Signal tower blue	Signal tower green	Signal tower yellow	Signal tower red	Signal tower Buzzer
	+EXT-63X1:1	+EXT-63X1:2	+EXT-63X1:3	+EXT-63X1:4	+EXT-63X1:5
	Q1.3	Q1.4	Q1.5	Q1.6	Q1.7
	/55.1	/55.1	/55.1	/55.1	/55.1
	-50KF41	-50KF41	-50KF41	-50KF41	-50KF41
	DQ11	DQ12	DQ13	DQ14	DQ15
	12	13	14	15	16

-40X1.64 / 40.2

-63W2.1
PVC
1 m
8x0,25 mm²
4071269

WH 0,25 | BN 0,25 | GN 0,25 | YE 0,25 | GY 0,25 | PK 0,25 | BU 0,25 | RD 0,25

-63X2
Signal tower

1 2 3 4 5 6 7 8

+EXT

-63W2.2
PUR
0.6 m
8x0,25 mm²
4071270

WH 0,25 | BN 0,25 | GN 0,25 | YE 0,25 | GY 0,25 | PK 0,25 | BU 0,25 | RD 0,25

-63X1
400mm
4071263

GND 0 | Modul 1 1 | Modul 2 2 | Modul 3 3 | Modul 4 4 | Modul 6 5

-63P2
BU
24VAC/DC
4071264

-63P3
GN
24VAC/DC
4071265

-63P4
YE
24VAC/DC
4071266

-63P5
RD
24VAC/DC
4071267

-63P6
BZ
24VAC/DC
4071268

Signal tower blue

Signal tower green

Signal tower yellow

Signal tower red

Signal tower Buzzer

61

65

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Signal tower	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 63



In order to integrate an external emergency stop, the bridges must be removed.

The integrator is responsible for integrating an external emergency stop or for integrating the machine into an external emergency stop.
The emergency stop strategy and all associated standards must be observed in all cases. Integration may only be carried out by qualified personnel



OPTIONAL

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 Emergency stop	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 65

0	1	2	3	4	5	6	7	8	9

Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)	Interface 1 Drain Machine (1 = drain)	Interface 1 next batch (1 = next)	Interface 1 additional start condition (1 = approval)	Spare	Spare	Spare	Spare
=R85EVO+EXT-83K1:14	=R85EVO+EXT-83K2:14	=R85EVO+EXT-83K3:14	=R85EVO+EXT-83K4:14	-66X1:7	-66X1:8	-66X1:9	-66X1:10
I2.0	**I2.1**	**I2.2**	**I2.3**	**I2.4**	**I2.5**	**I2.6**	**I2.7**
/52.1	/52.1	/52.1	/52.1	/52.1	/52.1	/52.1	/52.1
-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25	-50KF25
DI0	DI1	DI2	DI3	DI4	DI5	DI6	DI7

41X7.13 / 41.7

-66X1: 1 2 | 3 4 | 5 6 | 7 8 | 9 10

0.14 mm² ... 1.5 mm²

+EXT -65W1 /65.0

=R85EVO
Reformer R85EVO

-82X1: 11 12 | 13 14 | 15 16 | 17 PE 18 PE

OG 0.75 mm² 64	OG 0.75 mm² 65	OG 0.75 mm² 66	OG 0.75 mm² 67	OG 0.75 mm² 68

-83K1 -83K2 -83K3 -83K4 (12 / 14 / 11)

64 0.75 mm² OG

Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)	Interface 1 Drain Machine (1 = drain)	Interface 1 next batch (1 = next)	Interface 1 additional start condition (1 = approval)	Spare	Spare

OPTIONAL



65 67

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 digital inputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 66

0	1	2	3	4	5	6	7	8	9





66 68

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 digital outputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130 Pg 67
Modification	Date	Name							





67 69

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 analog inputs	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 68



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 ASCO CO2 detector	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 69

0	1	2	3	4	5	6	7	8	9

Interface 1 Start the conveyor belt (1 = start, 0 = stop)
-70K1:A1
Q1.0
/55.1
-50KF41
DQ8

Interface 1 conveyor belt (1 = active, 0 = stopped)
+CVB-20K1:31
I3.7
/52.1
-50KF25
DI15

9
82
0.75 mm²
BU

16

A1
-70K1
4063743
A2

40.2 / -40X1.53

14
12
11 /70.1

-41X7.24 / 41.7

11
-70K1
/70.1
12
14

80
0.75 mm²
OG

81
0.75 mm²
OG

0.75 mm² BU

83 0.75 mm² BU

-70X1 1 4 1 2 3 2

0.14 mm² ... 1.5 mm²

1 3 4 2 4 3 1 5 PE 2 6 PE

+EXT

conveyor belt
+CVB

-20X2 1 2 3

-20W2
LiYY
4x18 AWG
BU 0.34
BN 0.34

-20B2

-20W2
BK 0.34

4 5

16 14

-20K1
Start

6 7

17 13
20Q5
14 18 13
20Q6
14 19

8 9

20 31
-20K1
Pelletizer
Info Run
No Delay
34 21

PE

For detailed information, please refer to the electrical documentation of the conveyor belt



Interface 1
Start the conveyor belt
(1 = start, 0 = stop)

Interface 1
Conveyor belt active
(1 = active)
for Reformer

Interface 1
conveyor belt
(1 = active, 0 = stopped)

OPTIONAL

69

110

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Interface 1 conveyor belt	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 70

Plant part 1 oil level
+EXT-110B1:2
I1.5
/51.1
-50KF21
DI13

Spare
I1.6
/51.1
-50KF21
DI14

Spare
I1.7
/51.1
-50KF21
DI15

14 15 16

41X3.31 / 41.3

0.75 mm² BU

110 0.75 mm² BU

-110X1 1 2 3 4 5 PE 6 PE

+EXT

-110W1
5002883
2x0.75 mm
2 m
1 0.75
2 0.75

-110B1
+ L1 NC
1 2 3 PE
L1
Bühler Technologies 4071528

Plant part 1
oil level

Spare

Spare



70 120

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Plant part 1 Sensors	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 110



Plant part 1
linear measurement

Plant part 1
pressure measurement hydraulic

Plant part 1
Pressure measurement CO2

Plant part 1
Hydraulic oil temperature

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Plant part 1 sensors analog	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i) + SS01
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130 Pg 120
Modification	Date	Name							

Plant part 1 CO2 valve 1
+EXT-130X1
Q3.0
/58.1
-50KF53
DQ0
M
1
9

Plant part 1 CO2 valve 2
+EXT-130X3
Q3.1
/58.1
-50KF53
DQ1
M
2
10

Plant part 1 valve forward
+EXT-130Y5:A1
Q3.2
/58.1
-50KF53
DQ2
M
3
11

Plant part 1 valve backward
+EXT-130Y7:A1
Q3.3
/58.1
-50KF53
DQ3
M
4
12

131
0.75 mm²
BU

132
0.75 mm²
BU/WH

134
0.75 mm²
BU

135
0.75 mm²
BU/WH

137
0.75 mm²
BU

138
0.75 mm²
BU/WH

139
0.75 mm²
BU

140
0.75 mm²
BU/WH

+EXT

-130X1 1 2 3 PE 4 PE

-130X5 1 2 3 PE 4 PE

5 6 7 PE 8 PE

-130W1
5003631
3x0,5 mm²
2.2 m
1 0,5
2 0,5
GNYE 0,5

-130W3
5003631
3x0,5 mm²
2 m
1 0,5
2 0,5
GNYE 0,5

-130W5
4066062
3x0,75 mm²
5 m
1 0.75
2 0.75
GNYE 0.75

-130W7
4066062
3x0,75 mm²
5 m
1 0.75
2 0.75
GNYE 0.75

-130X1
4065746
-130Y1
24 VDC
0.83 A
1 2 5 PE
A1 A2 PE
Danfoss 4065745

-130X3
4065746
-130Y3
24 VDC
0.83 A
1 2 5 PE
A1 A2 PE
Danfoss 4065745

-130Y5
A1 A2 PE
Danfoss 4044263
A1 A2 PE
-130Y7

-130Y
Plant part 1
Piston press chamber
24VDC
1.6 A

Plant part 1
CO2 valve 1

Plant part 1
CO2 valve 2

Plant part 1
valve forward

Plant part 1
valve backward

120

=AUS01/1

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Plant part 1 Valves	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= P15(i)_P28(i)
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 130
Modification	Date	Name							Pg 130

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-6U0	0				6;6.2	
=P15(i)_P28(i)	+SS01	-10Q5	1	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V	Siemens	4070996	10	
=P15(i)_P28(i)	+SS01	-10Q5	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	5003606	10	
=P15(i)_P28(i)	+SS01	-10Q5	1	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO,	Siemens	4065519	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V	Siemens	4070996	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	5003606	10	
=P15(i)_P28(i)	+SS01	-10Q6	1	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO,	Siemens	4065519	10	
=P15(i)_P28(i)	+SS01	-10X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-10X1	1	End and partition plate for terminal block	Phoenix Contact	5003672		
=P15(i)_P28(i)	+SS01	-10X1	0				6	
=P15(i)_P28(i)	+SS01	-10X1	1	Ground terminal block	Phoenix Contact	5003671	10	
=P15(i)_P28(i)	+SS01	-10XD3	1	Verdrahtungsbaustein unten für Schützkombination Baugröße S0	Siemens	4071480	10	
=P15(i)_P28(i)	+SS01	-15Q1	1	CIRCUIT-BREAKER SCREW CONNECTION 12.5A	Siemens	4044259	15	
=P15(i)_P28(i)	+SS01	-15Q1	1	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION	Siemens	4064461	15	
=P15(i)_P28(i)	+SS01	-15Q2	1	SIRIUS SANFTSTARTER, S00,12.5A, 5,5KW/400V, 40GRAD, AC 200-480V, AC/DC 24V	Siemens	4070899	15	
=P15(i)_P28(i)	+SS01	-15X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-15X1	1	End and partition plate for terminal block	Phoenix Contact	5003670		
=P15(i)_P28(i)	+SS01	-15X1	0				6	
=P15(i)_P28(i)	+SS01	-15X1	1	Multi-level terminal block	Phoenix Contact	5003669	15	
=P15(i)_P28(i)	+SS01	-15XD1	1	LINK MODULE 3RV2.1-3RT2.1,3RV2.2-3RT2.2	Siemens	5003673	15	
=P15(i)_P28(i)	+SS01	-15XD6	1	3-PHASE BUSBARS	Siemens	5003623	15	
=P15(i)_P28(i)	+SS01	-16Q1	1	CIRCUIT-BREAKER SCREW CONNECTION 0.32A	Siemens	4071000	16	
=P15(i)_P28(i)	+SS01	-16Q1	1	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION	Siemens	4064461	16	
=P15(i)_P28(i)	+SS01	-16Q5	1	CONTACTOR,AC3:3KW 1NC DC24V	Siemens	4070997	16	
=P15(i)_P28(i)	+SS01	-16Q5	1	SURGE SUPPRESSOR, VARISTOR,	Siemens	4044411	16	
=P15(i)_P28(i)	+SS01	-16X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-16X1	1	End and partition plate for terminal block	Phoenix Contact	5003670		
=P15(i)_P28(i)	+SS01	-16X1	0				6	

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS01
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.5
Modification	Date	Name							Pg 1

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-16X1	1	Multi-level terminal block	Phoenix Contact	5003669	16	
=P15(i)_P28(i)	+SS01	-16X1	1	Feed-through terminal block	Phoenix Contact	4067865	16	
=P15(i)_P28(i)	+SS01	-16XD1	1	LINK MODULE F.3RV S00/S0, 3RT S00	Siemens	4065520	16	
=P15(i)_P28(i)	+SS01	-40G1	1	Stromversorgung, 3-phasig	Lütze	4068174	40	
=P15(i)_P28(i)	+SS01	-40X1	1	End and partition plate for terminal block	Phoenix Contact	4067867	40	
=P15(i)_P28(i)	+SS01	-40X1	0				6	
=P15(i)_P28(i)	+SS01	-40X1	6	Feed-through terminal block	Phoenix Contact	4070909	40	
=P15(i)_P28(i)	+SS01	-40XT5	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-40XT5	1	End and partition plate for terminal block	Phoenix Contact	4070910		
=P15(i)_P28(i)	+SS01	-40XT5	1	End and partition plate for terminal block	Phoenix Contact	5003672		
=P15(i)_P28(i)	+SS01	-40XT5	0				6	
=P15(i)_P28(i)	+SS01	-40XT5	1	Disconnect and test disconnect rail-mount terminal block	Phoenix Contact	4070911	40	
=P15(i)_P28(i)	+SS01	-40XT5	2	Ground terminal block	Phoenix Contact	5003671	40	
=P15(i)_P28(i)	+SS01	-41F1	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F3	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F5	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41F7	1	Electronic device circuit breaker	Phoenix Contact	4065857	41	
=P15(i)_P28(i)	+SS01	-41U0	1	Cross-connector for terminal block	Phoenix Contact	4071001		
=P15(i)_P28(i)	+SS01	-41X1	1	End bracket for terminal block	WAGO	4067670	41	
=P15(i)_P28(i)	+SS01	-41X1	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X1	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X1	0				6	
=P15(i)_P28(i)	+SS01	-41X1	3	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X3	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X3	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X3	0				6	
=P15(i)_P28(i)	+SS01	-41X3	4	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X5	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-41X5	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X5	0				6	
=P15(i)_P28(i)	+SS01	-41X5	2	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-41X7	1	End and partition plate for terminal block	Phoenix Contact	4067867	41	
=P15(i)_P28(i)	+SS01	-41X7	1	Cross-connector for terminal block	Phoenix Contact	4070908	41	
=P15(i)_P28(i)	+SS01	-41X7	0				6	
=P15(i)_P28(i)	+SS01	-41X7	3	Feed-through terminal block	Phoenix Contact	4070909	41	
=P15(i)_P28(i)	+SS01	-44F1	1	CIRCUIT BREAKER 10KA, 3POLE, C, 6A	Siemens	4068673	40	
=P15(i)_P28(i)	+SS01	-50A2	1	ET 200SP, BA 2XRJ45	Siemens	4068181	50	
=P15(i)_P28(i)	+SS01	-50A3	1	SIMATIC S7 Memory card 24 MB For S7-1x00 CPU	Siemens	4068182	50	
=P15(i)_P28(i)	+SS01	-50KF11	1	CPU 1512SP F-1 PN, 600KB Prog., 2MB Data	Siemens	4068180	50	
=P15(i)_P28(i)	+SS01	-50KF21	1	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1	Siemens	4070341	50	
=P15(i)_P28(i)	+SS01	-50KF21	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D	Siemens	4068190	50	
=P15(i)_P28(i)	+SS01	-50KF25	1	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1	Siemens	4070341	50	
=P15(i)_P28(i)	+SS01	-50KF25	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF31	1	SIMATIC ET 200SP AI 2xU/I 2-/4-wire HS	Siemens	5003628	50	
=P15(i)_P28(i)	+SS01	-50KF31	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF32	1	SIMATIC ET 200SP AI 4xI 2-/4-wire ST	Siemens	4070340	50	
=P15(i)_P28(i)	+SS01	-50KF32	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF41	1	SIMATIC ET 200SP DQ 16x24 VDC/0.5 A ST	Siemens	4070342	50	
=P15(i)_P28(i)	+SS01	-50KF41	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D	Siemens	4068190	50	
=P15(i)_P28(i)	+SS01	-50KF51	1	SIMATIC ET 200SP F-PM-E 24 V DC/8 A PPM ST	Siemens	4068188	50	
=P15(i)_P28(i)	+SS01	-50KF51	1	SIMATIC ET 200SP BU type C0 BU20-P6+A2+4D PU 1	Siemens	4068193	50	
=P15(i)_P28(i)	+SS01	-50KF52	1	SIMATIC ET 200SP DQ 8x24VDC/0.5A ST	Siemens	4068185	50	
=P15(i)_P28(i)	+SS01	-50KF52	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-50KF53	1	SIMATIC ET 200SP DQ 4x24VDC/2A ST PU 1	Siemens	4071897	50	
=P15(i)_P28(i)	+SS01	-50KF53	1	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B	Siemens	4068191	50	
=P15(i)_P28(i)	+SS01	-60U7	1	Fernwartungsmodul	EWON	4066996	6	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-60W2	1	Patch-Kabel LAN RJ45	GIGAMEDIA	4067623	60	
=P15(i)_P28(i)	+SS01	-61TF6	0				61	
=P15(i)_P28(i)	+SS01	-61TF8	0				61	
=P15(i)_P28(i)	+SS01	-61U7	1	Fernwartungsmodul	EWON	4066996	61	
=P15(i)_P28(i)	+SS01	-61U7	1	GSM Modul für Fernwartung	EWON	4070388_1	61	
=P15(i)_P28(i)	+SS01	-61U7	1	WLAN module for remote maintenance	EWON	4066997	61	
=P15(i)_P28(i)	+SS01	-61W5	1	Patch-Kabel LAN RJ45	GIGAMEDIA	4067312	61	
=P15(i)_P28(i)	+SS01	-61W6	1	Kabel zur WLAN Antenne 2m	EWON	4067196	61	
=P15(i)_P28(i)	+SS01	-61W8	1	Kabel zur 4G Antenne 3m	EWON		61	
=P15(i)_P28(i)	+SS01	-63W2.1	1	Assembled sensor actuator-line	Murrelektronik	4071269	63	
=P15(i)_P28(i)	+SS01	-63X2	0				63	
=P15(i)_P28(i)	+SS01	-65X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-65X1	2	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-65X1	0				6	
=P15(i)_P28(i)	+SS01	-65X1	4	Feed-through terminal block	Phoenix Contact	4067865	65	
=P15(i)_P28(i)	+SS01	-65X1	1	Ground terminal block	Phoenix Contact	4067866	65	
=P15(i)_P28(i)	+SS01	-66X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-66X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-66X1	0				6	
=P15(i)_P28(i)	+SS01	-66X1	8	Feed-through terminal block	Phoenix Contact	4067865	66;67	
=P15(i)_P28(i)	+SS01	-66X1	1	Ground terminal block	Phoenix Contact	4067866	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K1	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K2	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K2	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K2	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K3	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-67K3	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K3	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-67K4	1	Coupling relay, 1 changeover contact, 6A, 250VAC	Finder	4071963	67	
=P15(i)_P28(i)	+SS01	-67K4	1	Socket, 12...24VDC, 1 Pole 6A, screw terminal	Finder	4044331	67	
=P15(i)_P28(i)	+SS01	-67K4	1	Relay interface module	Finder	4063743	6	
=P15(i)_P28(i)	+SS01	-68T1	1	Signal conditioner	Phoenix Contact	4070902	68	
=P15(i)_P28(i)	+SS01	-68W1.1	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	68	
=P15(i)_P28(i)	+SS01	-68W1.2	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	68	
=P15(i)_P28(i)	+SS01	-68X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-68X1	1	Feed-through terminal block	Phoenix Contact	4067865	68	
=P15(i)_P28(i)	+SS01	-68X1	1	Ground terminal block	Phoenix Contact	4067866	68	
=P15(i)_P28(i)	+SS01	-69SH2	1	Shield connection terminal	Weidmueller	4047811	69	
=P15(i)_P28(i)	+SS01	-69W3	1	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY	Lütze	5003040	69	
=P15(i)_P28(i)	+SS01	-69X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-69X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-69X1	0				6	
=P15(i)_P28(i)	+SS01	-69X1	4	Feed-through terminal block	Phoenix Contact	4067865	69	
=P15(i)_P28(i)	+SS01	-69X1	1	Ground terminal block	Phoenix Contact	4067866	69	
=P15(i)_P28(i)	+SS01	-70K1	1	Relay interface module	Finder	4063743	70	
=P15(i)_P28(i)	+SS01	-70X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-70X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-70X1	0				6	
=P15(i)_P28(i)	+SS01	-70X1	2	Feed-through terminal block	Phoenix Contact	4067865	70	
=P15(i)_P28(i)	+SS01	-70X1	1	Ground terminal block	Phoenix Contact	4067866	70	
=P15(i)_P28(i)	+SS01	-110X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-110X1	0				6	
=P15(i)_P28(i)	+SS01	-110X1	2	Feed-through terminal block	Phoenix Contact	4067865	110	
=P15(i)_P28(i)	+SS01	-110X1	1	Ground terminal block	Phoenix Contact	4067866	110	

Parts list

Plant	Mounting location	Device	Quantity	Designation	Manufacturer	Part number	Page	Remarks
=P15(i)_P28(i)	+SS01	-110X3	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-110X3	0				6	
=P15(i)_P28(i)	+SS01	-120X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X1	0				6	
=P15(i)_P28(i)	+SS01	-120X1	4	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X1	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X5	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X5	0				6	
=P15(i)_P28(i)	+SS01	-120X5	2	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X5	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X7	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-120X7	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-120X7	0				6	
=P15(i)_P28(i)	+SS01	-120X7	1	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X7	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-120X9	2	Feed-through terminal block	Phoenix Contact	4067865	120	
=P15(i)_P28(i)	+SS01	-120X9	1	Ground terminal block	Phoenix Contact	4067866	120	
=P15(i)_P28(i)	+SS01	-130X1	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-130X1	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-130X1	2	Feed-through terminal block	Phoenix Contact	4067865	130	
=P15(i)_P28(i)	+SS01	-130X1	2	Ground terminal block	Phoenix Contact	4067866	130	
=P15(i)_P28(i)	+SS01	-130X5	1	End bracket for terminal block	WAGO	4067670		
=P15(i)_P28(i)	+SS01	-130X5	1	End and partition plate for terminal block	Phoenix Contact	4067867		
=P15(i)_P28(i)	+SS01	-130X5	2	Feed-through terminal block	Phoenix Contact	4067865	130	
=P15(i)_P28(i)	+SS01	-130X5	2	Ground terminal block	Phoenix Contact	4067866	130	

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS01
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.5
Modification	Date	Name							Pg 1.5

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068181	1	ET 200SP, BA 2XRJ45 SIMATIC DP, ET 200SP			
4068182	1	SIMATIC S7 Memory card 24 MB For S7-1x00 CPU Memory card			
4065857	4	Electronic device circuit breaker			
4068673	1	CIRCUIT BREAKER 10KA, 3POLE, C, 6A ACC. TO UL 489 - 480Y/277V			
4068174	1	Stromversorgung, 3-phasig 400-500VAC , 24VDC 20A , 480W			
4071963	4	Coupling relay, 1 changeover contact, 6A, 250VAC Modular interface relay, screw terminal - 1 pole, 6 A - AC (50/60 Hz)/DC - 24 V			
4044331	4	Socket, 12...24VDC, 1 Pole 6A, screw terminal			
4063743	5	Relay interface module Modular interface relay, screw terminal - 1 pole, 6 A - AC (50/60 Hz)/DC - 24 V			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068180	1	CPU 1512SP F-1 PN, 600KB Prog., 2MB Data SIMATIC ET 200SP Central processing unit			
4070341	2	SIMATIC ET 200SP DI 16x 24V DC ST, PU 1 Digital module input			
4068190	2	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2D BaseUnit			
4068191	5	SIMATIC ET 200SP BU type A0 BU15-P16+A0+2B BaseUnit			
5003628	1	SIMATIC ET 200SP AI 2xU/I 2-/4-wire HS Analog module input			
4070340	1	SIMATIC ET 200SP AI 4xI 2-/4-wire ST Analog module input			
4070342	1	SIMATIC ET 200SP DQ 16x24 VDC/0.5 A ST Digital module output			
4068188	1	SIMATIC ET 200SP F-PM-E 24 V DC/8 A PPM ST Power module			

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS02
			Editor						+ SS01
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 1.7
Modification	Date	Name							Pg 1.1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4068193	1	SIMATIC ET 200SP BU type C0 BU20-P6+A2+4D PU 1 BaseUnit			
4068185	1	SIMATIC ET 200SP DQ 8x24VDC/0.5A ST Digital module output			
4071897	1	SIMATIC ET 200SP DQ 4x24VDC/2A ST PU 1 Digital module output			
4070996	2	CONTACTOR,AC3:7,5KW 1NO+1NC DC24V SIRIUS Power contactor			
5003606	2	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, FOR MOTOR CONTACTORS SZ S0,			
4065519	2	AUX. SWITCH BLOCK , 4NO COND. PATHS: 1NO, 1NO, 1NO, 1NO F. CONT. RELAYS A. MOTOR CONT. SZ S00 AND S0, SCREW TERMINAL			
4044259	1	CIRCUIT-BREAKER SCREW CONNECTION 12.5A SIRIUS Circuit breaker			
4064461	2	TRANSVERSE AUX. SWITCH, 1NO+1NC, SCREW CONNECTION FOR CIRCUIT-BREAKERS, SZ S00/S0			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070899	1	SIRIUS SANFTSTARTER, S00,12.5A, 5,5KW/400V, 40GRAD, AC 200-480V, AC/DC 24V SIRIUS soft starters for standard applications			
4071000	1	CIRCUIT-BREAKER SCREW CONNECTION 0.32A SIRIUS Circuit breaker			
4070997	1	CONTACTOR,AC3:3KW 1NC DC24V SIRIUS Power contactor			
4044411	1	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, F. CONT. RELAYS A. MOTOR CONT. SZ S00,			
4047811	1	Shield connection terminal Shield connection terminal, Pitch, in mm: 14.00, Cable diameter, max.: 8 mm, Steel			
4070902	1	Signal conditioner			
	0				
4071001	1	Cross-connector for terminal block Plug-in bridge			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4066996	2	Fernwartungsmodul			
4070388_1	1	GSM Modul für Fernwartung 4G EU			
4066997	1	WLAN module for remote maintenance			
4067623	1	Patch-Kabel LAN RJ45 grün , 2m S/FTP Kat.6 LSOH			
4067312	1	Patch-Kabel LAN RJ45 grün , 1m S/FTP Kat.6 LSOH			
4067196	1	Kabel zur WLAN Antenne 2m			
	1	Kabel zur 4G Antenne 3m ???			
4071269	1	Assembled sensor actuator-line M12 Bu. 0° A-kod. freies Ltg-ende PVC 8x0.25 gr UL/CSA 1m			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
5003040	3.00	UL approved PVC Electronic cable LIY(C)Y (3×0,34) GY			
4067670	12	End bracket for terminal block Screwless end stop, 10 mm wide, for DIN-rail 35 x 15 and 35 x 7.5			
5003672	2	End and partition plate for terminal block End cover			
5003671	3	Ground terminal block Ground terminal			
5003670	2	End and partition plate for terminal block End cover			
5003669	2	Multi-level terminal block			
4067865	35	Feed-through terminal block Double-level terminal block			
4067867	18	End and partition plate for terminal block End cover			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070909	18	Feed-through terminal block Double-level terminal block			
4070908	4	Cross-connector for terminal block Plug-in bridge			
4067866	14	Ground terminal block Protective conductor double-level terminal block			
4071480	1	Verdrahtungsbaustein unten für Schützkombination Baugröße S0 ohne Abstand zwischen den Schützen, Schraubanschluss			
5003673	1	LINK MODULE 3RV2.1-3RT2.1,3RV2.2-3RT2.2 SIRIUS link module actuating voltage contactor: DC			
5003623	1	3-PHASE BUSBARS			
4065520	1	LINK MODULE F.3RV S00/S0, 3RT S00 SIRIUS link module for 3RV1.2 and 3RT101, for 3RV2.1/3RV2.2 and 3RT2.1			
4070910	1	End and partition plate for terminal block End cover			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4070911	1	Disconnect and test disconnect rail-mount terminal block Knife-disconnect terminal block			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4067780	1	SIMATIC HMI TP700 COMFORT SIMATIC, HMI Comfort Panel			
	0				
4063812	1	Disconnect switch 3-Pole, 25 A 600 V			
4067868	1	Main Switch Terminal Cover 3-pol ; 25A			
4063813	1	Handle for Front/Base Mounting, 67 x 67mm			
4063814	1	Shaft Extension			
4071240	1	ILLUMINATED PUSHBUTTON, BLUE SIRIUS ACT CIN20240911110240188284			
4071233	2	HOLDER SIRIUS ACT Holders Holder			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4071241	1	CONTACT MODULE 1NO SIRIUS ACT Contact module Contact module			
4071242	1	LED MODULE, BLUE SIRIUS ACT LED module LED module			
4071232	1	ILL. EM. STOP MUSHR. PUSHBUTTON,40MM,RED SIRIUS ACT EMERGENCY STOP mushroom pushbuttons Betätigungs-/Meldeelement			
4071237	2	CONTACT MODULE 1NC SIRIUS ACT Contact module Contact module			
4071238	1	LED MODULE, RED SIRIUS ACT LED module LED module			
4071239	1	EMERGENCY STOP BACKING PLATE, YELLOW SIRIUS ACT EMERGENCY STOP backing plate EMERGENCY STOP name plate			

1

+EXT/1

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS02
			Editor						+ DR
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.1
Modification	Date	Name							Pg 1.1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
	0				
4071528	1	Levelsensor			
4071046	1	Magnetostrictive sensors			
4071813	1	hydraulic pressure sensor 0...250bar ; 4...20mA			
4068204	1	Pressure transducer 0...25 bar , 4...20 mA M12 4pol			
4071229	1	Temperaturmessung mit Umformer M12 4POL , 4...20mA , -25... +100C			
	1	Lüfter für Ölkühler 400/460V , 50/60 Hz , 0140/0.152 kW , 61 dB			
5003033	1	PVC control cable Multinorm 4G4 GY			

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS02
			Editor						+ EXT
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.3
Modification	Date	Name							Pg 1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
5003568	5.00	PVC control cable Multinorm 7G0,5 GY			
4071505	1	Interface extension with wall connection SZ Interface extension, with wallconnection, RJ 45, L: 2000 mm			
4071270	1	Assembled sensor actuator-line M12 male 0° A-cod. with cable PUR 8x0.25 gy UL/CSA+drag ch. 0.6m			
	10.00	Power and control cables ÖLFLEX CLASSIC 110 CY 18G1,5			
	1	PVC control cable Multinorm (12G1,5) GY			
5002883	2.00	ÖLFLEX 150 2X0,75			
4049107	1	Steckverbinder Vorkonfektioniert M12x1 8x0.25			
4071188	3	Assembled sensor actuator-line M12 female 0° A-cod. with cable shielded PUR 4x0.34 shielded bk UL/CSA+drag ch. 3m			

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS02
			Editor						+ EXT
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 1.3
Modification	Date	Name							Pg 1.1

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
5003631	4.20	PVC control cable Multinorm 3G0,5 GY			
4066062	2	Konfektionierte Ventilstecker MSUD MSUD Ventilst. A-18mm, A-kod. freies Ltg-ende PUR 3x0.75 sw UL/CSA+schleppk. 5m			
4071263	1	ECO40 pipe base M20 400mm			
4071264	1	ECO40 LED continuous lighting module 24VAC/DC blue 24VAC/DC blue			
4071265	1	ECO40 LED continuous lighting module 24VAC/DC green 24VAC/DC green			
4071266	1	ECO40 LED continuous lighting module 24VAC/DC yellow 24VAC/DC yellow			
4071267	1	ECO40 LED continuous lighting module 24VAC/DC red 24VAC/DC red			
4071268	1	ECO40 LED continuous lighting module 24VAC/DC buzzer 24VAC/DC Buzzer			

Summarized parts list

ASCO_F02_006

Order number	Quantity	Designation	Type number	Manufacturer	Image
4065746	2	Klemmdose Magnetventil IP67 , für Spule 18F			
4044263	1	Directional Valve 24VDC 38W			
4065745	2	Magnetventil 24V 20W			
4067865	7	Feed-through terminal block Double-level terminal block			
4067866	1	Ground terminal block Protective conductor double-level terminal block			

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Summarized parts list	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS02
			Editor						+ EXT
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.3
Modification	Date	Name							Pg 1.3

Cable name =P15(i)_P28(i)+SS01-60W2
Cable type 2x2x2x0.14 mm²
Free conductors 0

human machine interface (HMI)



Manufacturer GIGAMEDIA
Order number 4067623

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50A2:X1P1 R				

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				+DR-60A1:X1P1	Door

ASCO_F09_004

Cable name =P15(i)_P28(i)+SS01-61W5
Cable type 2x2x2x0.14 mm²
Free conductors 0



Manufacturer GIGAMEDIA
Order number 4067312

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50A2:X1P2 R				

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				-61U7:3	Control cabinet

Cable name =P15(i)_P28(i)+SS01-61W6
Cable type
Free conductors 0



Manufacturer EWON
Order number 4067196

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
				-61U7:WLAN	Control cabinet

Cable name =P15(i)_P28(i)+SS01-61W8
Cable type
Free conductors 0

remote maintenance module (VPN)



Manufacturer EWON
Order number

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
		remote maintenance module (VPN)			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			remote maintenance module (VPN)	-61U7:GSM	Control cabinet

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:
			Editor				Scheme-No.:
Modification	Date	Name					

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**
Scheme-No. Customer:
Project-No. Customer:

= AUS03
+
l sh 1.6
Pg 1

Cable name =P15(i)_P28(i)+SS01-63W2.1
Cable type 8x0,25 mm²
Free conductors 3

Manufacturer Murrelektronik
Order number 4071269

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50KF41:12	Signal tower blue			
Control cabinet	-50KF41:13	Signal tower green			
Control cabinet	-50KF41:14	Signal tower yellow			
Control cabinet	-50KF41:15	Signal tower red			
Control cabinet	-50KF41:16	Signal tower Buzzer			
Control cabinet	-40X1:6:4	Power supply unit			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Signal tower blue	-63X2:2	Control cabinet
			Signal tower green	-63X2:3	Control cabinet
			Signal tower yellow	-63X2:4	Control cabinet
			Signal tower red	-63X2:5	Control cabinet
			Signal tower Buzzer	-63X2:6	Control cabinet
			Power supply unit	-63X2:1	Control cabinet

Interface 1 Specification of production speed remotely (4...20mA = 0...100%)

Cable name =P15(i)_P28(i)+SS01-68W1.1
Cable type 3x0,34 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003040

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-50KF32:8	Interface 1 Specification of production			
Control cabinet	-50KF32:4	=			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Interface 1 Specification of production	-68T1:6	Control cabinet
			=	-68T1:5	Control cabinet

Interface 1 Specification of production speed remotely (4...20mA = 0...100%)

Cable name =P15(i)_P28(i)+SS01-68W1.2
Cable type 3x0,34 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003040

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-68X1:2:2	Interface 1 Specification of production			
Control cabinet	-68X1:1:1	=			
Control cabinet	-68X1:4:2	Interface 1 Specification of production			



Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Interface 1 Specification of production	-68T1:2	Control cabinet
			=	-68T1:1	Control cabinet
			Interface 1 Specification of production	-68W1.2:SH	Control cabinet

ASCO_F09_004

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:
			Editor				Scheme-No.:
Modification	Date	Name					

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**
Scheme-No. Customer:
Project-No. Customer:
= AUS03
+
l sh 1.6
Pg 1.1

ASCO_F09_004

ASCO CO2 Detector

Cable name =P15(i)_P28(i)+SS01-69W3
Cable type 3x0,34 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003040



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	-69X1:4:2	ASCO CO2 Detector			
Control cabinet	-69X1:3:1	=			
Control cabinet	-69SH2:SH	ASCO CO2 Detector			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			ASCO CO2 Detector	-50KF32:7	Control cabinet
			=	-50KF32:3	Control cabinet
			ASCO CO2 Detector	-69W3:SH	Control cabinet

Power supply

Cable name =P15(i)_P28(i)+EXT-10W1
Cable type 4x4 mm²
Free conductors 0

Manufacturer Lütze
Order number 5003033

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Door	+DR-10Q1:1	Main switch			
Door	+DR-10Q1:3	=			
Door	+DR-10Q1:5	=			
Control cabinet	+SS01-10X1:1:1	Power supply			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Main switch	L1	
			=	L2	
			=	L3	
			Power supply	PE	

Hydraulic motor 1 Fan

Cable name =P15(i)_P28(i)+EXT-16W1
Cable type 7x0,5 mm²
Free conductors 1

Manufacturer Lütze
Order number 5003568



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-16X1:2:6	Hydraulic motor 1 Fan			
Control cabinet	+SS01-16X1:1:5	=			
Control cabinet	+SS01-16X1:3:7	=			
Control cabinet	+SS01-16X1:5:4	Hydraulic motor 1 Fan			
Control cabinet	+SS01-16X1:6:3	=			
Control cabinet	+SS01-16X1:4:1	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Hydraulic motor 1 Fan	-16M1:U	External
			=	-16M1:V	External
			=	-16M1:W	External
			Hydraulic motor 1 Fan	-16M1:RD	External
			=	-16M1:RD	External
			=	-16M1:PE	External

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS03
			Editor						+
						Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.2

Cable name =P15(i)_P28(i)+EXT-61W9
Cable type 8x0,25 mm²
Free conductors 8

remote maintenance module (VPN)



Manufacturer Rittal
Order number 4071505

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:

Cable name =P15(i)_P28(i)+EXT-63W2.2
Cable type 8x0,25 mm²
Free conductors 2



Manufacturer Murrelektronik
Order number 4071270

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-63X2:1	Signal tower			
Control cabinet	+SS01-63X2:2	Signal tower blue			
Control cabinet	+SS01-63X2:3	Signal tower green			
Control cabinet	+SS01-63X2:4	Signal tower yellow			
Control cabinet	+SS01-63X2:5	Signal tower red			
Control cabinet	+SS01-63X2:6	Signal tower Buzzer			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Signal tower	-63X1:0	*External*
			Signal tower blue	-63X1:1	*External*
			Signal tower green	-63X1:2	*External*
			Signal tower yellow	-63X1:3	*External*
			Signal tower red	-63X1:4	*External*
			Signal tower Buzzer	-63X1:5	*External*

ASCO_F09_004

1.2

1.4

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.3

Cable name =P15(i)_P28(i)+EXT-69W1
Cable type 12x1,5 mm²
Free conductors 3

ASCO CO2 Detector



Manufacturer Lütze
Order number

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-69X1:1:4	ASCO CO2 Detector			
Control cabinet	+SS01-69X1:2:3	=			
Control cabinet	+SS01-69X1:3:4	=			
Control cabinet	+SS01-69X1:4:3	=			
Control cabinet	+SS01-69X1:5:4	ASCO CO2 Detector			
Control cabinet	+SS01-69X1:6:3	=			
Control cabinet	+SS01-69X1:7:4	=			
Control cabinet	+SS01-69X1:8:3	=			
Control cabinet	+SS01-69X1:9:4	ASCO CO2 Detector			
Control cabinet	+SS01-69X1:10:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			ASCO CO2 Detector	-69A1:PW+	External
			=	-69A1:PW-	External
			=	-69A1:CLO1	External
			=	-69A1:GND	External
			ASCO CO2 Detector	-69A1:31	External
			=	-69A1:33	External
			=	-69A1:23	External
			=	-69A1:13	External
			ASCO CO2 Detector	-69A1:PE	External
			=	-69W1:SH	External

ASCO_F09_004

Cable name =P15(i)_P28(i)+EXT-110W1
Cable type 2x0.75 mm
Free conductors 0

Plant part 1 oil level



Manufacturer Lapp Group
Order number 5002883

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-110X1:1:4	Plant part 1 oil level			
Control cabinet	+SS01-110X1:2:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 oil level	-110B1:1	External
			=	-110B1:2	External

Cable name =P15(i)_P28(i)+EXT-120W1
Cable type 8x0.25 mm²
Free conductors 0

Plant part 1 linear measurement



Manufacturer Balluff
Order number 4049107

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X1:6:3	Plant part 1 linear measurement			
Control cabinet	+SS01-120X1:4:3	=			
Control cabinet	+SS01-120X1:5:4	=			
Control cabinet	+SS01-120X1:7:4	=			
Control cabinet	+SS01-120X1:3:4	=			
Control cabinet	+SS01-120X1:2:3	=			
Control cabinet	+SS01-120X1:1:4	=			
Control cabinet	+SS01-120X1:8:3	=			
Control cabinet	+SS01-120X1:9:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 linear measurement	-120B1:1	External
			=	-120B1:2	External
			=	-120B1:3	External
			=	-120B1:4	External
			=	-120B1:5	External
			=	-120B1:6	External
			=	-120B1:7	External
			=	-120B1:8	External
			=	-120W1:SH	External

V500	31.01.2024	ASCO	Date	22.07.2026
			Editor	
Modification	Date	Name		

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Page description: Cable diagram

Project-No.:
Scheme-No.:
Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**
Scheme-No. Customer:
Project-No. Customer:

= AUS03
+
l sh 1.6
Pg 1.4

ASCO_F09_004

Plant part 1 pressure measurement hydraulic

Cable name =P15(i)_P28(i)+EXT-120W5
Cable type 4x0,34 mm²
Free conductors 0

Manufacturer Murrelektronik
Order number 4071188



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X5:1:4	Plant part 1 pressure measurement			
Control cabinet	+SS01-120X5:2:3	=			
Control cabinet	+SS01-120X5:3:4	=			
Control cabinet	+SS01-120X5:4:3	=			
Control cabinet	+SS01-120X5:6:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 pressure measurement	-120B5:1	External
			=	-120B5:2	External
			=	-120B5:3	External
			=	-120B5:4	External
			=	-120W5:SH	External

Plant part 1 Pressure measurement CO2

Cable name =P15(i)_P28(i)+EXT-120W7
Cable type 4x0,34 mm²
Free conductors 2

Manufacturer Murrelektronik
Order number 4071188



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X7:1:4	Plant part 1 Pressure measurement			
Control cabinet	+SS01-120X7:2:3	Plant part 1 Pressure measurement			
Control cabinet	+SS01-120X7:4:3	Plant part 1 Hydraulic oil temperature			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 Pressure measurement	-120B7:1	External
			Plant part 1 Pressure measurement	-120B7:3	External
			Plant part 1 Hydraulic oil temperature	-120W7:SH	External

Plant part 1 Hydraulic oil temperature

Cable name =P15(i)_P28(i)+EXT-120W9
Cable type 4x0,34 mm²
Free conductors 0

Manufacturer Murrelektronik
Order number 4071188



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-120X9:1:4	Plant part 1 Hydraulic oil temperature			
Control cabinet	+SS01-120X9:2:3	=			
Control cabinet	+SS01-120X9:3:4	=			
Control cabinet	+SS01-120X9:4:3	=			
Control cabinet	+SS01-120X9:6:3	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 Hydraulic oil temperature	-120B9:1	External
			=	-120B9:2	External
			=	-120B9:3	External
			=	-120B9:4	External
			=	-120W9:SH	External

Plant part 1 CO2 valve 1

Cable name =P15(i)_P28(i)+EXT-130W1
Cable type 3x0,5 mm²
Free conductors 0

Manufacturer Lütze
Order number 5003631



Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X1:1:4	Plant part 1 CO2 valve 1			
Control cabinet	+SS01-130X1:2:3	=			
Control cabinet	+SS01-130X1:3:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 CO2 valve 1	-130X1	External
			=	-130X1	External
			=	-130X1	External

1.4 1.6

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.5

ASCO_F09_004

Cable name =P15(i)_P28(i)+EXT-130W3
Cable type 3x0,5 mm²
Free conductors 0

Plant part 1 CO2 valve 2



Manufacturer Lütze
Order number 5003631

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X1:5:4	Plant part 1 CO2 valve 2			
Control cabinet	+SS01-130X1:6:3	=			
Control cabinet	+SS01-130X1:7:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 CO2 valve 2	-130X3	External
			=	-130X3	External
			=	-130X3	External

Cable name =P15(i)_P28(i)+EXT-130W5
Cable type 3x0,75 mm²
Free conductors 0

Plant part 1 valve forward



Manufacturer Murrelektronik
Order number 4066062

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X5:1:4	Plant part 1 valve forward			
Control cabinet	+SS01-130X5:2:3	=			
Control cabinet	+SS01-130X5:3:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 valve forward	-130Y5:A1	External
			=	-130Y5:A2	External
			=	-130Y5:PE	External

Cable name =P15(i)_P28(i)+EXT-130W7
Cable type 3x0,75 mm²
Free conductors 0

Plant part 1 valve backward



Manufacturer Murrelektronik
Order number 4066062

Mounting location:	Source	Function text source	Stopper	L1 [mm]	Part number
Control cabinet	+SS01-130X5:5:4	Plant part 1 valve backward			
Control cabinet	+SS01-130X5:6:3	=			
Control cabinet	+SS01-130X5:7:4	=			

Part number	L2 [mm]	Stopper	Function text target	Target	Mounting location:
			Plant part 1 valve backward	-130Y7:A1	External
			=	-130Y7:A2	External
			=	-130Y7:PE	External

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable diagram	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS03
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1.6
Modification	Date	Name							Pg 1.6

Cable overview

ASCO_F10_001

Cable name	Source (from)	Target (to)	cable type	all conductors	Conductors used	Cross-section [mm²]	Length [m]	remark	Graphical page of cable diagram
=P15(i)_P28(i)+SS01-60W2	=P15(i)_P28(i)+SS01-50KF11	=P15(i)_P28(i)+DR-60A1	4068180	2x2x2	1	0.14	2		=AUS03/1
	=P15(i)_P28(i)+SS01-50A2		4068181						
=P15(i)_P28(i)+SS01-61W5	=P15(i)_P28(i)+SS01-50A2	=P15(i)_P28(i)+SS01-61U7	4068181	2x2x2	1	0.14	1		=AUS03/1
=P15(i)_P28(i)+SS01-61W6		=P15(i)_P28(i)+SS01-61U7			1		2		=AUS03/1
=P15(i)_P28(i)+SS01-61W8		=P15(i)_P28(i)+SS01-61U7			1		2		=AUS03/1
=P15(i)_P28(i)+SS01-63W2.1	=P15(i)_P28(i)+SS01-40X1	=P15(i)_P28(i)+SS01-63X2	4070909	8	6	0,25	1		=AUS03/1.1
	=P15(i)_P28(i)+SS01-50KF41		4070342						
=P15(i)_P28(i)+SS01-68W1.1	=P15(i)_P28(i)+SS01-50KF32	=P15(i)_P28(i)+SS01-68T1	4070340	3	2	0,34	1		=AUS03/1.1
=P15(i)_P28(i)+SS01-68W1.2	=P15(i)_P28(i)+SS01-68X1	=P15(i)_P28(i)+SS01-68T1	4067865	3	2	0,34	1		=AUS03/1.1
=P15(i)_P28(i)+SS01-69W3	=P15(i)_P28(i)+SS01-69X1	=P15(i)_P28(i)+SS01-50KF32	4067865	3	2	0,34	1		=AUS03/1.2
	=P15(i)_P28(i)+SS01-69SH2		4047811						
=P15(i)_P28(i)+EXT-10W1	=P15(i)_P28(i)+SS01-10X1	PE	5003671	4	4	4		Power supply	=AUS03/1.2
	=P15(i)_P28(i)+DR-10Q1	L1	4063812						
		L2							
		L3							
=P15(i)_P28(i)+EXT-16W1	=P15(i)_P28(i)+SS01-16X1	=P15(i)_P28(i)+EXT-16M1	5003669	7	6	0,5	5		=AUS03/1.2
=P15(i)_P28(i)+EXT-61W9				8	0	0,25	2		=AUS03/1.3
=P15(i)_P28(i)+EXT-63W2.2	=P15(i)_P28(i)+SS01-63X2	=P15(i)_P28(i)+EXT-63X1		8	6	0,25	0.6		=AUS03/1.3
=P15(i)_P28(i)+EXT-65W1	=P15(i)_P28(i)+SS01-65X1		4067865	18	18	1,5	10		
	=P15(i)_P28(i)+SS01-66X1	=R85EVO+EXT-82X1	4067865						
	=P15(i)_P28(i)+SS01-68X1		4067865						
=P15(i)_P28(i)+EXT-69W1	=P15(i)_P28(i)+SS01-69X1	=P15(i)_P28(i)+EXT-69A1	4067865	12	9	1,5			=AUS03/1.4
=P15(i)_P28(i)+EXT-110W1	=P15(i)_P28(i)+SS01-110X1	=P15(i)_P28(i)+EXT-110B1	4067865	2	2	0.75	2		=AUS03/1.4
=P15(i)_P28(i)+EXT-120W1	=P15(i)_P28(i)+SS01-120X1	=P15(i)_P28(i)+EXT-120B1	4067865	8	8	0.25	5		=AUS03/1.4
=P15(i)_P28(i)+EXT-120W5	=P15(i)_P28(i)+SS01-120X5	=P15(i)_P28(i)+EXT-120B5	4067865	4	4	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-120W7	=P15(i)_P28(i)+SS01-120X7	=P15(i)_P28(i)+EXT-120B7	4067865	4	2	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-120W9	=P15(i)_P28(i)+SS01-120X9	=P15(i)_P28(i)+EXT-120B9	4067865	4	4	0,34	3		=AUS03/1.5
=P15(i)_P28(i)+EXT-130W1	=P15(i)_P28(i)+SS01-130X1	=P15(i)_P28(i)+EXT-130X1	4067865	3	3	0,5	2.2		=AUS03/1.5
=P15(i)_P28(i)+EXT-130W3	=P15(i)_P28(i)+SS01-130X1	=P15(i)_P28(i)+EXT-130X3	4067865	3	3	0,5	2		=AUS03/1.6
=P15(i)_P28(i)+EXT-130W5	=P15(i)_P28(i)+SS01-130X5	=P15(i)_P28(i)+EXT-130Y5	4067865	3	3	0,75	5		=AUS03/1.6
=P15(i)_P28(i)+EXT-130W7	=P15(i)_P28(i)+SS01-130X5	=P15(i)_P28(i)+EXT-130Y7	4067865	3	3	0,75	5		=AUS03/1.6
=P15(i)_P28(i)+TEIL1-15W1	=P15(i)_P28(i)+SS01-15X1	=P15(i)_P28(i)+TEIL1-15M1	5003669	4	4	2,5	1.2		

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Cable overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS04
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1
Modification	Date	Name							Pg 1

Terminal-strip overview

Terminal strip	Function text	Terminals					Terminal diagram page
		first	last	Total PE	Total N	Total number	
=P15(i)_P28(i)+SS01-10X1	Power supply	1	1	1	0	1	=AUS06/1
=P15(i)_P28(i)+SS01-15X1	Hydraulic motor 1	1	4	1	0	1	=AUS06/2
=P15(i)_P28(i)+SS01-16X1	Hydraulic motor 1 Fan	1	6	1	0	2	=AUS06/3
=P15(i)_P28(i)+SS01-40X1	0VDC	1	6	0	0	6	=AUS06/4
=P15(i)_P28(i)+SS01-41X1	24VDC 1	1	3	0	0	3	=AUS06/5
=P15(i)_P28(i)+SS01-41X3	24VDC 2	1	4	0	0	4	=AUS06/6
=P15(i)_P28(i)+SS01-41X5	24VDC 3	1	2	0	0	2	=AUS06/7
=P15(i)_P28(i)+SS01-41X7	24VDC 4	1	3	0	0	3	=AUS06/8
=P15(i)_P28(i)+SS01-65X1	Interface 1 Emergency stop	1	10	2	0	5	=AUS06/9
=P15(i)_P28(i)+SS01-66X1	Interface 1	1	18	2	0	9	=AUS06/10
=P15(i)_P28(i)+SS01-68X1	=	1	4	2	0	2	=AUS06/11
=P15(i)_P28(i)+SS01-69X1	Interface 1 ASCO CO2 detector	1	10	2	0	5	=AUS06/12
=P15(i)_P28(i)+SS01-70X1	Interface 1 conveyor belt	1	6	2	0	3	=AUS06/13
=P15(i)_P28(i)+SS01-110X1	Plant part 1 oil level	1	6	2	0	3	=AUS06/14
=P15(i)_P28(i)+SS01-110X3	Plant part 1 oil temperature			0	0	0	
=P15(i)_P28(i)+SS01-120X1	Plant part 1 linear measurement	1	10	2	0	5	=AUS06/15
=P15(i)_P28(i)+SS01-120X5	Plant part 1 pressure measurement hydraulic	1	6	2	0	3	=AUS06/16
=P15(i)_P28(i)+SS01-120X7	Plant part 1 Pressure measurement CO2	1	4	2	0	2	=AUS06/17
=P15(i)_P28(i)+SS01-120X9		1	6	2	0	3	=AUS06/18
=P15(i)_P28(i)+SS01-130X1	Plant part 1 CO2 valve 1	1	8	4	0	4	=AUS06/19
=P15(i)_P28(i)+SS01-130X5	Plant part 1 valve forward	1	8	4	0	4	=AUS06/20
=P15(i)_P28(i)+SS01-40XT5	Power supply unit Disconnect terminal	1	3	2	0	3	=AUS06/21
=R85EVO+EXT-82X1		1	18	2	0	7	
=R85EVO+EXT-84X1		1	2	0	0	1	

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal-strip overview	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS05
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 1
Modification	Date	Name							Pg 1

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-10X1
Power supply

function text									Cable name / cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name / cable type	+EXT-10W1 / LÜTZE SILFLEX® N PVC MULTINORM 4x4 mm²				Page / column
Power supply										+TEIL1-15M1	PE	4 **1** 1	0	▪	PE			GNYE				/10.1
										+TEIL1-15M1	PE	3										

=AUS05/1 2

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-10X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**		= AUS06
			Editor							+
							Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 21
Modification	Date	Name								Pg 1

Terminal diagram

function text								+TEIL1-15W1	Cable name	**Terminal strip** =P15(i)_P28(i)+SS01 **-15X1** Hydraulic motor 1							Cable name						Page / column
								LÜTZE SILFLEX® N PVC MULTINORM 4x2,5 mm²	cable type	Target designation External	Connection point	terminal			Level	jumper	Target designation Internal	Connection point	cable type					
Hydraulic motor 1								1		+TEIL1-15M1	U	5	**1**	4	4	'	-15Q2	2T1						/15.1
=								2		+TEIL1-15M1	V	6	**2**	3	3	'	-15Q2	4T2						/15.1
=								3		+TEIL1-15M1	W	7	**3**	2	2	'	-15Q2	6T3						/15.1
=								GNYE		+TEIL1-15M1	PE	1	**4**		1									/15.1

1 3

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-15X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 2

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-16X1
Hydraulic motor 1 Fan

function text								+EXT-16W1	Cable name	Target designation External	Connection point	terminal			Level	jumper	Target designation Internal	Connection point	Cable name					Page / column
								LÜTZE SILFLEX® N PVC MULTINORM 7x0,5 mm²	cable type										cable type						
Hydraulic motor 1 Fan								2		+EXT-16M1	V	5	**1**	4	4		-16Q5	2/T1						/16.1
=								1		+EXT-16M1	U	6	**2**	3	3		-16Q5	4/T2						/16.1
=								3		+EXT-16M1	W	7	**3**	2	2		-16Q5	6/T3						/16.1
=								GNYE		+EXT-16M1	PE	1	**4**		1									/16.1
=								5		+EXT-16M1	RD	4	**5**	1	1		-41X3	3:4						/16.2
=								6		+EXT-16M1	RD	3	**6**	2	2		-50KF21	13						/16.2

2 4

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-16X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**
			Editor					= AUS06
								+
Modification	Date	Name				Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:
								l sh 21
								Pg 3

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-40X1
0VDC

function text	-63W2.1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PVC 8x0,25 mm²	cable type								cable type	
Power supply unit			-15Q2	A2	4 **1** 1	0		-40G1	2.4		/40.1
			-41F1	3.1	2						
			-41F7	3.2	3						
Power supply unit			-50KF11	X80:2	4 **2** 1	0		-16Q5	A2		/40.1
			+DR-60S5	X2	2						
			-50KF51	1N	3						
Power supply unit			-50KF41	M	4 **3** 1	0		-50KF21	M		/40.2
			+DR-60S7	X2	2						
			-50KF51	2N	3						
Power supply unit			-61U7	-	4 **4** 1	0		+DR-60A1	-X80:2		/40.2
			-120X1	2:2	3						
Power supply unit			-68T1	8	4 **5** 1	0		-67K1	A2		/40.2
			-69X1	2:2	2						
			-70K1	A2	3						
Power supply unit	DBU/WH		-63X2	1	4 **6** 1	0		-40G1	2.3		/40.2
			-40XT5	1:1	2						

V500	31.01.2024	ASCO	Date	22.07.2026	Page description: Terminal diagram =P15(i)_P28(i)+SS01-40X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor					+
						Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 21
Modification	Date	Name						Pg 4

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X1
24VDC 1

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC controller (CPU HMI EWON)			-50KF11	X80:1	2 **1** 1	0		-41F1	2.1			/41.1
			-50KF21	L+	3							
24VDC controller (CPU HMI EWON)			-61U7	+	2 **2** 1	0		+DR-60A1	-X80:1			/41.1
=					**3**	0						/41.1

V500	31.01.2024	ASCO	Date	22.07.2026	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor					+
						Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name						Pg 5

ASCO Kohlensäure AG
Hofenstrasse 19
CH-9300 Wittenbach
+41 71 466 80 80
http://www.ascoco2.com

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X3
24VDC 2

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC General			+DR-60S5	13	2 **1** 1	0		-41F3	2.1			/41.3
			-10Q5	21	3							
			-50KF41	L+	4							
24VDC General			-40G1	11	2 **2** 1	0		-15Q1	13			/41.3
			-15Q2	A1	3							
			-16Q5	21	4							
24VDC General			-120X1	1:1	2 **3** 1	0		-110X1	1:1			/41.3
			-16X1	5:1	4							
24VDC EMERGENCY STOP			-50KF21	3	4 **4**	0						/41.4

5 7

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X3	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06 +
			Editor					
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21 / Pg 6
Modification	Date	Name						

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X5
24VDC 3

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC EMERGENCY STOP			-50KF51	1L	4 **1** 1	0		-41F5	2.1			/41.5
=			-50KF21	4	4 **2**	0						/41.5

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 7

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-41X7
24VDC 4

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
24VDC Interface 1			-69X1	5:1	2 **1** 1	0		-41F7	2.1			/41.7
			-66X1	1:1	3							
			-69X1	1:1	4							
24VDC Interface 1			-70X1	3:1	4 **2** 1	0		-68T1	7			/41.7
=			-50KF21	5	4 **3**	0						/41.7

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-41X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 8

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-65X1
Interface 1 Emergency stop

function text	+EXT-65W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	ÖLFLEX® CLASSIC 110 CY 18x1,5 mm²	cable type								cable type	
	1				4 **1** 1	1		-10Q6	74		/65.0
	2				3 **2** 2	2		-10Q6	84		/65.0
	3				4 **3** 1	1		-10Q5	73		/65.0
	4				3 **4** 2	2		-10Q5	83		/65.1
					5	1					/65.1
					6	2					/65.1
					7 1	1		+DR-60S7	31		/65.1
					8 2	2		+DR-60S7	21		/65.2
					9 1	1		-50KF51	1		/65.2
					10 2	2		-50KF51	2		/65.2

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-65X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06 +
			Editor				Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 9

Terminal diagram

function text	+EXT-65W1	Cable name	Terminal strip =P15(i)_P28(i)+SS01 -66X1 Interface 1 Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	ÖLFLEX® CLASSIC 110 CY 18x1,5 mm²	cable type								cable type	
	5		=R85EVO+EXT-82X1	11:4	4 **1** 1	1		-41X7	1:3		/66.0
			=R85EVO+EXT-82X1	12:3	3 **2**	2					/66.0
Interface 1 External Start / Stop (1 = start) (0 = Stop after end of cycle)	6		=R85EVO+EXT-82X1	13:4	4 **3** 1	1		-50KF25	1		/66.1
Interface 1 Drain Machine (1 = drain)	7		=R85EVO+EXT-82X1	14:3	3 **4** 2	2		-50KF25	2		/66.2
Interface 1 next batch (1 = next)	8		=R85EVO+EXT-82X1	15:4	4 **5** 1	1		-50KF25	3		/66.3
Interface 1 additional start condition (1 = approval)	9		=R85EVO+EXT-82X1	16:3	3 **6** 2	2		-50KF25	4		/66.4
Spare					**7** 1	1		-50KF25	5		/66.5
=					**8** 2	2		-50KF25	6		/66.6
=					**9** 1	1		-50KF25	7		/66.7
=					**10** 2	2		-50KF25	8		/66.8
	10		=R85EVO+EXT-82X1	1:4	4 **11** 1	1		-67K1	11		/67.0
	11		=R85EVO+EXT-82X1	2:3	3 **12**	2					/67.0
Interface 1 Machine ready (1 = ready)	12		=R85EVO+EXT-82X1	3:4	4 **13** 1	1		-67K1	14		/67.1
Interface 1 Machine active (1 = active)	13		=R85EVO+EXT-82X1	4:3	3 **14** 2	2		-67K2	14		/67.2
Interface 1 Batch completed (1 = completed)	14		=R85EVO+EXT-82X1	5:4	4 **15** 1	1		-67K3	14		/67.3
Interface 1 Machine drained (1 = empty)	15		=R85EVO+EXT-82X1	6:3	3 **16** 2	2		-67K4	14		/67.4
=					**17**	1					/67.4
=	GNYE				3 **18**	2					/67.5

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:
			Editor				Scheme-No.:
Modification	Date	Name					

Project designation:		= AUS06
Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532		+
Scheme-No. Customer:	Project-No. Customer:	I sh 21
		Pg 10

Terminal diagram

function text								+EXT-65W1	Cable name	**Terminal strip** =P15(i)_P28(i)+SS01 **-68X1** Interface 1								Cable name	-68W1.2				Page / column
								ÖLFLEX® CLASSIC 110 CY 18x1,5 mm²	cable type	Target designation External	Connection point	terminal			Level	jumper	Target designation Internal	Connection point	cable type	LÜTZE ELECTRONIC LiY(C)Y 3x0,34 mm²				
Interface 1 Specification of production speed remotely (4...20mA = 0...100%)								16			4	**1**	1	1	'	-68T1	1		BN				/68.1
=								17			3	**2**	2	2	'	-68T1	2		WH				/68.1
=												**3**		1	'								/68.2
=								SH		+EXT-65W1	SH	3	**4**	2	2	'	-68W1.2	SH		SH				/68.2

V500	31.01.2024	ASCO	Date	28.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-68X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 11

Terminal diagram

function text								+EXT-69W1	Cable name	**Terminal strip** =P15(i)_P28(i)+SS01 **-69X1** Interface 1 ASCO CO2 detector								Cable name	-69W3				Page / column
								LÜTZE SILFLEX® N (C) PVC MULTINORM 12x1,5 mm²	cable type	Target designation External	Connection point	terminal			Level	jumper	Target designation Internal	Connection point	cable type	LÜTZE ELECTRONIC LiY(C)Y 3x0,34 mm²				
ASCO CO2 Detector								1		+EXT-69A1	PW+	4	**1**	1	1	'	-41X7	1:4						/69.0
=								2		+EXT-69A1	PW-	3	**2**	2	2	'	-40X1	5:2						/69.0
=								3		+EXT-69A1	CLO1	4	**3**	1	1	'	-50KF32	3		BN				/69.3
=								4		+EXT-69A1	GND	3	**4**	2	2	'	-50KF32	7		WH				/69.3
=								6		+EXT-69A1	31	4	**5**	1	1	'	-41X7	1:2						/69.6
=								7		+EXT-69A1	33	3	**6**	2	2	'	-50KF25	9						/69.6
=								8		+EXT-69A1	23	4	**7**	1	1	'	-50KF25	10						/69.7
=								9		+EXT-69A1	13	3	**8**	2	2	'	-50KF25	11						/69.8
=								GNYE		+EXT-69A1	PE	4	**9**		1	'								/69.9
=								SH		+EXT-69W1	SH	3	**10**		2	'								/69.9

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-69X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 12

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-70X1
Interface 1 conveyor belt

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
Interface 1 Start the conveyor belt (1 = start, 0 = stop)			+CVB-20X2	4	4 **1** 1	1	'	-70K1	11			/70.1
=			+CVB-20X2	5	3 **2** 2	2	'	-70K1	14			/70.1
Interface 1 conveyor belt (1 = active, 0 = stopped)			+CVB-20X2	8	4 **3** 1	1	'	-41X7	2:4			/70.5
=			+CVB-20X2	9	3 **4** 2	2	'	-50KF25	16			/70.5
=			+CVB-20X2	PE	4 **5**	1	'					/70.5
=					**6**	2	'					/70.6

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-70X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 13

Terminal diagram

function text								+EXT-110W1	Cable name	**Terminal strip** =P15(i)_P28(i)+SS01 **-110X1** Plant part 1 oil level							Cable name					Page / column
								ÖLFLEX® 150 2x0.75 mm	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	cable type					
Plant part 1 oil level								1		+EXT-110B1	1	4 **1** 1	1	'	-41X3	3:1						/110.1
=								2		+EXT-110B1	2	3 **2** 2	2	'	-50KF21	14						/110.1
=												**3**	1	'								/110.1
=												**4**	2	'								/110.1
=												**5**	1	'								/110.2
=												**6**	2	'								/110.2

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-110X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 14

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X1

Plant part 1 linear measurement

function text	+EXT-120W1	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	BCC M428-0000-1A-133-P50825-0R0 8x0.25 mm²	cable type								cable type	
Plant part 1 linear measurement	BN		+EXT-120B1	7	4 **1** 1	1	'	-41X3	3:2		/120.1
=	BU		+EXT-120B1	6	3 **2** 2	2	'	-40X1	4:3		/120.1
=	GN		+EXT-120B1	5	4 **3** 1	1	'	-50KF31	5		/120.1
=	GY		+EXT-120B1	2	3 **4** 2	2	'	-50KF31	7		/120.1
=	PK		+EXT-120B1	3	4 **5**	1	'				/120.1
=	YE		+EXT-120B1	1	3 **6**	2	'				/120.2
=	RD		+EXT-120B1	4	4 **7**	1	'				/120.2
=	WH		+EXT-120B1	8	3 **8**	2	'				/120.2
=	SH		+EXT-120W1	SH	4 **9**	1	'				/120.2
=					**10**	2	'				/120.2

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06
			Editor					+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21
Modification	Date	Name						Pg 15

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X5

Plant part 1 pressure measurement hydraulic

function text	+EXT-120W5	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	Page / column
	PUR 4x0,34 mm²	cable type								cable type	
Plant part 1 pressure measurement hydraulic	BN		+EXT-120B5	1	4 **1** 1	1	'	-50KF31	10		/120.5
=	WH		+EXT-120B5	2	3 **2**	2	'				/120.5
=	BU		+EXT-120B5	3	4 **3** 1	1	'	-50KF31	6		/120.5
=	BK		+EXT-120B5	4	3 **4**	2	'				/120.6
=					**5**	1	'				/120.6
=	SH		+EXT-120W5	SH	3 **6**	2	'				/120.6

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06 +
			Editor					
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21 / Pg 16
Modification	Date	Name						

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-120X7

Plant part 1 Pressure measurement CO2

function text								+EXT-120W7	Cable name	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name					Page / column
								PUR 4x0,34 mm²	cable type								cable type					
Plant part 1 Pressure measurement CO2								BN		+EXT-120B7	1	4 **1** 1	1	'	-50KF32	9						/120.7
=								BU		+EXT-120B7	3	3 **2** 2	2	'	-50KF32	13						/120.7
Plant part 1 Hydraulic oil temperature												**3**	1	'								/120.8
=								SH		+EXT-120W7	SH	3 **4**	2	'								/120.8

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 17

Terminal diagram

function text								+EXT-120W9	Cable name	**Terminal strip** =P15(i)_P28(i)+SS01 **-120X9**							Cable name						Page / column
								PUR 4x0,34 mm²	cable type	Target designation External	Connection point	terminal			Level	jumper	Target designation Internal	Connection point	cable type					
Plant part 1 Hydraulic oil temperature								BN		+EXT-120B9	1	4	**1**	1	1	'	-50KF32	10						/120.9
=								WH		+EXT-120B9	2	3	**2**		2	'								/120.9
=								BU		+EXT-120B9	3	4	**3**	1	1	'	-50KF32	14						/120.9
=								BK		+EXT-120B9	4	3	**4**		2	'								/120.9
=													**5**		1	'								/120.9
=								SH		+EXT-120W9	SH	3	**6**		2	'								/120.9

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-120X9	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 18

Terminal diagram

function text							+EXT-130W3 LÜTZE SILFLEX® N PVC MULTINORM 3x0,5 mm²	+EXT-130W1 LÜTZE SILFLEX® N PVC MULTINORM 3x0,5 mm²	Cable name cable type	**Terminal strip** =P15(i)_P28(i)+SS01 **-130X1** Plant part 1 CO2 valve 1 Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name cable type					Page / column
Plant part 1 CO2 valve 1								1		+EXT-130X1		4 **1** 1	1	'	-50KF53	1						/130.1
=								2		+EXT-130X1		3 **2** 2	2	'	-50KF53	9						/130.1
=								GNYE		+EXT-130X1		4 **3**	1	'								/130.2
=												**4**	2	'								/130.2
Plant part 1 CO2 valve 2							1			+EXT-130X3		4 **5** 1	1	'	-50KF53	2						/130.3
=							2			+EXT-130X3		3 **6** 2	2	'	-50KF53	10						/130.3
=							GNYE			+EXT-130X3		4 **7**	1	'								/130.4
=												**8**	2	'								/130.4

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-130X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**
			Editor					
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:
Modification	Date	Name						

= AUS06
+
l sh 21
Pg 19

Terminal diagram

Terminal strip
=P15(i)_P28(i)+SS01
-130X5
Plant part 1 valve forward

function text							+EXT-130W7	+EXT-130W5	Cable name	Target designation External	Connection point	terminal		Level	jumper	Target designation Internal	Connection point	Cable name					Page / column
							PUR 3x0,75 mm²	PUR 3x0,75 mm²	cable type									cable type					
Plant part 1 valve forward								1		+EXT-130Y5	A1	4	**1**	1	1	'	-50KF53	3					/130.6
=								2		+EXT-130Y5	A2	3	**2**	2	2	'	-50KF53	11					/130.6
=								GNYE		+EXT-130Y5	PE	4	**3**		1	'							/130.7
=													**4**		2	'							/130.7
Plant part 1 valve backward							1			+EXT-130Y7	A1	4	**5**	1	1	'	-50KF53	4					/130.8
=							2			+EXT-130Y7	A2	3	**6**	2	2	'	-50KF53	12					/130.8
=							GNYE			+EXT-130Y7	PE	4	**7**		1	'							/130.9
=													**8**		2	'							/130.9

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-130X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532** = AUS06 +
			Editor					
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer: / l sh 21 / Pg 20
Modification	Date	Name						

Terminal diagram

Terminal strip

=P15(i)_P28(i)+SS01

-40XT5

Power supply unit Disconnect terminal

function text	Cable name	cable type	Target designation External	Connection point	terminal	Level	jumper	Target designation Internal	Connection point	Cable name	cable type	Page / column
Power supply unit					**1** 1	0		-40X1	6:2			/40.5
=			+DR-60A1	-X80:FE	2 **2** 1	0		-40G1	1.4			/40.5
			-61U7	PE	3							
Power supply unit			+EXT-10PE1	PE	2 **3** 1	0		+DR-10PE3	PE			/40.6

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal diagram =P15(i)_P28(i)+SS01-40XT5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS06
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 21
Modification	Date	Name							Pg 21

Terminal line-up diagram

Power supply

=P15(i)_P28(i)
+SS01
-10X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3208979

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3208979	D-PT 4-QUATTRO				
PXC.3211809	PT 4-QUATTRO-PE	6			

'	1	

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-10X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 1

Terminal line-up diagram

Hydraulic motor 1

=P15(i)_P28(i)
+SS01
-15X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3210443

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3210443	D-PT 4-PE/3L				
PXC.3210442	PT 4-PE/3L				

'	1		
'	2		
'	3		
	4		

1 3

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-15X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 2

Terminal line-up diagram

Hydraulic motor 1
Fan

=P15(i)_P28(i)
+SS01
-16X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3210443

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3210443	D-PT 4-PE/3L				
PXC.3210442	PT 4-PE/3L				
PXC.3214657	PTTBS 1,5/S	1.5			

'	1		
'	2		
'	3		
	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-16X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 3

Terminal line-up diagram

0VDC

=P15(i)_P28(i)
+SS01
-40X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

●	1		
●	2		
●	3		
●	4		
●	5		
●	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-40X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 22
Modification	Date	Name							Pg 4

Terminal line-up diagram

24VDC 1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

=P15(i)_P28(i)
+SS01
-41X1



V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 5

Terminal line-up diagram

24VDC 2

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

=P15(i)_P28(i)
+SS01
-41X3

	1		
	2		
	3		
	4		

5 7

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X3	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 6

Terminal line-up diagram

24VDC 3

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

=P15(i)_P28(i)
+SS01
-41X5

	1		
	2		

6 8

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 7

Terminal line-up diagram

24VDC 4

=P15(i)_P28(i)
+SS01
-41X7

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			
PXC.3214686	PTTBS 1,5/S-PV	1.5			

1
2
3

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-41X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 8

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			

Interface 1
Emergency stop

=P15(i)_P28(i)
+SS01
-65X1

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
	7		
	8		
	9		
	10		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-65X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 9

Terminal line-up diagram

Interface 1

=P15(i)_P28(i)
+SS01
-66X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		
'	9		
'	10		
'	11		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:
			Editor				Scheme-No.:
Modification	Date	Name					

Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**

Scheme-No. Customer:

Project-No. Customer:

= AUS07
+
l sh 22
Pg 10

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

Interface 1

=P15(i)_P28(i)
+SS01
-66X1

'	12		
'	13		
'	14		
'	15		
'	16		
'	17		
'	18		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-66X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
						Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 10.1

Terminal line-up diagram

Interface 1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

=P15(i)_P28(i)
+SS01
-68X1

'	1		
'	2		
'	3		
'	4		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-68X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 11

Terminal line-up diagram

Interface 1
ASCO CO2 detector

=P15(i)_P28(i)
+SS01
-69X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		
'	9		
'	10		

11 13

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-69X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 12

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

Interface 1
conveyor belt

=P15(i)_P28(i)
+SS01
-70X1

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-70X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 13

Terminal line-up diagram

Plant part 1
oil level

=P15(i)_P28(i)
+SS01
-110X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-110X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 14

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				

Plant part 1
oil temperature

=P15(i)_P28(i)
+SS01
-110X3

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-110X3	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 15

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

Plant part 1
linear measurement

=P15(i)_P28(i)
+SS01
-120X1

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		
'	9		
'	10		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 16

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
					PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

Plant part 1
pressure measurement hydraulic

=P15(i)_P28(i)
+SS01
-120X5

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
						Scheme-No.:	Scheme-No. Customer:	Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 17

Terminal line-up diagram

Plant part 1
Pressure measurement CO2

=P15(i)_P28(i)
+SS01
-120X7

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X7	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 18

Terminal line-up diagram

Part number					
Mounting rail			Strip label	End angle rear	End plate
Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

=P15(i)_P28(i)
+SS01
-120X9

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-120X9	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 19

Terminal line-up diagram

Plant part 1
CO2 valve 1

=P15(i)_P28(i)
+SS01
-130X1

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-130X1	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 20

Terminal line-up diagram

Plant part 1
valve forward

=P15(i)_P28(i)
+SS01
-130X5

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3214699

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3214699	D-PTTBS 1,5/S				
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			
PXC.3214657	PTTBS 1,5/S	1.5			
PXC.3214673	PTTBS 1,5/S-PE	1.5			

'	1		
'	2		
'	3		
'	4		
'	5		
'	6		
'	7		
'	8		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-130X5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	l sh 22
Modification	Date	Name							Pg 21

Terminal line-up diagram

Power supply unit
Disconnect terminal

=P15(i)_P28(i)
+SS01
-40XT5

Part number					
Mounting rail			Strip label	End angle rear	End plate
				WAGO.249-117	PXC.3211003;PXC.3208979

Terminal					
Part number	Type number	Cross-section	Terminal label	Jumper	Cover
WAGO.249-117	249-117				
PXC.3211003	D-PT 2,5-MT				
PXC.3208979	D-PT 4-QUATTRO				
PXC.3210156	PT 2,5-MT	4			
PXC.3211809	PT 4-QUATTRO-PE	6			
PXC.3211809	PT 4-QUATTRO-PE	6			

	1		
'	2		
'	3		

V500	31.01.2024	ASCO	Date	22.07.2026	ASCO Kohlensäure AG Hofenstrasse 19 CH-9300 Wittenbach +41 71 466 80 80 http://www.ascoco2.com	Page description: Terminal line-up diagram =P15(i)_P28(i)+SS01-40XT5	Project-No.:	Project designation: **Dry Ice Pelletizer P15 EVO / P28 EVO CE US V532**	= AUS07
			Editor						+
							Scheme-No.:	Scheme-No. Customer: / Project-No. Customer:	I sh 22
Modification	Date	Name							Pg 22

HYDRAULIC

vertraulich/confidential

Aggregatsgrenze



Umgebungstemperatur : 0-40°C
Ölreinheit : 19/17/14 ISO 4406
Öltyp : Mineralöl
Verschraubungssystem: DIN EN ISO 8434-1, Schneidring, verzinkt

Anz./ No Index/ Index	gepr. am chkd. on geänd. am modif. on	gepr. von checked geänd. von modif. by	Ä. M. Nr. Notice of change No
H	02.12.2025 02.12.2025	BAUZS HUSERP	1118660
G	20.11.2025 20.11.2025	EROLM HUSERP	1117902
F	14.11.2025 14.11.2025	BAUZS HUSERP	1117314
E	19.11.2024 19.11.2024	EROLM HUSERP	1092888

Auftr.-/Entw.-Projekt-Nr. Ord.-/Devel.-/Project-No

	Vers./Rev. H	Datum/Date	Name/Name
gez./drawn	19.03.2024	BURRIW	
gepr./chkd.	19.03.2024	EROLM	

Blatt von/ Sheet of 1/1

Format/Size A2

DraftSight 2022

Benennung/Description

P&ID HPU-M-100-1x5,5-HE-24003 *P28i EU*

ASCO All about CO₂

Zeichn.-Nr./ Draw.-No 4799128

alte Mat Nr./old Mat No:

Dok Nr./Doc No:

Ers. für/Exchange for:

Ers. durch/Replaced by:

Schutzvermerk ISO 16016 beachten/Observing of protection notice ISO 16016